

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

Nanoteknologi – Vurdering af nanomaterialers toksicitet ved hjælp af dechorionerede zebrafiskembryoer

Nanotechnologies – Assessment of nanomaterial
toxicity using dechorionated zebrafish embryo

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

DS projekt: M340627

ICS: 07.120

Første del af denne publikations betegnelse er:

DS/ISO/TS, hvilket betyder, at det er en international teknisk specifikation, der har status som DS-information.

Denne publikations overensstemmelse er:

IDT med: ISO/TS 22082:2020

DS-publikationen er på engelsk.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldttekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

First edition
2020-05-06

Nanotechnologies — Assessment of nanomaterial toxicity using dechorionated zebrafish embryo

*Nanotechnologies — Évaluation de la toxicité des nanomatériaux au
moyen d'embryons déchorionés de poisson zèbre*



Reference number
ISO/TS 22082:2020(E)

© ISO 2020

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "DS/ISO/TS 22082:2020". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Materials	2
6 Apparatus	3
6.1 Technical equipment.....	3
6.2 Analytical instruments.....	3
7 Procedures	4
7.1 Culture.....	4
7.1.1 Zebrafish strain.....	4
7.1.2 Feeding regime.....	4
7.1.3 Photoperiod.....	4
7.1.4 Temperature and pH.....	4
7.1.5 Tank material.....	4
7.2 Spawning stimulation.....	4
7.3 Dechoriation of embryos.....	5
7.3.1 Methods.....	5
7.3.2 Enzymatic dechoriation method.....	5
7.4 Preparation of nanomaterials stock solution.....	5
7.5 Testing concentrations.....	6
7.6 Dispersion of nanomaterials.....	6
7.7 Positive chemical: 3,4-dichloroaniline.....	6
7.8 Test methods.....	6
7.8.1 Water quality measurement.....	6
7.8.2 Preparation of dechoriated embryos.....	6
7.8.3 Exposure.....	6
7.8.4 Endpoints observation.....	6
7.9 Data analysis.....	7
8 Test report	7
8.1 Test procedure.....	7
8.2 Information to be included in the report.....	7
8.2.1 Test nanomaterials.....	7
8.2.2 Test species.....	7
8.2.3 Materials and apparatus.....	7
8.2.4 Maintenance.....	7
8.2.5 Test design.....	7
8.2.6 Test conditions.....	7
8.2.7 Results.....	7
Annex A (informative) Mechanical dechoriation method	8
Annex B (informative) Zebrafish embryo spawning procedures	9
Annex C (informative) Results validation	10
Bibliography	11

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 229, *Nanotechnologies*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Fish assays are important and widely used tools for evaluating the toxicity of chemicals in the aquatic environment. However, there are animal welfare concerns regarding the use of vertebrate animals for chemical testing, including fish. The use of early life stage embryos, instead of adult or juvenile fish, is considered an alternative assay because there are animal welfare benefits to testing fish embryos as an alternative to the clear distress caused by testing more developed juvenile fish, e.g. by using [OECD TG 203](#).

Nanotechnology is positively affecting many commercial sectors, but there remain concerns regarding the potential adverse environmental effects from nano-enabled products. The OECD test guideline using fish embryos to evaluate acute toxicity (see [OECD TG 236](#)) states that some substances having a molecular weight ≥ 3 kDa, a very bulky molecular structure, and substances causing delayed hatching might be inappropriate for testing using that method. The presence of the chorion could also confound assessment of the nanomaterials biological activity. The chorion is the outmost acellular envelope of a fish embryo and it can serve as an exposure barrier for some chemicals or nanomaterials. It is currently not possible to predict which nanomaterials might be blocked by the chorion. Using dechorionated embryos for toxicity assessments may not provide direct ecotoxicological information, but may help to better identify potentially hazardous nanomaterials. Accordingly, many researchers around the world have developed a number of methods for removing a chorion from early life stage zebrafish embryos^[1]^[2]. There are two ways to remove chorion from embryos: by enzymatic or mechanical method. The enzymatic dechoriation method has some advantages over the mechanical dechoriation method (see [Annex A](#)), including time and labour efficiency by easy preparation for dechoriation, no mechanical embryonic damage, and the ability to simultaneously prepare a large number of dechorionated embryos for a high throughput-based approaches. On the other hand, there is a disadvantage of variability in pronase activity that could influence the success rate of chorion removal. Numerous groups have used dechorionated embryos for the assessment of chemical and nanomaterial toxicity^[3]^[4]^[5]^[6]. However, these methods have not yet been fully standardized^[7]^[8]^[9]^[10].

Dechorionated zebrafish embryos toxicity assay can serve as a surrogate system to detect potentially hazardous nanomaterials for other vertebrate systems. As the use of higher organism animal models for toxicity testing is being refined, there is an increasing need for alternative test methods. Early life stage zebrafish (up to independent feeding, e.g. 120 HPF) could be an excellent alternative model of *in vivo* toxicity^[22]^[23]^[24]^[25]^[26]^[27]. Compared with other animal models, zebrafish have a number of advantages for assessing toxicity, including the relative ease of rearing and breeding, high fecundity (external fertilization, 200 embryos to 300 embryos from a female), short generation time (approximately 3 months to adulthood), availability of genomic resources (complete zebrafish genome sequence), and genetic similarity to humans. About 70 % of human diseases have at least one zebrafish orthologue and 84 % of the human genes associated with disease have orthologues in zebrafish^[11]. Therefore, the use of zebrafish to assess chemical toxicity is increasing.

This document provides an optimized procedure to remove chorions along with recommendations on how to conduct toxicity assays using dechorionated zebrafish embryos. It also discusses the advantages of the fish toxicity assay using dechorionated embryos.

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/ISO/TS 22082:2020". [Click here to purchase the full version from the ANSI store.](#)

Nanotechnologies — Assessment of nanomaterial toxicity using dechorionated zebrafish embryo

1 Scope

This document specifies a method for rapidly assessing nanomaterial toxicity (fish early life stage, 0 HPF to 120 HPF). It includes information on the importance of acellular chorion removal, detailed chorion removal procedures, and a complete protocol for the toxicity assessment of nanomaterials using dechorionated zebrafish embryos. The focus of this document is on testing nanomaterial toxicity.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[ISO/TS 12805](#), *Nanotechnologies — Materials specifications — Guidance on specifying nano-objects*

[ISO/TR 13014](#), *Nanotechnologies — Guidance on physico-chemical characterization of engineered nanoscale materials for toxicologic assessment*

[ISO/TS 17200](#), *Nanotechnology — Nanoparticles in powder form — Characteristics and measurements*

[ISO/TR 18196](#), *Nanotechnologies — Measurement technique matrix for the characterization of nano-objects*

[ISO 22412](#), *Particle size analysis — Dynamic light scattering (DLS)*

[ISO/TS 80004-1](#), *Nanotechnologies — Vocabulary — Part 1: Core terms*

[ISO/TS 80004-2](#), *Nanotechnologies — Vocabulary — Part 2: Nano-objects*

OECD. *Test No. 236: Fish Embryo Acute Toxicity (FET) Test*. OECD Guidelines for the Testing of Chemicals. Section 2. OECD Publishing, Paris, 2013