

This is a preview of "ISO 14507:2003". [Click here to purchase the full version from the ANSI store.](#)

First edition  
2003-03-15

---

---

## **Soil quality — Pretreatment of samples for determination of organic contaminants**

*Qualité du sol — Prétraitement des échantillons pour la détermination  
des contaminants organiques*



Reference number  
ISO 14507:2003(E)

© ISO 2003

This is a preview of "ISO 14507:2003". [Click here to purchase the full version from the ANSI store.](#)

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO 14507:2003". Click [here](#) to purchase the full version from the ANSI store.

## Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>2</b>
4.1 <b>Sampling</b> .....	<b>2</b>
4.2 <b>Volatile compounds</b> .....	<b>2</b>
4.3 <b>Moderately volatile compounds</b> .....	<b>2</b>
<b>5 Reagents</b> .....	<b>3</b>
<b>6 Apparatus</b> .....	<b>3</b>
<b>7 Preservation and storage</b> .....	<b>4</b>
<b>8 Procedure</b> .....	<b>4</b>
8.1 <b>General</b> .....	<b>4</b>
8.2 <b>Volatile compounds (boiling point &lt; 300 °C)</b> .....	<b>5</b>
8.3 <b>Moderately volatile organic compounds (boiling point &gt; 300 °C) — Grinding necessary</b> .....	<b>5</b>
8.4 <b>Moderately volatile organic compounds (boiling point &gt; 300 °C) — Grinding not possible or not necessary</b> .....	<b>7</b>
8.5 <b>Blank measurements</b> .....	<b>8</b>
<b>9 Test report</b> .....	<b>8</b>
<b>Annex A (informative) Information concerning vapour pressure, boiling and melting points of volatile organic compounds</b> .....	<b>9</b>
<b>Annex B (informative) Validation</b> .....	<b>12</b>
<b>Bibliography</b> .....	<b>14</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14507 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 3, *Chemical methods and soil characteristics*.

## Introduction

The properties of organic micropollutants can differ greatly according to chemical species:

- they can range from non-volatile to very volatile compounds (low to high vapour pressure);
- they can be labile or reactive at ambient or elevated temperatures;
- they can be biodegradable or UV-degradable;
- they can have considerably different solubilities in water;
- they require different analytical procedures.

Because of these differences, a general pretreatment procedure cannot be proposed. The goal of a pretreatment procedure is to prepare a test sample in which the concentration of the contaminant is equal to the concentration in the original soil, provided, however, that this procedure does not alter the chemical species to be analysed. For instance, if the sample contains only small particles and the contaminant is homogeneously distributed, it is not necessary to grind the sample. In this International Standard, the size 2 mm is used to distinguish between small and large soil particles.

Consistency among the following aspects is important:

- soil diversity;
- the aim of the analysis (including its accuracy);
- the nature of the chemical species to be analysed.

The particle size distribution of the sample in relation to the mass of sample taken for analysis is also important to pretreatment. For the analysis of organic contaminants, the sample mass taken in most cases is about 20 g.

With such a sample mass, and provided that the contaminant is homogeneously distributed and the particles in the sample are smaller than about 2 mm, further grinding of the sample is not necessary. If the sample contains large particles or if the contaminant is heterogeneously distributed (as occurs for instance with tar particles), it is not possible to take a representative test sample of about 20 g without grinding the sample. To improve the homogeneity, samples are ground to a size smaller than 1 mm. Prior to analysis, very often no information about the distribution of the contaminant in the soil is known.

Some analytical procedures start with a field-moist sample. Drying of the sample gives lower extraction results. If the sample is not dried, grinding is not possible.

In a situation in which accurate results are needed, the best available pretreatment procedure should be used. If it is necessary to establish whether the concentration is above a certain limit and it is already known that the soil is heavily polluted, the simplest pretreatment procedure may meet the need. In this case however, the result may not be presented as a representative value for the whole sample.

The choice depends above all on the volatility of the organic compounds under analysis. It also depends on the soil particle size distribution, the heterogeneity of the sample and the analytical procedure.