ANSI® CGATS.4-2006 Revision of CGATS.4-1993

AMERICAN NATIONAL STANDARD

Graphic technology — Graphic arts reflection densitometry measurements — Terminology, equations, image elements and procedures

SECRETARIAT NPES THE ASSOCIATION FOR SUPPLIERS OF PRINTING, PUBLISHING AND CONVERTING TECHNOLOGIES

> APPROVED FEBRUARY 16, 2006 AMERICAN NATIONAL STANDARDS INSTITUTE, INC.





1899 PRESTON WHITE DRIVE • RESTON, VIRGINIA 20191-4367 • TEL: 703/264-7200 • FAX: 703/620-0994 • www.npes.org

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirement for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat whose name appears on the title pate of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard periodically.

Copyright ©2006 by NPES The Association for Suppliers of Printing, Publishing and Converting Technologies All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

ANSI®

CGATS.4-2006

Contents

Forewo	ordiv			
Introdu	Introductionvi			
1	Scope and field of application1			
2	Normative references1			
3	Terms and definitions1			
4 4.1 4.2	Computation of derived data4 Density			
5 5.1 5.2	Instrumentation and reporting requirements			
6 6.1 6.2	Procedures			
6.3 6.4	measurements			
Annex	A (informative) Densitometer filter responses12			
Annex B (informative) Sample backing14				
Annex C (informative) Other procedures for measuring reflection samples16				
Bibliography19				

CGATS.4-2006

ANSI®

Foreword

This standard defines terms, equations, image elements and procedures for measurement and communication of data when using reflection densitometer instrumentation for graphic arts.

The Committee for Graphic Arts Technologies Standards (CGATS) was accredited by the American National Standards Institute in 1989 to serve as the coordinator of graphic arts standards activities. CGATS identifies areas in which standards are needed and desired, respecting the established activities of existing accredited standards committees and industry standards developers. CGATS writes standards only where need exists and no other committee is undertaking the writing.

This edition of CGATS.4 updates and replaces the 1993 version of this document. It includes no substantial technical changes but has been reorganized to make the information more readily accessible and to bring some nomenclature into closer agreement with that used in ISO. CGATS recommends the voluntary implementation and use of this standard by all segments of the graphic arts industry.

Requests for interpretation must be sent in writing to the CGATS Secretariat. This request will be forwarded to the appropriate committee, which will respond in writing. A statement, written or oral, that is not processed in accordance with the procedures noted above will not be considered the official position of CGATS, and should not be relied upon as a Formal Interpretation.

Suggestions for improving this standard are welcomed. They should be sent to the CGATS Secretariat, NPES The Association for Suppliers of Printing, Publishing and Converting Technologies, 1899 Preston White Drive, Reston, Virginia 20191-4367, USA; Fax: 703-620-0994; E-mail: standards@npes.org.

This standard was prepared by CGATS Subcommittee 3, which had the following membership:

Chair: Lawrence Steele Vice Chairman: Raymond Cheydleur Secretary: Mary Abbott

Subcommittee members:

Organization	Representative	Organization	Representative
Alliance Group	Tom Cooper	Newspaper Association of America	John lobst
Arizona State University	Lawrence Steele	NPES The Association for and Suppliers	David McDowell
ColorInfo Technology	George Leyda	of Printing, Publishing and Converting	
Computer Integrated Color	Roger Siljander	Technologies	
Enovation Graphic Systems	Lawrence Warter	QuadTech	John Seymour
Flexographic Technical Association	Steve Smiley	RGB Metrology	Lawrence Steele
Global Graphics Software	Kenneth Elsman	RIT/College of Imaging Arts & Sciences	Robert Chung
Graphics Microsystems	Steven Headley	R.R. Donnelley & Sons	Michael Rodriguez
GretagMacbeth	David Bowden		Gary Witt
Hewlett Packard	Charles Jia	Society for Imaging Science & Technology	David McDowell
IDEAlliance	David Steinhardt	Sun Chemical	Danny Rich
Kodak Polychrome Graphics	Richard Goodman	Technical Expert	Walter Zawacki
Latran Technologies	Andy DiDonato	Time Inc.	Heath Luetkens
Lexmark	Ann McCarthy	Vertis	Steve Smiley
National Association of Printing Ink	Danny Rich	X-Rite	Raymond Cheydleur
Manufacturers		Zwang & Company	David Zwang

ANSI®

CGATS.4-2006

This standard was processed and approved for submission to ANSI by Accredited Standards Committee CGATS. Committee approval of the standard does not imply that all committee members voted for its approval. At the time this standard was approved CGATS had the following members:

Chairman: Lawrence Steele Vice Chairman: Michael Rodriguez Secretary: Mary Abbott

Organization	Representative	Organization	Representative
Adobe Systems Incorporated	Macduff Hughes	International Prepress Association	Lee Webster
Arizona Statue University	Lawrence Steele		Scott Tully (Alt.)
	Penny Dolin (Alt.)	Kodak Graphic Communications Canada	David Kauffman
City University of New York - College of	Lloyd Carr	Kodak Polychrome Graphics	Chris Goldsmith
Technology		Kodak Versamark	Terry Wozniak
Dainippon Screen Engineering of America	Setsuo Ohara		John Desautels
	Tom Yang (Alt.)	Latran Technologies	Andy DiDonato
Eastman Kodak Graphic Communications	Nader Anvari	National Association of Printing Ink	Danny Rich
Group		Manufacturers	James Coleman (Alt.)
Electronics for Imaging	Margaret Motamed	National Association of Litho Clubs	Richard Worthington
	Richard Falk (Alt.)	Newspaper Association of America	John lobst
Enfocus Software NV	Andy Den Tandt		Tom Croteau (Alt.)
Enovation Graphics Systems	Lawrence Warter	NPES The Association for Suppliers of	David McDowell
Esko-Graphics	Hans De Stecker	Printing, Publishing and Converting	
	Hans Dewitte (Alt.)	Technologies	
Flexographic Technical Association	Rick Mix	Oceana	Mark Rand
	Mark Cisternino (Alt.)	Quebecor World, Inc.	Johnny Sutton
Global Graphics Software, Inc.	Martin Bailey		Jean-Francois Cuillerier (Alt.)
	Kenneth Elsman (Alt.)	Research & Engineering Council of NAPL	Lawrence Warter
Graphics Microsystems Inc.	Steve Headley		Ronald Mihills (Alt.)
	Mark O'Connell (Alt.)	RGB Metrology	Lawrence Steele
Gravure Association of America	Bill Sunter	RIT/College of Imaging Arts & Sciences	Robert Chung
GretagMacbeth	Tom Lianza		Frank Cost (Alt.)
	Mark Geeves (Alt.)	R. R. Donnelley & Sons Company	Michael Rodriguez
GTI Graphic Technology Inc.	Frederic McCurdy	Society for Imaging Science &	David McDowell
	Robert McCurdy (Alt.)	Technology	
Heidelberg U.S.A.	Charles Koehler	St. Petersburg Times	Alvin Nesmith
Hewlett Packard	Mary Nielsen		Ben Hayes (Alt.)
	Kevin Currans (Alt.)	Technical Expert	Walter Zawacki
IDEAlliance	David Steinhardt	X-Rite, Inc.	Raymond Cheydleur
	Lawrence Warter (Alt.)	Xerox Corporation	Brian Rooney
Integrated Color Solutions	Jo Kirkenaer	Zwang & Company	David Zwang
International Association of Diecutting	Cynthia Crouse		

& Diemaking

CGATS.4-2006

ANSI®

Introduction

Reflection density is widely used for quality and process control within the graphic arts industry. This standard defines terms and establishes a standard method for the use and application of instrumentation used to determine reflection density in the graphic arts field. Through use of this standard, more consistent measurement of process control elements can be achieved. Furthermore, the computation of derived parameters and communication of data based on a common definition will enhance the control of image reproduction across an industry that is global in nature.

It should be noted that many instruments measure reflectance factor and immediately calculate density using the appropriate spectral products. This direct reporting of density (-log of reflectance factor) rather than the reflectance factor differentiates densitometers from other instruments. This practice has yielded some confusion about what the unit "measures" and what it "reports."

A significant difference between densitometry and colorimetry is the weighting factors used to determine status density versus colorimetry.

Status responses used for densitometry are designed to optimize the instrument's ability to measure the quantity of particular colorants present. Colorimetry is designed to take into account the human visual response as defined by a CIE Standard Observer. Therefore, it is inappropriate to use densitometers for color measurement as defined by the human visual response.

A document similar to this one has been developed to address transmission densitometry. That document is CGATS.9, Graphic technology — Graphic arts transmission densitometry — Terminology, equations, image elements and procedures.

ANSI®

Graphic technology — Graphic arts reflection densitometry measurements — Terminology, equations, image elements and procedures

1 Scope and field of application

This standard defines terms, equations and procedures for measurement, use, and communication of data obtained using reflection densitometry in the graphic arts. Graphic arts includes, but is not limited to, the preparation of material for, and volume production by, production printing processes, which include offset lithography, letterpress, flexography, gravure, and screen printing.

This standard also applies to measurement of materials produced by systems such as photographic, ink jet, thermal transfer, electrophotographic, and toner technology (including off-press proofs), etc., when used for graphic arts applications.

2 Normative references

The following standards contain provisions that, through reference in this text, constitute provisions of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ANSI/CGATS.17, Graphic technology — Exchange format for spectral measurement, colorimetric, and densitometric data in electronic form

ISO 5-3, Photography — Density measurements — Part 3: Spectral conditions

ISO 5-4, Photography — Density measurements — Part 4: Geometric conditions for reflection density

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

absorption (light)

process by which light (radiant energy) is captured by a material and converted into another form of energy, usually heat; light that is neither transmitted nor reflected is absorbed

3.2

aperture, illumination

area of the sample illuminated by the instrument's light source

3.3

aperture, mechanical

aperture created by an opaque mask used to position the densitometer on the specimen