

This is a preview of "ISO/IEC 19831:2015". [Click here to purchase the full version from the ANSI store.](#)

First edition  
2015-05-01

---

---

## **Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol — An Interface for Managing Cloud Infrastructure**

*Model d'interface de management de l'infrastructure du nuage  
informatique (CIMI) et protocole RESTful basé HTTP — Une interface  
pour le management de l'infrastructure du nuage informatique*

---

---

Reference number  
ISO/IEC 19831:2015(E)



© ISO/IEC 2015

This is a preview of "ISO/IEC 19831:2015". Click [here](#) to purchase the full version from the ANSI store.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## CONTENTS

34	Foreword .....	7
35	1 Scope .....	9
36	1.1 Document structure .....	9
37	1.2 Document versioning scheme .....	9
38	1.3 Typographical conventions .....	9
39	2 Normative references .....	10
40	3 Terms and definitions .....	11
41	4 HTTP-based protocol .....	14
42	4.1 Introduction .....	14
43	4.1.1 Protocol evolution and client expectations .....	14
44	4.1.2 XML namespaces .....	14
45	4.1.3 URI space .....	14
46	4.1.4 Media types .....	15
47	4.1.5 Request headers .....	15
48	4.1.6 Request query parameters .....	15
49	4.2 Protocol operations .....	21
50	4.2.1 Common CRUD operations .....	22
51	4.3 OVF support .....	29
52	5 Model .....	30
53	5.1 Resource wrappers .....	30
54	5.2 Extensibility .....	31
55	5.3 Identifiers .....	31
56	5.4 Attribute constraints .....	32
57	5.5 Data types and their serialization .....	33
58	5.5.1 boolean .....	33
59	5.5.2 dateTime .....	33
60	5.5.3 duration .....	33
61	5.5.4 integer .....	34
62	5.5.5 string .....	34
63	5.5.6 ref .....	34
64	5.5.7 map .....	35
65	5.5.8 structure .....	35
66	5.5.9 byte[ ] .....	36
67	5.5.10 URI .....	36
68	5.5.11 Arrays .....	36
69	5.5.12 Collections .....	37
70	5.5.13 "Any" type .....	41
71	5.5.14 Empty attribute values .....	41
72	5.6 Units .....	41
73	5.7 Relationship semantics .....	42
74	5.8 Operations .....	42
75	5.9 Alternative model formats .....	43
76	5.10 Resources .....	43
77	5.10.1 Common attributes .....	43
78	5.11 Resource metadata .....	45
79	5.11.1 Serialization of attribute value constraints .....	49
80	5.11.2 Capabilities .....	51
81	5.11.3 ResourceMetadataCollection Resource .....	54
82	5.12 Cloud Entry Point .....	55
83	5.12.1 Operations .....	61
84	5.13 System Resources and relationships .....	61
85	5.13.1 System .....	62

86	5.13.2	SystemCollection Resource.....	80
87	5.13.3	SystemTemplate Resource .....	81
88	5.13.4	SystemTemplateCollection Resource.....	87
89	5.14	Machine Resources and relationships.....	88
90	5.14.1	Machine .....	89
91	5.14.2	MachineCollection.....	107
92	5.14.3	MachineTemplate .....	109
93	5.14.4	MachineTemplateCollection Resource .....	116
94	5.14.5	MachineConfiguration Resource .....	117
95	5.14.6	MachineConfigurationCollection Resource .....	119
96	5.14.7	MachineImage Resource .....	120
97	5.14.8	MachineImageCollection Resource .....	124
98	5.14.9	Credential Resource .....	125
99	5.14.10	CredentialCollection Resource .....	126
100	5.14.11	CredentialTemplate Resource .....	127
101	5.14.12	CredentialTemplateCollection Resource .....	128
102	5.15	Volume Resources and relationships .....	130
103	5.15.1	Volume.....	131
104	5.15.2	VolumeCollection Resource .....	135
105	5.15.3	VolumeTemplate Resource .....	136
106	5.15.4	VolumeTemplateCollection Resource .....	138
107	5.15.5	VolumeConfiguration Resource.....	139
108	5.15.6	VolumeConfigurationCollection Resource .....	141
109	5.15.7	VolumeImage Resource .....	142
110	5.15.8	VolumeImageCollection Resource .....	144
111	5.16	Network Resources and relationships .....	145
112	5.16.1	Network.....	145
113	5.16.2	NetworkCollection Resource .....	153
114	5.16.3	NetworkTemplate Resource .....	154
115	5.16.4	NetworkTemplateCollection Resource .....	156
116	5.16.5	NetworkConfiguration Resource.....	157
117	5.16.6	NetworkConfigurationCollection Resource .....	158
118	5.16.7	NetworkPort .....	160
119	5.16.8	NetworkPortCollection Resource.....	164
120	5.16.9	NetworkPortTemplate Resource.....	165
121	5.16.10	NetworkPortTemplateCollection Resource.....	168
122	5.16.11	NetworkPortConfiguration Resource .....	169
123	5.16.12	NetworkPortConfigurationCollection Resource .....	170
124	5.16.13	Address Resource .....	171
125	5.16.14	AddressCollection Resource .....	173
126	5.16.15	AddressTemplate Resource .....	174
127	5.16.16	AddressTemplateCollection Resource .....	176
128	5.16.17	ForwardingGroup Resource .....	177
129	5.16.18	ForwardingGroupCollection Resource.....	180
130	5.16.19	ForwardingGroupTemplate Resource .....	181
131	5.16.20	ForwardingGroupTemplateCollection Resource .....	182
132	5.17	Monitoring Resources and relationships.....	183
133	5.17.1	Job Resource.....	184
134	5.17.2	JobCollection Resource .....	188
135	5.17.3	Meter Resource .....	189
136	5.17.4	MeterCollection Resource .....	195
137	5.17.5	MeterTemplate Resource .....	196
138	5.17.6	MeterTemplateCollection Resource .....	197
139	5.17.7	MeterConfiguration Resource.....	198
140	5.17.8	MeterConfigurationCollection Resource .....	201
141	5.17.9	EventLog Resource .....	202

142	5.17.10 EventLogCollection Resource .....	205
143	5.17.11 EventLogTemplate Resource .....	206
144	5.17.12 EventLogTemplateCollection Resource .....	207
145	5.17.13 Event Resource .....	208
146	6 Security considerations .....	216
147	ANNEX A (normative) OVF support in CIMI .....	217
148	ANNEX B (informative) XML Schema.....	219
149	ANNEX C (informative) Change log.....	220
150		

## 151 **Figures**

152	Figure 1 - Cloud Entry Point.....	56
153	Figure 2 - System Resources.....	62
154	Figure 3 - Machine Resources .....	89
155	Figure 4 - Volume Resources .....	130
156	Figure 5 - Network Resources .....	145
157	Figure 6 - Monitoring Resources.....	184
158		

## 159 **Tables**

160	Table 1 – XML namespaces .....	14
161	Table 2 – Named structure.....	35
162	Table 3 – Converting a relative URI to an absolute URI .....	36
163	Table 4 – Numerical equivalents for attributes.....	42
164	Table 5 – Common attributes.....	43
165	Table 7 – Capability URIs .....	51
166	Table 8 – CloudEntryPoint attributes .....	56
167	Table 9 – System attributes .....	63
168	Table 10 – SystemSystem attributes .....	67
169	Table 11 – SystemMachine attributes.....	68
170	Table 12 – SystemCredential attributes.....	70
171	Table 13 – SystemVolume attributes .....	71
172	Table 14 – SystemNetwork attributes .....	72
173	Table 15 – SystemNetworkPort attributes .....	74
174	Table 16 – SystemAddress attributes .....	75
175	Table 17 – SystemForwardingGroup attributes .....	76
176	Table 18 – SystemTemplate attributes .....	82
177	Table 19 – Machine attributes.....	89
178	Table 20 – Disk attributes .....	93
179	Table 21 – MachineVolume attributes .....	94
180	Table 22 – MachineNetworkInterface attributes .....	96
181	Table 23 – MachineNetworkInterfaceAddress attributes .....	98
182	Table 24 – MachineSnapshot attributes .....	100
183	Table 25 – MachineTemplate attributes.....	109
184	Table 26 – MachineConfiguration attributes .....	117
185	Table 27 – MachineImage attributes.....	120

186	Table 28 – Credential attributes .....	125
187	Table 29 – UserName/Password attributes .....	125
188	Table 30 – Public key attributes .....	125
189	Table 31 – CredentialTemplate attributes .....	127
190	Table 32 – Volume attributes .....	131
191	Table 33 – VolumeVolumeImage attributes .....	133
192	Table 34 – VolumeTemplate attributes .....	136
193	Table 35 – VolumeConfiguration attributes .....	140
194	Table 36 – VolumeImage attributes .....	142
195	Table 37 – Network attributes .....	145
196	Table 38 – NetworkTemplate attributes .....	154
197	Table 39 – NetworkConfiguration attributes .....	157
198	Table 40 – NetworkPort attributes .....	160
199	Table 41 – NetworkPortTemplate attributes .....	165
200	Table 42 – NetworkPortConfiguration attributes .....	169
201	Table 43 – Address attributes .....	171
202	Table 44 – AddressTemplate attributes .....	174
203	Table 45 – ForwardingGroup attributes .....	178
204	Table 46 – ForwardingGroupNetwork attributes .....	179
205	Table 47 – ForwardingGroupTemplate attributes .....	181
206	Table 48 – Job attributes .....	185
207	Table 49 – Meter attributes .....	189
208	Table 50 – Sample attributes .....	192
209	Table 51 – MeterTemplate attributes .....	196
210	Table 52 – MeterConfiguration attributes .....	198
211	Table 53 – aspect URIs .....	200
212	Table 54 – EventLog attributes .....	202
213	Table 55 – EventLogTemplate attributes .....	206
214	Table 56 – Event attributes .....	208
215	Table 57 – type URIs .....	211
216		
217		

218

## Foreword

219 The *Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol*  
220 specification (DSP0263) was prepared by the DMTF Cloud Management Working Group. It defines a  
221 logical model for the management of resources within the Infrastructure as a Service domain.

222 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems  
223 management and interoperability.

## 224 Acknowledgments

225 The DMTF acknowledges the following individuals for their contributions to this document:

### 226 Editors (past and present):

- 227 • Marios Andreou – Red Hat
- 228 • Doug Davis – IBM
- 229 • Jacques Durand – Fujitsu
- 230 • Gilbert Pilz – Oracle

### 231 Contributors:

- 232 • Ghazanfar Ali – ZTE Corporation
- 233 • Marios Andreou – Red Hat
- 234 • Keith Bankston – Microsoft Corporation
- 235 • Winston Bumpus – VMware Inc.
- 236 • Nathan Burkhart – Microsoft Corporation
- 237 • Mark Carlson – Oracle
- 238 • Steve Carter – Novell
- 239 • Junsheng Chu – ZTE Corporation
- 240 • Josh Cohen – Microsoft Corporation
- 241 • Derek Coleman – Hewlett-Packard Company
- 242 • John Crandall – Brocade Communications Systems
- 243 • Doug Davis – IBM
- 244 • Jim Davis – WBEM Solutions
- 245 • Fernando de la Iglesia – Telefónica
- 246 • Hiroshi Dempo – NEC Corporation
- 247 • Jacques Durand – Fujitsu
- 248 • Yigal Edery – Microsoft Corporation
- 249 • George Ericson – EMC
- 250 • Colleen Evans – Microsoft Corporation
- 251 • Norbert Floeren – Ericsson AB
- 252 • Robert Freund – Hitachi, Ltd.
- 253 • Fermín Galán – Telefónica
- 254 • Krishnan Gopalan – Microsoft Corporation
- 255 • Kazunori Iwasa – Fujitsu
- 256 • Mark Johnson – IBM
- 257 • Bhumip Khasnabish – ZTE Corporation
- 258 • Dies Köper – Fujitsu
- 259 • Vincent Kowalski – BMC Software
- 260 • Ruby Krishnaswamy – France Telecom Group
- 261 • Lawrence Lamers – VMware Inc.
- 262 • Paul Lipton – CA Technologies
- 263 • James Livingston – NEC Corporation
- 264 • Vince Lubsey – Virtustream Inc.

ISO/IEC 19831:2015 (E)

- 265 • David Lutterkort – Red Hat
- 266 • Fred Maciel – Hitachi, Ltd.
- 267 • Andreas Maier – IBM
- 268 • Ashok Malhotra – Oracle
- 269 • Jeff Mischkinisky – Oracle
- 270 • Jesus Molina – Fujitsu
- 271 • Efraim Moscovich – CA Technologies
- 272 • Bryan Murray – Hewlett-Packard Company
- 273 • Steven Neely – Cisco
- 274 • Ryuichi Ogawa – NEC Corporation
- 275 • John Parchem – Microsoft Corporation
- 276 • Shishir Pardikar – Citrix Systems Inc.
- 277 • Miguel Peñalvo – Telefónica
- 278 • Gilbert Pilz – Oracle
- 279 • Alvaro Polo – Telefónica
- 280 • Enrico Ronco – Telecom Italia
- 281 • Federico Rossini – Telecom Italia
- 282 • Matthew Rutkowski – IBM
- 283 • Tom Rutt – Fujitsu
- 284 • Hemal Shah – Broadcom
- 285 • Nihar Shah – Microsoft Corporation
- 286 • Alan Sill – Texas Tech University
- 287 • Zhexuan Song – Huawei
- 288 • Marvin Waschke – CA Technologies
- 289 • Eric Wells – Hitachi, Ltd.
- 290 • Jeff Wheeler – Huawei
- 291 • Maarten Wiggers – Fujitsu
- 292 • Daniel Wilson – Ericsson AB
- 293 • Steve Winkler – SAP AG
- 294 • Jack Yu – Oracle
- 295 • Aaron Zhang – Huawei
- 296 • HengLiang Zhang – Huawei
- 297



This is a preview of "ISO/IEC 19831:2015". [Click here to purchase the full version from the ANSI store.](#)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## CONTENTS

34	Foreword .....	7
35	1 Scope .....	9
36	1.1 Document structure .....	9
37	1.2 Document versioning scheme .....	9
38	1.3 Typographical conventions .....	9
39	2 Normative references .....	10
40	3 Terms and definitions .....	11
41	4 HTTP-based protocol .....	14
42	4.1 Introduction .....	14
43	4.1.1 Protocol evolution and client expectations .....	14
44	4.1.2 XML namespaces .....	14
45	4.1.3 URI space .....	14
46	4.1.4 Media types .....	15
47	4.1.5 Request headers .....	15
48	4.1.6 Request query parameters .....	15
49	4.2 Protocol operations .....	21
50	4.2.1 Common CRUD operations .....	22
51	4.3 OVF support .....	29
52	5 Model .....	30
53	5.1 Resource wrappers .....	30
54	5.2 Extensibility .....	31
55	5.3 Identifiers .....	31
56	5.4 Attribute constraints .....	32
57	5.5 Data types and their serialization .....	33
58	5.5.1 boolean .....	33
59	5.5.2 dateTime .....	33
60	5.5.3 duration .....	33
61	5.5.4 integer .....	34
62	5.5.5 string .....	34
63	5.5.6 ref .....	34
64	5.5.7 map .....	35
65	5.5.8 structure .....	35
66	5.5.9 byte[ ] .....	36
67	5.5.10 URI .....	36
68	5.5.11 Arrays .....	36
69	5.5.12 Collections .....	37
70	5.5.13 "Any" type .....	41
71	5.5.14 Empty attribute values .....	41
72	5.6 Units .....	41
73	5.7 Relationship semantics .....	42
74	5.8 Operations .....	42
75	5.9 Alternative model formats .....	43
76	5.10 Resources .....	43
77	5.10.1 Common attributes .....	43
78	5.11 Resource metadata .....	45
79	5.11.1 Serialization of attribute value constraints .....	49
80	5.11.2 Capabilities .....	51
81	5.11.3 ResourceMetadataCollection Resource .....	54
82	5.12 Cloud Entry Point .....	55
83	5.12.1 Operations .....	61
84	5.13 System Resources and relationships .....	61
85	5.13.1 System .....	62

86	5.13.2	SystemCollection Resource.....	80
87	5.13.3	SystemTemplate Resource .....	81
88	5.13.4	SystemTemplateCollection Resource.....	87
89	5.14	Machine Resources and relationships.....	88
90	5.14.1	Machine .....	89
91	5.14.2	MachineCollection.....	107
92	5.14.3	MachineTemplate .....	109
93	5.14.4	MachineTemplateCollection Resource .....	116
94	5.14.5	MachineConfiguration Resource .....	117
95	5.14.6	MachineConfigurationCollection Resource .....	119
96	5.14.7	MachineImage Resource .....	120
97	5.14.8	MachineImageCollection Resource .....	124
98	5.14.9	Credential Resource .....	125
99	5.14.10	CredentialCollection Resource .....	126
100	5.14.11	CredentialTemplate Resource .....	127
101	5.14.12	CredentialTemplateCollection Resource .....	128
102	5.15	Volume Resources and relationships .....	130
103	5.15.1	Volume.....	131
104	5.15.2	VolumeCollection Resource .....	135
105	5.15.3	VolumeTemplate Resource .....	136
106	5.15.4	VolumeTemplateCollection Resource .....	138
107	5.15.5	VolumeConfiguration Resource.....	139
108	5.15.6	VolumeConfigurationCollection Resource .....	141
109	5.15.7	VolumeImage Resource .....	142
110	5.15.8	VolumeImageCollection Resource .....	144
111	5.16	Network Resources and relationships .....	145
112	5.16.1	Network.....	145
113	5.16.2	NetworkCollection Resource .....	153
114	5.16.3	NetworkTemplate Resource .....	154
115	5.16.4	NetworkTemplateCollection Resource .....	156
116	5.16.5	NetworkConfiguration Resource.....	157
117	5.16.6	NetworkConfigurationCollection Resource .....	158
118	5.16.7	NetworkPort .....	160
119	5.16.8	NetworkPortCollection Resource.....	164
120	5.16.9	NetworkPortTemplate Resource.....	165
121	5.16.10	NetworkPortTemplateCollection Resource.....	168
122	5.16.11	NetworkPortConfiguration Resource .....	169
123	5.16.12	NetworkPortConfigurationCollection Resource .....	170
124	5.16.13	Address Resource .....	171
125	5.16.14	AddressCollection Resource .....	173
126	5.16.15	AddressTemplate Resource .....	174
127	5.16.16	AddressTemplateCollection Resource .....	176
128	5.16.17	ForwardingGroup Resource .....	177
129	5.16.18	ForwardingGroupCollection Resource.....	180
130	5.16.19	ForwardingGroupTemplate Resource .....	181
131	5.16.20	ForwardingGroupTemplateCollection Resource .....	182
132	5.17	Monitoring Resources and relationships.....	183
133	5.17.1	Job Resource.....	184
134	5.17.2	JobCollection Resource .....	188
135	5.17.3	Meter Resource .....	189
136	5.17.4	MeterCollection Resource .....	195
137	5.17.5	MeterTemplate Resource .....	196
138	5.17.6	MeterTemplateCollection Resource .....	197
139	5.17.7	MeterConfiguration Resource.....	198
140	5.17.8	MeterConfigurationCollection Resource .....	201
141	5.17.9	EventLog Resource .....	202

142	5.17.10 EventLogCollection Resource .....	205
143	5.17.11 EventLogTemplate Resource .....	206
144	5.17.12 EventLogTemplateCollection Resource .....	207
145	5.17.13 Event Resource .....	208
146	6 Security considerations .....	216
147	ANNEX A (normative) OVF support in CIMI .....	217
148	ANNEX B (informative) XML Schema.....	219
149	ANNEX C (informative) Change log.....	220
150		

## 151 **Figures**

152	Figure 1 - Cloud Entry Point.....	56
153	Figure 2 - System Resources.....	62
154	Figure 3 - Machine Resources .....	89
155	Figure 4 - Volume Resources .....	130
156	Figure 5 - Network Resources .....	145
157	Figure 6 - Monitoring Resources.....	184
158		

## 159 **Tables**

160	Table 1 – XML namespaces .....	14
161	Table 2 – Named structure.....	35
162	Table 3 – Converting a relative URI to an absolute URI .....	36
163	Table 4 – Numerical equivalents for attributes.....	42
164	Table 5 – Common attributes.....	43
165	Table 7 – Capability URIs .....	51
166	Table 8 – CloudEntryPoint attributes .....	56
167	Table 9 – System attributes .....	63
168	Table 10 – SystemSystem attributes .....	67
169	Table 11 – SystemMachine attributes.....	68
170	Table 12 – SystemCredential attributes.....	70
171	Table 13 – SystemVolume attributes .....	71
172	Table 14 – SystemNetwork attributes .....	72
173	Table 15 – SystemNetworkPort attributes .....	74
174	Table 16 – SystemAddress attributes .....	75
175	Table 17 – SystemForwardingGroup attributes .....	76
176	Table 18 – SystemTemplate attributes .....	82
177	Table 19 – Machine attributes.....	89
178	Table 20 – Disk attributes .....	93
179	Table 21 – MachineVolume attributes .....	94
180	Table 22 – MachineNetworkInterface attributes .....	96
181	Table 23 – MachineNetworkInterfaceAddress attributes .....	98
182	Table 24 – MachineSnapshot attributes .....	100
183	Table 25 – MachineTemplate attributes.....	109
184	Table 26 – MachineConfiguration attributes .....	117
185	Table 27 – MachineImage attributes.....	120

186	Table 28 – Credential attributes .....	125
187	Table 29 – UserName/Password attributes .....	125
188	Table 30 – Public key attributes .....	125
189	Table 31 – CredentialTemplate attributes .....	127
190	Table 32 – Volume attributes .....	131
191	Table 33 – VolumeVolumeImage attributes .....	133
192	Table 34 – VolumeTemplate attributes .....	136
193	Table 35 – VolumeConfiguration attributes .....	140
194	Table 36 – VolumeImage attributes .....	142
195	Table 37 – Network attributes .....	145
196	Table 38 – NetworkTemplate attributes .....	154
197	Table 39 – NetworkConfiguration attributes .....	157
198	Table 40 – NetworkPort attributes .....	160
199	Table 41 – NetworkPortTemplate attributes .....	165
200	Table 42 – NetworkPortConfiguration attributes .....	169
201	Table 43 – Address attributes .....	171
202	Table 44 – AddressTemplate attributes .....	174
203	Table 45 – ForwardingGroup attributes .....	178
204	Table 46 – ForwardingGroupNetwork attributes .....	179
205	Table 47 – ForwardingGroupTemplate attributes .....	181
206	Table 48 – Job attributes .....	185
207	Table 49 – Meter attributes .....	189
208	Table 50 – Sample attributes .....	192
209	Table 51 – MeterTemplate attributes .....	196
210	Table 52 – MeterConfiguration attributes .....	198
211	Table 53 – aspect URIs .....	200
212	Table 54 – EventLog attributes .....	202
213	Table 55 – EventLogTemplate attributes .....	206
214	Table 56 – Event attributes .....	208
215	Table 57 – type URIs .....	211
216		
217		

218

## Foreword

219 The *Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol*  
220 specification (DSP0263) was prepared by the DMTF Cloud Management Working Group. It defines a  
221 logical model for the management of resources within the Infrastructure as a Service domain.

222 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems  
223 management and interoperability.

## 224 Acknowledgments

225 The DMTF acknowledges the following individuals for their contributions to this document:

### 226 Editors (past and present):

- 227 • Marios Andreou – Red Hat
- 228 • Doug Davis – IBM
- 229 • Jacques Durand – Fujitsu
- 230 • Gilbert Pilz – Oracle

### 231 Contributors:

- 232 • Ghazanfar Ali – ZTE Corporation
- 233 • Marios Andreou – Red Hat
- 234 • Keith Bankston – Microsoft Corporation
- 235 • Winston Bumpus – VMware Inc.
- 236 • Nathan Burkhart – Microsoft Corporation
- 237 • Mark Carlson – Oracle
- 238 • Steve Carter – Novell
- 239 • Junsheng Chu – ZTE Corporation
- 240 • Josh Cohen – Microsoft Corporation
- 241 • Derek Coleman – Hewlett-Packard Company
- 242 • John Crandall – Brocade Communications Systems
- 243 • Doug Davis – IBM
- 244 • Jim Davis – WBEM Solutions
- 245 • Fernando de la Iglesia – Telefónica
- 246 • Hiroshi Dempo – NEC Corporation
- 247 • Jacques Durand – Fujitsu
- 248 • Yigal Edery – Microsoft Corporation
- 249 • George Ericson – EMC
- 250 • Colleen Evans – Microsoft Corporation
- 251 • Norbert Floeren – Ericsson AB
- 252 • Robert Freund – Hitachi, Ltd.
- 253 • Fermín Galán – Telefónica
- 254 • Krishnan Gopalan – Microsoft Corporation
- 255 • Kazunori Iwasa – Fujitsu
- 256 • Mark Johnson – IBM
- 257 • Bhumip Khasnabish – ZTE Corporation
- 258 • Dies Köper – Fujitsu
- 259 • Vincent Kowalski – BMC Software
- 260 • Ruby Krishnaswamy – France Telecom Group
- 261 • Lawrence Lamers – VMware Inc.
- 262 • Paul Lipton – CA Technologies
- 263 • James Livingston – NEC Corporation
- 264 • Vince Lubsey – Virtustream Inc.

ISO/IEC 19831:2015 (E)

- 265 • David Lutterkort – Red Hat
- 266 • Fred Maciel – Hitachi, Ltd.
- 267 • Andreas Maier – IBM
- 268 • Ashok Malhotra – Oracle
- 269 • Jeff Mischkinisky – Oracle
- 270 • Jesus Molina – Fujitsu
- 271 • Efraim Moscovich – CA Technologies
- 272 • Bryan Murray – Hewlett-Packard Company
- 273 • Steven Neely – Cisco
- 274 • Ryuichi Ogawa – NEC Corporation
- 275 • John Parchem – Microsoft Corporation
- 276 • Shishir Pardikar – Citrix Systems Inc.
- 277 • Miguel Peñalvo – Telefónica
- 278 • Gilbert Pilz – Oracle
- 279 • Alvaro Polo – Telefónica
- 280 • Enrico Ronco – Telecom Italia
- 281 • Federico Rossini – Telecom Italia
- 282 • Matthew Rutkowski – IBM
- 283 • Tom Rutt – Fujitsu
- 284 • Hemal Shah – Broadcom
- 285 • Nihar Shah – Microsoft Corporation
- 286 • Alan Sill – Texas Tech University
- 287 • Zhexuan Song – Huawei
- 288 • Marvin Waschke – CA Technologies
- 289 • Eric Wells – Hitachi, Ltd.
- 290 • Jeff Wheeler – Huawei
- 291 • Maarten Wiggers – Fujitsu
- 292 • Daniel Wilson – Ericsson AB
- 293 • Steve Winkler – SAP AG
- 294 • Jack Yu – Oracle
- 295 • Aaron Zhang – Huawei
- 296 • HengLiang Zhang – Huawei
- 297

This is a preview of "ISO/IEC 19831:2015". [Click here to purchase the full version from the ANSI store.](#)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland



## CONTENTS

34	Foreword .....	7
35	1 Scope .....	9
36	1.1 Document structure .....	9
37	1.2 Document versioning scheme .....	9
38	1.3 Typographical conventions .....	9
39	2 Normative references .....	10
40	3 Terms and definitions .....	11
41	4 HTTP-based protocol .....	14
42	4.1 Introduction .....	14
43	4.1.1 Protocol evolution and client expectations .....	14
44	4.1.2 XML namespaces .....	14
45	4.1.3 URI space .....	14
46	4.1.4 Media types .....	15
47	4.1.5 Request headers .....	15
48	4.1.6 Request query parameters .....	15
49	4.2 Protocol operations .....	21
50	4.2.1 Common CRUD operations .....	22
51	4.3 OVF support .....	29
52	5 Model .....	30
53	5.1 Resource wrappers .....	30
54	5.2 Extensibility .....	31
55	5.3 Identifiers .....	31
56	5.4 Attribute constraints .....	32
57	5.5 Data types and their serialization .....	33
58	5.5.1 boolean .....	33
59	5.5.2 dateTime .....	33
60	5.5.3 duration .....	33
61	5.5.4 integer .....	34
62	5.5.5 string .....	34
63	5.5.6 ref .....	34
64	5.5.7 map .....	35
65	5.5.8 structure .....	35
66	5.5.9 byte[ ] .....	36
67	5.5.10 URI .....	36
68	5.5.11 Arrays .....	36
69	5.5.12 Collections .....	37
70	5.5.13 "Any" type .....	41
71	5.5.14 Empty attribute values .....	41
72	5.6 Units .....	41
73	5.7 Relationship semantics .....	42
74	5.8 Operations .....	42
75	5.9 Alternative model formats .....	43
76	5.10 Resources .....	43
77	5.10.1 Common attributes .....	43
78	5.11 Resource metadata .....	45
79	5.11.1 Serialization of attribute value constraints .....	49
80	5.11.2 Capabilities .....	51
81	5.11.3 ResourceMetadataCollection Resource .....	54
82	5.12 Cloud Entry Point .....	55
83	5.12.1 Operations .....	61
84	5.13 System Resources and relationships .....	61
85	5.13.1 System .....	62

86	5.13.2	SystemCollection Resource.....	80
87	5.13.3	SystemTemplate Resource .....	81
88	5.13.4	SystemTemplateCollection Resource.....	87
89	5.14	Machine Resources and relationships.....	88
90	5.14.1	Machine .....	89
91	5.14.2	MachineCollection.....	107
92	5.14.3	MachineTemplate .....	109
93	5.14.4	MachineTemplateCollection Resource .....	116
94	5.14.5	MachineConfiguration Resource .....	117
95	5.14.6	MachineConfigurationCollection Resource .....	119
96	5.14.7	MachineImage Resource .....	120
97	5.14.8	MachineImageCollection Resource .....	124
98	5.14.9	Credential Resource .....	125
99	5.14.10	CredentialCollection Resource .....	126
100	5.14.11	CredentialTemplate Resource .....	127
101	5.14.12	CredentialTemplateCollection Resource .....	128
102	5.15	Volume Resources and relationships .....	130
103	5.15.1	Volume.....	131
104	5.15.2	VolumeCollection Resource .....	135
105	5.15.3	VolumeTemplate Resource .....	136
106	5.15.4	VolumeTemplateCollection Resource .....	138
107	5.15.5	VolumeConfiguration Resource.....	139
108	5.15.6	VolumeConfigurationCollection Resource .....	141
109	5.15.7	VolumeImage Resource .....	142
110	5.15.8	VolumeImageCollection Resource .....	144
111	5.16	Network Resources and relationships .....	145
112	5.16.1	Network.....	145
113	5.16.2	NetworkCollection Resource .....	153
114	5.16.3	NetworkTemplate Resource .....	154
115	5.16.4	NetworkTemplateCollection Resource .....	156
116	5.16.5	NetworkConfiguration Resource.....	157
117	5.16.6	NetworkConfigurationCollection Resource .....	158
118	5.16.7	NetworkPort .....	160
119	5.16.8	NetworkPortCollection Resource.....	164
120	5.16.9	NetworkPortTemplate Resource.....	165
121	5.16.10	NetworkPortTemplateCollection Resource.....	168
122	5.16.11	NetworkPortConfiguration Resource .....	169
123	5.16.12	NetworkPortConfigurationCollection Resource .....	170
124	5.16.13	Address Resource .....	171
125	5.16.14	AddressCollection Resource .....	173
126	5.16.15	AddressTemplate Resource .....	174
127	5.16.16	AddressTemplateCollection Resource .....	176
128	5.16.17	ForwardingGroup Resource .....	177
129	5.16.18	ForwardingGroupCollection Resource.....	180
130	5.16.19	ForwardingGroupTemplate Resource .....	181
131	5.16.20	ForwardingGroupTemplateCollection Resource .....	182
132	5.17	Monitoring Resources and relationships.....	183
133	5.17.1	Job Resource.....	184
134	5.17.2	JobCollection Resource .....	188
135	5.17.3	Meter Resource .....	189
136	5.17.4	MeterCollection Resource .....	195
137	5.17.5	MeterTemplate Resource .....	196
138	5.17.6	MeterTemplateCollection Resource .....	197
139	5.17.7	MeterConfiguration Resource.....	198
140	5.17.8	MeterConfigurationCollection Resource .....	201
141	5.17.9	EventLog Resource .....	202

142	5.17.10 EventLogCollection Resource .....	205
143	5.17.11 EventLogTemplate Resource .....	206
144	5.17.12 EventLogTemplateCollection Resource .....	207
145	5.17.13 Event Resource .....	208
146	6 Security considerations .....	216
147	ANNEX A (normative) OVF support in CIMI .....	217
148	ANNEX B (informative) XML Schema.....	219
149	ANNEX C (informative) Change log.....	220
150		

## 151 **Figures**

152	Figure 1 - Cloud Entry Point.....	56
153	Figure 2 - System Resources.....	62
154	Figure 3 - Machine Resources .....	89
155	Figure 4 - Volume Resources .....	130
156	Figure 5 - Network Resources .....	145
157	Figure 6 - Monitoring Resources.....	184
158		

## 159 **Tables**

160	Table 1 – XML namespaces .....	14
161	Table 2 – Named structure.....	35
162	Table 3 – Converting a relative URI to an absolute URI .....	36
163	Table 4 – Numerical equivalents for attributes.....	42
164	Table 5 – Common attributes.....	43
165	Table 7 – Capability URIs .....	51
166	Table 8 – CloudEntryPoint attributes .....	56
167	Table 9 – System attributes .....	63
168	Table 10 – SystemSystem attributes .....	67
169	Table 11 – SystemMachine attributes.....	68
170	Table 12 – SystemCredential attributes.....	70
171	Table 13 – SystemVolume attributes .....	71
172	Table 14 – SystemNetwork attributes .....	72
173	Table 15 – SystemNetworkPort attributes .....	74
174	Table 16 – SystemAddress attributes .....	75
175	Table 17 – SystemForwardingGroup attributes .....	76
176	Table 18 – SystemTemplate attributes .....	82
177	Table 19 – Machine attributes.....	89
178	Table 20 – Disk attributes .....	93
179	Table 21 – MachineVolume attributes .....	94
180	Table 22 – MachineNetworkInterface attributes .....	96
181	Table 23 – MachineNetworkInterfaceAddress attributes .....	98
182	Table 24 – MachineSnapshot attributes .....	100
183	Table 25 – MachineTemplate attributes.....	109
184	Table 26 – MachineConfiguration attributes .....	117
185	Table 27 – MachineImage attributes.....	120

186	Table 28 – Credential attributes .....	125
187	Table 29 – UserName/Password attributes .....	125
188	Table 30 – Public key attributes .....	125
189	Table 31 – CredentialTemplate attributes .....	127
190	Table 32 – Volume attributes .....	131
191	Table 33 – VolumeVolumeImage attributes .....	133
192	Table 34 – VolumeTemplate attributes .....	136
193	Table 35 – VolumeConfiguration attributes .....	140
194	Table 36 – VolumeImage attributes .....	142
195	Table 37 – Network attributes .....	145
196	Table 38 – NetworkTemplate attributes .....	154
197	Table 39 – NetworkConfiguration attributes .....	157
198	Table 40 – NetworkPort attributes .....	160
199	Table 41 – NetworkPortTemplate attributes .....	165
200	Table 42 – NetworkPortConfiguration attributes .....	169
201	Table 43 – Address attributes .....	171
202	Table 44 – AddressTemplate attributes .....	174
203	Table 45 – ForwardingGroup attributes .....	178
204	Table 46 – ForwardingGroupNetwork attributes .....	179
205	Table 47 – ForwardingGroupTemplate attributes .....	181
206	Table 48 – Job attributes .....	185
207	Table 49 – Meter attributes .....	189
208	Table 50 – Sample attributes .....	192
209	Table 51 – MeterTemplate attributes .....	196
210	Table 52 – MeterConfiguration attributes .....	198
211	Table 53 – aspect URIs .....	200
212	Table 54 – EventLog attributes .....	202
213	Table 55 – EventLogTemplate attributes .....	206
214	Table 56 – Event attributes .....	208
215	Table 57 – type URIs .....	211
216		
217		

218

## Foreword

219 The *Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol*  
220 specification (DSP0263) was prepared by the DMTF Cloud Management Working Group. It defines a  
221 logical model for the management of resources within the Infrastructure as a Service domain.

222 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems  
223 management and interoperability.

## 224 Acknowledgments

225 The DMTF acknowledges the following individuals for their contributions to this document:

### 226 Editors (past and present):

- 227 • Marios Andreou – Red Hat
- 228 • Doug Davis – IBM
- 229 • Jacques Durand – Fujitsu
- 230 • Gilbert Pilz – Oracle

### 231 Contributors:

- 232 • Ghazanfar Ali – ZTE Corporation
- 233 • Marios Andreou – Red Hat
- 234 • Keith Bankston – Microsoft Corporation
- 235 • Winston Bumpus – VMware Inc.
- 236 • Nathan Burkhart – Microsoft Corporation
- 237 • Mark Carlson – Oracle
- 238 • Steve Carter – Novell
- 239 • Junsheng Chu – ZTE Corporation
- 240 • Josh Cohen – Microsoft Corporation
- 241 • Derek Coleman – Hewlett-Packard Company
- 242 • John Crandall – Brocade Communications Systems
- 243 • Doug Davis – IBM
- 244 • Jim Davis – WBEM Solutions
- 245 • Fernando de la Iglesia – Telefónica
- 246 • Hiroshi Dempo – NEC Corporation
- 247 • Jacques Durand – Fujitsu
- 248 • Yigal Edery – Microsoft Corporation
- 249 • George Ericson – EMC
- 250 • Colleen Evans – Microsoft Corporation
- 251 • Norbert Floeren – Ericsson AB
- 252 • Robert Freund – Hitachi, Ltd.
- 253 • Fermín Galán – Telefónica
- 254 • Krishnan Gopalan – Microsoft Corporation
- 255 • Kazunori Iwasa – Fujitsu
- 256 • Mark Johnson – IBM
- 257 • Bhumip Khasnabish – ZTE Corporation
- 258 • Dies Köper – Fujitsu
- 259 • Vincent Kowalski – BMC Software
- 260 • Ruby Krishnaswamy – France Telecom Group
- 261 • Lawrence Lamers – VMware Inc.
- 262 • Paul Lipton – CA Technologies
- 263 • James Livingston – NEC Corporation
- 264 • Vince Lubsey – Virtustream Inc.

ISO/IEC 19831:2015 (E)

- 265 • David Lutterkort – Red Hat
- 266 • Fred Maciel – Hitachi, Ltd.
- 267 • Andreas Maier – IBM
- 268 • Ashok Malhotra – Oracle
- 269 • Jeff Mischkinisky – Oracle
- 270 • Jesus Molina – Fujitsu
- 271 • Efraim Moscovich – CA Technologies
- 272 • Bryan Murray – Hewlett-Packard Company
- 273 • Steven Neely – Cisco
- 274 • Ryuichi Ogawa – NEC Corporation
- 275 • John Parchem – Microsoft Corporation
- 276 • Shishir Pardikar – Citrix Systems Inc.
- 277 • Miguel Peñalvo – Telefónica
- 278 • Gilbert Pilz – Oracle
- 279 • Alvaro Polo – Telefónica
- 280 • Enrico Ronco – Telecom Italia
- 281 • Federico Rossini – Telecom Italia
- 282 • Matthew Rutkowski – IBM
- 283 • Tom Rutt – Fujitsu
- 284 • Hemal Shah – Broadcom
- 285 • Nihar Shah – Microsoft Corporation
- 286 • Alan Sill – Texas Tech University
- 287 • Zhexuan Song – Huawei
- 288 • Marvin Waschke – CA Technologies
- 289 • Eric Wells – Hitachi, Ltd.
- 290 • Jeff Wheeler – Huawei
- 291 • Maarten Wiggers – Fujitsu
- 292 • Daniel Wilson – Ericsson AB
- 293 • Steve Winkler – SAP AG
- 294 • Jack Yu – Oracle
- 295 • Aaron Zhang – Huawei
- 296 • HengLiang Zhang – Huawei
- 297

This is a preview of "ISO/IEC 19831:2015". [Click here to purchase the full version from the ANSI store.](#)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## CONTENTS

34	Foreword .....	7
35	1 Scope .....	9
36	1.1 Document structure .....	9
37	1.2 Document versioning scheme .....	9
38	1.3 Typographical conventions .....	9
39	2 Normative references .....	10
40	3 Terms and definitions .....	11
41	4 HTTP-based protocol .....	14
42	4.1 Introduction .....	14
43	4.1.1 Protocol evolution and client expectations .....	14
44	4.1.2 XML namespaces .....	14
45	4.1.3 URI space .....	14
46	4.1.4 Media types .....	15
47	4.1.5 Request headers .....	15
48	4.1.6 Request query parameters .....	15
49	4.2 Protocol operations .....	21
50	4.2.1 Common CRUD operations .....	22
51	4.3 OVF support .....	29
52	5 Model .....	30
53	5.1 Resource wrappers .....	30
54	5.2 Extensibility .....	31
55	5.3 Identifiers .....	31
56	5.4 Attribute constraints .....	32
57	5.5 Data types and their serialization .....	33
58	5.5.1 boolean .....	33
59	5.5.2 dateTime .....	33
60	5.5.3 duration .....	33
61	5.5.4 integer .....	34
62	5.5.5 string .....	34
63	5.5.6 ref .....	34
64	5.5.7 map .....	35
65	5.5.8 structure .....	35
66	5.5.9 byte[ ] .....	36
67	5.5.10 URI .....	36
68	5.5.11 Arrays .....	36
69	5.5.12 Collections .....	37
70	5.5.13 "Any" type .....	41
71	5.5.14 Empty attribute values .....	41
72	5.6 Units .....	41
73	5.7 Relationship semantics .....	42
74	5.8 Operations .....	42
75	5.9 Alternative model formats .....	43
76	5.10 Resources .....	43
77	5.10.1 Common attributes .....	43
78	5.11 Resource metadata .....	45
79	5.11.1 Serialization of attribute value constraints .....	49
80	5.11.2 Capabilities .....	51
81	5.11.3 ResourceMetadataCollection Resource .....	54
82	5.12 Cloud Entry Point .....	55
83	5.12.1 Operations .....	61
84	5.13 System Resources and relationships .....	61
85	5.13.1 System .....	62



86	5.13.2	SystemCollection Resource.....	80
87	5.13.3	SystemTemplate Resource .....	81
88	5.13.4	SystemTemplateCollection Resource.....	87
89	5.14	Machine Resources and relationships.....	88
90	5.14.1	Machine .....	89
91	5.14.2	MachineCollection.....	107
92	5.14.3	MachineTemplate .....	109
93	5.14.4	MachineTemplateCollection Resource .....	116
94	5.14.5	MachineConfiguration Resource .....	117
95	5.14.6	MachineConfigurationCollection Resource .....	119
96	5.14.7	MachineImage Resource .....	120
97	5.14.8	MachineImageCollection Resource .....	124
98	5.14.9	Credential Resource .....	125
99	5.14.10	CredentialCollection Resource .....	126
100	5.14.11	CredentialTemplate Resource .....	127
101	5.14.12	CredentialTemplateCollection Resource .....	128
102	5.15	Volume Resources and relationships .....	130
103	5.15.1	Volume.....	131
104	5.15.2	VolumeCollection Resource .....	135
105	5.15.3	VolumeTemplate Resource .....	136
106	5.15.4	VolumeTemplateCollection Resource .....	138
107	5.15.5	VolumeConfiguration Resource.....	139
108	5.15.6	VolumeConfigurationCollection Resource .....	141
109	5.15.7	VolumeImage Resource .....	142
110	5.15.8	VolumeImageCollection Resource .....	144
111	5.16	Network Resources and relationships .....	145
112	5.16.1	Network.....	145
113	5.16.2	NetworkCollection Resource .....	153
114	5.16.3	NetworkTemplate Resource .....	154
115	5.16.4	NetworkTemplateCollection Resource .....	156
116	5.16.5	NetworkConfiguration Resource.....	157
117	5.16.6	NetworkConfigurationCollection Resource .....	158
118	5.16.7	NetworkPort .....	160
119	5.16.8	NetworkPortCollection Resource.....	164
120	5.16.9	NetworkPortTemplate Resource.....	165
121	5.16.10	NetworkPortTemplateCollection Resource.....	168
122	5.16.11	NetworkPortConfiguration Resource .....	169
123	5.16.12	NetworkPortConfigurationCollection Resource .....	170
124	5.16.13	Address Resource .....	171
125	5.16.14	AddressCollection Resource .....	173
126	5.16.15	AddressTemplate Resource .....	174
127	5.16.16	AddressTemplateCollection Resource .....	176
128	5.16.17	ForwardingGroup Resource .....	177
129	5.16.18	ForwardingGroupCollection Resource.....	180
130	5.16.19	ForwardingGroupTemplate Resource .....	181
131	5.16.20	ForwardingGroupTemplateCollection Resource .....	182
132	5.17	Monitoring Resources and relationships.....	183
133	5.17.1	Job Resource.....	184
134	5.17.2	JobCollection Resource .....	188
135	5.17.3	Meter Resource .....	189
136	5.17.4	MeterCollection Resource .....	195
137	5.17.5	MeterTemplate Resource .....	196
138	5.17.6	MeterTemplateCollection Resource .....	197
139	5.17.7	MeterConfiguration Resource.....	198
140	5.17.8	MeterConfigurationCollection Resource .....	201
141	5.17.9	EventLog Resource .....	202

142	5.17.10 EventLogCollection Resource .....	205
143	5.17.11 EventLogTemplate Resource .....	206
144	5.17.12 EventLogTemplateCollection Resource .....	207
145	5.17.13 Event Resource .....	208
146	6 Security considerations .....	216
147	ANNEX A (normative) OVF support in CIMI .....	217
148	ANNEX B (informative) XML Schema.....	219
149	ANNEX C (informative) Change log.....	220
150		

## 151 **Figures**

152	Figure 1 - Cloud Entry Point.....	56
153	Figure 2 - System Resources.....	62
154	Figure 3 - Machine Resources .....	89
155	Figure 4 - Volume Resources .....	130
156	Figure 5 - Network Resources .....	145
157	Figure 6 - Monitoring Resources.....	184
158		

## 159 **Tables**

160	Table 1 – XML namespaces .....	14
161	Table 2 – Named structure.....	35
162	Table 3 – Converting a relative URI to an absolute URI .....	36
163	Table 4 – Numerical equivalents for attributes.....	42
164	Table 5 – Common attributes.....	43
165	Table 7 – Capability URIs .....	51
166	Table 8 – CloudEntryPoint attributes .....	56
167	Table 9 – System attributes .....	63
168	Table 10 – SystemSystem attributes .....	67
169	Table 11 – SystemMachine attributes.....	68
170	Table 12 – SystemCredential attributes.....	70
171	Table 13 – SystemVolume attributes .....	71
172	Table 14 – SystemNetwork attributes .....	72
173	Table 15 – SystemNetworkPort attributes .....	74
174	Table 16 – SystemAddress attributes .....	75
175	Table 17 – SystemForwardingGroup attributes .....	76
176	Table 18 – SystemTemplate attributes .....	82
177	Table 19 – Machine attributes.....	89
178	Table 20 – Disk attributes .....	93
179	Table 21 – MachineVolume attributes .....	94
180	Table 22 – MachineNetworkInterface attributes .....	96
181	Table 23 – MachineNetworkInterfaceAddress attributes .....	98
182	Table 24 – MachineSnapshot attributes .....	100
183	Table 25 – MachineTemplate attributes.....	109
184	Table 26 – MachineConfiguration attributes .....	117
185	Table 27 – MachineImage attributes.....	120

186	Table 28 – Credential attributes .....	125
187	Table 29 – UserName/Password attributes .....	125
188	Table 30 – Public key attributes .....	125
189	Table 31 – CredentialTemplate attributes .....	127
190	Table 32 – Volume attributes .....	131
191	Table 33 – VolumeVolumeImage attributes .....	133
192	Table 34 – VolumeTemplate attributes .....	136
193	Table 35 – VolumeConfiguration attributes .....	140
194	Table 36 – VolumeImage attributes .....	142
195	Table 37 – Network attributes .....	145
196	Table 38 – NetworkTemplate attributes .....	154
197	Table 39 – NetworkConfiguration attributes .....	157
198	Table 40 – NetworkPort attributes .....	160
199	Table 41 – NetworkPortTemplate attributes .....	165
200	Table 42 – NetworkPortConfiguration attributes .....	169
201	Table 43 – Address attributes .....	171
202	Table 44 – AddressTemplate attributes .....	174
203	Table 45 – ForwardingGroup attributes .....	178
204	Table 46 – ForwardingGroupNetwork attributes .....	179
205	Table 47 – ForwardingGroupTemplate attributes .....	181
206	Table 48 – Job attributes .....	185
207	Table 49 – Meter attributes .....	189
208	Table 50 – Sample attributes .....	192
209	Table 51 – MeterTemplate attributes .....	196
210	Table 52 – MeterConfiguration attributes .....	198
211	Table 53 – aspect URIs .....	200
212	Table 54 – EventLog attributes .....	202
213	Table 55 – EventLogTemplate attributes .....	206
214	Table 56 – Event attributes .....	208
215	Table 57 – type URIs .....	211
216		
217		

218

## Foreword

219 The *Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol*  
220 specification (DSP0263) was prepared by the DMTF Cloud Management Working Group. It defines a  
221 logical model for the management of resources within the Infrastructure as a Service domain.

222 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems  
223 management and interoperability.

## 224 Acknowledgments

225 The DMTF acknowledges the following individuals for their contributions to this document:

### 226 Editors (past and present):

- 227 • Marios Andreou – Red Hat
- 228 • Doug Davis – IBM
- 229 • Jacques Durand – Fujitsu
- 230 • Gilbert Pilz – Oracle

### 231 Contributors:

- 232 • Ghazanfar Ali – ZTE Corporation
- 233 • Marios Andreou – Red Hat
- 234 • Keith Bankston – Microsoft Corporation
- 235 • Winston Bumpus – VMware Inc.
- 236 • Nathan Burkhart – Microsoft Corporation
- 237 • Mark Carlson – Oracle
- 238 • Steve Carter – Novell
- 239 • Junsheng Chu – ZTE Corporation
- 240 • Josh Cohen – Microsoft Corporation
- 241 • Derek Coleman – Hewlett-Packard Company
- 242 • John Crandall – Brocade Communications Systems
- 243 • Doug Davis – IBM
- 244 • Jim Davis – WBEM Solutions
- 245 • Fernando de la Iglesia – Telefónica
- 246 • Hiroshi Dempo – NEC Corporation
- 247 • Jacques Durand – Fujitsu
- 248 • Yigal Edery – Microsoft Corporation
- 249 • George Ericson – EMC
- 250 • Colleen Evans – Microsoft Corporation
- 251 • Norbert Floeren – Ericsson AB
- 252 • Robert Freund – Hitachi, Ltd.
- 253 • Fermín Galán – Telefónica
- 254 • Krishnan Gopalan – Microsoft Corporation
- 255 • Kazunori Iwasa – Fujitsu
- 256 • Mark Johnson – IBM
- 257 • Bhumip Khasnabish – ZTE Corporation
- 258 • Dies Köper – Fujitsu
- 259 • Vincent Kowalski – BMC Software
- 260 • Ruby Krishnaswamy – France Telecom Group
- 261 • Lawrence Lamers – VMware Inc.
- 262 • Paul Lipton – CA Technologies
- 263 • James Livingston – NEC Corporation
- 264 • Vince Lubsey – Virtustream Inc.

ISO/IEC 19831:2015 (E)

- 265 • David Lutterkort – Red Hat
- 266 • Fred Maciel – Hitachi, Ltd.
- 267 • Andreas Maier – IBM
- 268 • Ashok Malhotra – Oracle
- 269 • Jeff Mischkinisky – Oracle
- 270 • Jesus Molina – Fujitsu
- 271 • Efraim Moscovich – CA Technologies
- 272 • Bryan Murray – Hewlett-Packard Company
- 273 • Steven Neely – Cisco
- 274 • Ryuichi Ogawa – NEC Corporation
- 275 • John Parchem – Microsoft Corporation
- 276 • Shishir Pardikar – Citrix Systems Inc.
- 277 • Miguel Peñalvo – Telefónica
- 278 • Gilbert Pilz – Oracle
- 279 • Alvaro Polo – Telefónica
- 280 • Enrico Ronco – Telecom Italia
- 281 • Federico Rossini – Telecom Italia
- 282 • Matthew Rutkowski – IBM
- 283 • Tom Rutt – Fujitsu
- 284 • Hemal Shah – Broadcom
- 285 • Nihar Shah – Microsoft Corporation
- 286 • Alan Sill – Texas Tech University
- 287 • Zhexuan Song – Huawei
- 288 • Marvin Waschke – CA Technologies
- 289 • Eric Wells – Hitachi, Ltd.
- 290 • Jeff Wheeler – Huawei
- 291 • Maarten Wiggers – Fujitsu
- 292 • Daniel Wilson – Ericsson AB
- 293 • Steve Winkler – SAP AG
- 294 • Jack Yu – Oracle
- 295 • Aaron Zhang – Huawei
- 296 • HengLiang Zhang – Huawei
- 297