

# American National Standard

ANSI/AAMI/ISO 11137-3:2006/(R)2010



This is a preview edition of an AAMI guidance document and is intended to allow potential purchasers to evaluate the content of the document before making a purchasing decision.

For a complete copy of this AAMI document,  
contact AAMI at (877) 249-8226

<http://www.aami.org>

## **Sterilization of health care products—Radiation— Part 3: Guidance on dosimetric aspects**



Association for the Advancement  
of Medical Instrumentation

# The Objectives and Uses of AAMI Standards and Recommended Practices

It is most important that the objectives and potential uses of an AAMI product standard or recommended practice are clearly understood. The objectives of AAMI's technical development program derive from AAMI's overall mission: the advancement of medical instrumentation. Essential to such advancement are (1) a continued increase in the safe and effective application of current technologies to patient care, and (2) the encouragement of new technologies. It is AAMI's view that standards and recommended practices can contribute significantly to the advancement of medical instrumentation, provided that they are drafted with attention to these objectives and provided that arbitrary and restrictive uses are avoided.

A voluntary *standard* for a *medical device* recommends to the manufacturer the information that should be provided with or on the product, basic safety and performance criteria that should be considered in qualifying the device for clinical use, and the measurement techniques that can be used to determine whether the device conforms with the safety and performance criteria and/or to compare the performance characteristics of different products. Some standards emphasize the information that should be provided with the device, including performance characteristics, instructions for use, warnings and precautions, and other data considered important in ensuring the safe and effective use of the device in the clinical environment. Recommending the disclosure of performance characteristics often necessitates the development of specialized test methods to facilitate uniformity in reporting; reaching consensus on these tests can represent a considerable part of committee work. When a drafting committee determines that clinical concerns warrant the establishment of *minimum* safety and performance criteria, referee tests must be provided and the reasons for establishing the criteria must be documented in the rationale.

A *recommended practice* provides guidelines for the use, care, and/or processing of a medical device or system. A recommended practice does not address device performance *per se*, but rather procedures and practices that will help ensure that a device is used safely and effectively and that its performance will be maintained.

Although a device standard is primarily directed to the manufacturer, it may also be of value to the potential purchaser or user of the device as a fume of reference for device evaluation. Similarly, even though a recommended practice is usually oriented towards health care professionals, it may be useful to the manufacturer in better understanding the environment in which a medical device will be used. Also, some recommended practices, while not addressing device performance criteria, provide guidelines to industrial personnel on such subjects as sterilization processing, methods of collecting data to establish safety and efficacy, human engineering, and other processing or evaluation techniques; such guidelines may be useful to health care professionals in understanding industrial practices.

In determining whether an AAMI standard or recommended practice is relevant to the specific needs of a potential user of the document, several important concepts must be recognized:

All AAMI standards and recommended practices are *voluntary* (unless, of course, they are adopted by government regulatory or procurement authorities). The application of a standard or recommended practice is solely within the discretion and professional judgment of the user of the document.

Each AAMI standard or recommended practice reflects the collective expertise of a committee of health care professionals and industrial representatives, whose work has been reviewed nationally (and sometimes internationally). As such, the consensus recommendations embodied in a standard or recommended practice are intended to respond to clinical needs and, ultimately, to help ensure patient safety. A standard or recommended practice is limited, however, in the sense that it responds generally to perceived risks and conditions that may not always be relevant to specific situations. A standard or recommended practice is an important *reference* in responsible decision-making, but it should never *replace* responsible decision-making.

Despite periodic review and revision (at least once every five years), a standard or recommended practice is necessarily a static document applied to a dynamic technology. Therefore, a standards user must carefully review the reasons why the document was initially developed and the specific rationale for each of its provisions. This review will reveal whether the document remains relevant to the specific needs of the user.

Particular care should be taken in applying a product standard to existing devices and equipment, and in applying a recommended practice to current procedures and practices. While observed or potential risks with existing equipment typically form the basis for the safety and performance criteria defined in a standard, professional judgment must be used in applying these criteria to existing equipment. No single source of information will serve to identify a particular product as "unsafe". A voluntary standard can be used as one resource, but the ultimate decision as to product safety and efficacy must take into account the specifics of its utilization and, of course, cost-benefit considerations. Similarly, a recommended practice should be analyzed in the context of the specific needs and resources of the individual institution or firm. Again, the rationale accompanying each AAMI standard and recommended practice is an excellent guide to the reasoning and data underlying its provision.

In summary, a standard or recommended practice is truly useful only when it is used in conjunction with other sources of information and policy guidance and in the context of professional experience and judgment.

## INTERPRETATIONS OF AAMI STANDARDS AND RECOMMENDED PRACTICES

Requests for interpretations of AAMI standards and recommended practices must be made in writing, to the Manager for Technical Development. An official interpretation must be approved by letter ballot of the originating committee and subsequently reviewed and approved by the AAMI Standards Board. The interpretation will become official and representation of the Association only upon exhaustion of any appeals and upon publication of notice of interpretation in the "Standards Monitor" section of the *AAMI News*. The Association for the Advancement of Medical Instrumentation disclaims responsibility for any characterization or explanation of a standard or recommended practice which has not been developed and communicated in accordance with this procedure and which is not published, by appropriate notice, as an *official interpretation* in the *AAMI News*.

American National Standard

ANSI/AAMI/ISO 11137-3:2006/(R)2010  
(Combined revision [in whole or in part] of  
ANSI/AAMI/ISO 11137:1994 and A1:2002  
and AAMI TIR29:2002)



This is a preview edition of an AAMI guidance document and is intended to allow potential purchasers to evaluate the content of the document before making a purchasing decision.

For a complete copy of this AAMI document,  
contact AAMI at (877) 249-8226  
or visit [www.aami.org](http://www.aami.org).

## **Sterilization of health care products—Radiation— Part 3: Guidance on dosimetric aspects**

Approved 9 December 2005 by  
**Association for the Advancement of Medical Instrumentation**

Approved 23 December 2005 and Reaffirmed 20 April 2010 by  
**American National Standards Institute**

**Abstract:** Guidance on dosimetry for radiation sterilization of health care products.

**Keywords:** health care products, medical equipment, sterilization, radiation, gamma, electron beam, bremsstrahlung, x-ray, dosimeter, dosimetry

## AAMI Standard

This Association for the Advancement of Medical Instrumentation (AAMI) standard implies a consensus of those substantially concerned with its scope and provisions. The existence of an AAMI standard does not in any respect preclude anyone, whether they have approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. AAMI standards are subject to periodic review, and users are cautioned to obtain the latest editions.

**CAUTION NOTICE:** This AAMI standard may be revised or withdrawn at any time. AAMI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Interested parties may obtain current information on all AAMI standards by calling or writing AAMI.

All AAMI standards, recommended practices, technical information reports, and other types of technical documents developed by AAMI are *voluntary*, and their application is solely within the discretion and professional judgment of the user of the document. Occasionally, voluntary technical documents are adopted by government regulatory agencies or procurement authorities, in which case the adopting agency is responsible for enforcement of its rules and regulations.

For a complete copy of this AAMI document,  
contact AAMI at (877) 249-8226  
or visit [www.aami.org](http://www.aami.org).

### *Published by*

Association for the Advancement of Medical Instrumentation  
1110 N. Glebe Road, Suite 220  
Arlington, VA 22201-4795

© 2006 by the Association for the Advancement of Medical Instrumentation

All Rights Reserved

This publication is subject to copyright claims of ISO, ANSI, and AAMI. No part of this publication may be reproduced or distributed in any form, including an electronic retrieval system, without the prior written permission of AAMI. All requests pertaining to this draft should be submitted to AAMI. It is illegal under federal law (17 U.S.C. § 101, *et seq.*) to make copies of all or any part of this document (whether internally or externally) without the prior written permission of the Association for the Advancement of Medical Instrumentation. Violators risk legal action, including civil and criminal penalties, and damages of \$100,000 per offense. For permission regarding the use of all or any part of this document, contact AAMI, 1110 N. Glebe Road, Suite 220, Arlington, VA 22201-4795. Phone: (703) 525-4890; Fax: (703) 525-1067.

Printed in the United States of America

ISBN 1-57020-255-9

## Contents

Page

Glossary of equivalent standards .....	iv
Committee representation.....	vi
Background of AAMI adoption of ISO 11137-3:2006 .....	ix
Foreword.....	x
Introduction .....	xi
1 Scope.....	1
2 Normative references .....	1
3 Terms and definitions.....	1
4 Measurement of dose .....	1
5 Selection and calibration of dosimetry systems .....	2
5.1 General.....	2
5.2 Selection of dosimetry systems .....	2
5.3 Calibration of dosimetry system .....	2
6 Establishing the maximum acceptable dose .....	2
7 Establishing the sterilization dose .....	3
8 Installation qualification .....	4
9 Operational qualification .....	5
9.1 General.....	5
9.2 Gamma irradiators .....	5
9.3 Electron beam irradiators .....	6
9.4 X-ray irradiators .....	8
10 Performance qualification .....	9
10.1 General.....	9
10.2 Gamma and X-ray.....	10
10.3 Electron beam .....	11
11 Routine monitoring and control .....	12
11.1 General.....	12
11.2 Frequency of dose measurements.....	12
Annex A (informative) Mathematical modelling .....	13
Bibliography .....	16

## Glossary of equivalent standards

International Standards adopted in the United States may include normative references to other International Standards. For each International Standard that has been adopted by AAMI (and ANSI), the table below gives the corresponding U.S. designation and level of equivalency to the International Standard. Note: Documents are sorted by international designation.

Other normatively referenced International Standards may be under consideration for U.S. adoption by AAMI; therefore, this list should not be considered exhaustive.

International designation	U.S. designation	Equivalency
IEC 60601-1:2005	ANSI/AAMI ES60601-1:2005	Major technical variations
IEC 60601-1-2:2001 and Amendment 1:2004	ANSI/AAMI IEC 60601-1-2:2001 and Amendment 1:2004	Identical
IEC 60601-2-04:2002	ANSI/AAMI DF80:2003	Major technical variations
IEC 60601-2-19:1990 and Amendment 1:1996	ANSI/AAMI I136:2004	Major technical variations
IEC 60601-2-20:1990 and Amendment 1:1996	ANSI/AAMI I151:2004	Major technical variations
IEC 60601-2-21:1994 and Amendment 1:1996	ANSI/AAMI IEC 60601-2-21 and Amendment 1:2000 (consolidated texts)	Identical
IEC 60601-2-24:1998	ANSI/AAMI ID26:2004	Major technical variations
IEC TR 60878:2003	ANSI/AAMI/IEC TIR60878:2003	Identical
IEC TR 62296:2003	ANSI/AAMI/IEC TIR62296:2003	Identical
IEC TR 62348:200x <sup>1</sup>	ANSI/AAMI/IEC TIR62348:2006	Identical
ISO 5840:2005	ANSI/AAMI/ISO 5840:2005	Identical
ISO 7198:1998	ANSI/AAMI/ISO 7198:1998/2001/(R)2004	Identical
ISO 7199:1996	ANSI/AAMI/ISO 7199:1996/(R)2002	Identical
ISO 10993-1:2003	ANSI/AAMI/ISO 10993-1:2003	Identical
ISO 10993-2:1992	ANSI/AAMI/ISO 10993-2:1993/(R)2001	Identical
ISO 10993-3:2003	ANSI/AAMI/ISO 10993-3:2003	Identical
ISO 10993-4:2002	ANSI/AAMI/ISO 10993-4:2002	Identical
ISO 10993-5:1999	ANSI/AAMI/ISO 10993-5:1999	Identical
ISO 10993-6:1994	ANSI/AAMI/ISO 10993-6:1995/(R)2001	Identical
ISO 10993-7:1995	ANSI/AAMI/ISO 10993-7:1995/(R)2001	Identical
ISO 10993-9:1999	ANSI/AAMI/ISO 10993-9:1999/(R)2005	Identical
ISO 10993-10:2002	ANSI/AAMI BE78:2002	Minor technical variations
ISO 10993-11:1993	ANSI/AAMI 10993-11:1993	Minor technical variations
ISO 10993-12:2002	ANSI/AAMI/ISO 10993-12:2002	Identical
ISO 10993-13:1998	ANSI/AAMI/ISO 10993-13:1999/(R)2004	Identical
ISO 10993-14:2001	ANSI/AAMI/ISO 10993-14:2001	Identical
ISO 10993-15:2000	ANSI/AAMI/ISO 10993-15:2000	Identical
ISO 10993-16:1997	ANSI/AAMI/ISO 10993-16:1997/(R)2003	Identical
ISO 10993-17:2002	ANSI/AAMI/ISO 10993-17:2002	Identical
ISO 10993-18:2005	ANSI/AAMI BE83:2006	Major technical variations
ISO TS 10993-19:200x <sup>1</sup>	ANSI/AAMI/ISO TIR10993-19:2006	Identical



International designation	U.S. designation	Equivalency
ISO TS 10993-20:200x <sup>1</sup>	ANSI/AAMI/ISO TIR10993-20:2006	Identical
ISO 11135:1994	ANSI/AAMI/ISO 11135:1994	Identical
ISO 11137-1:2006	ANSI/AAMI/ISO 11137-1:2006	Identical
ISO 11137-2:200x <sup>1</sup>	ANSI/AAMI/ISO 11137-2:2006	Identical
ISO 11137-3:2006	ANSI/AAMI/ISO 11137-3:2006	Identical
ISO 11138-1: 200x <sup>1</sup>	ANSI/AAMI/ISO 11138-1:2006	Identical
ISO 11138-2: 200x <sup>1</sup>	ANSI/AAMI/ISO 11138-2:2006	Identical
ISO 11138-3: 200x <sup>1</sup>	ANSI/AAMI/ISO 11138-3:2006	Identical
ISO 11138-4: 200x <sup>1</sup>	ANSI/AAMI/ISO 11138-4:2006	Identical
ISO 11138-5: 200x <sup>1</sup>	ANSI/AAMI/ISO 11138-5:2006	Identical
ISO TS 11139:2006	ANSI/AAMI/ISO 11139:2006	Identical
ISO 11140-1:2005	ANSI/AAMI/ISO 11140-1:2005	Identical
ISO 11140-5:2000	ANSI/AAMI ST66:1999	Major technical variations
ISO 11607-1:2006	ANSI/AAMI/ISO 11607-1:2006	Identical
ISO 11607-2:2006	ANSI/AAMI/ISO 11607-2:2006	Identical
ISO 11737-1: 2006	ANSI/AAMI/ISO 11737-1:2006	Identical
ISO 11737-2:1998	ANSI/AAMI/ISO 11737-2:1998	Identical
ISO 11737-3:2004	ANSI/AAMI/ISO 11737-3:2004	Identical
ISO 13485:2003	ANSI/AAMI/ISO 13485:2003	Identical
ISO 13488:1996	ANSI/AAMI/ISO 13488:1996	Identical
ISO 14155-1:2003	ANSI/AAMI/ISO 14155-1:2003	Identical
ISO 14155-2:2003	ANSI/AAMI/ISO 14155-2:2003	Identical
ISO 14160:1998	ANSI/AAMI/ISO 14160:1998	Identical
ISO 14161:2000	ANSI/AAMI/ISO 14161:2000	Identical
ISO 14937:2000	ANSI/AAMI/ISO 14937:2000	Identical
ISO TR 14969:2004	ANSI/AAMI/ISO TIR14969:2004	Identical
ISO 14971:2000 and A1:2003	ANSI/AAMI/ISO 14971:2000 and A1:2003	Identical
ISO 15223:2000, A1:2002, and A2:2004	ANSI/AAMI/ISO 15223:2000, A1:2001, and A2:2004	Identical
ISO 15225:2000 and A1:2004	ANSI/AAMI/ISO 15225:2000/(R)2006 and A1:2004/(R)2006	Identical
ISO 15674:2001	ANSI/AAMI/ISO 15674:2001	Identical
ISO 15675:2001	ANSI/AAMI/ISO 15675:2001	Identical
ISO TS 15843:2000	ANSI/AAMI/ISO TIR15843:2000	Identical
ISO 15882:2003	ANSI/AAMI/ISO 15882:2003	Identical
ISO TR 16142:2006	ANSI/AAMI/ISO TIR16142:2006	Identical
ISO 17664:2004	ANSI/AAMI ST81:2004	Major technical variations
ISO 17665-1:200x <sup>1</sup>	ANSI/AAMI/ISO 17665-1:2006	Identical
ISO 18472:200x <sup>1</sup>	ANSI/AAMI/ISO 18472:2006	Identical
ISO TS 19218:2005	ANSI/AAMI/ISO 19218:2005	Identical
ISO 25539-1:2003 and A1:2005	ANSI/AAMI/ISO 25539-1:2003 and A1:2005	Identical

<sup>1</sup>In production

## Committee representation

### Association for the Advancement of Medical Instrumentation Radiation Sterilization Working Group

The adoption of ISO 11137-1:2006 as an AAMI standard was initiated by the Radiation Sterilization Working Group of the AAMI Sterilization Standards Committee (AAMI/ST), which also functions as a U.S. Technical Advisory Group to the relevant work in the International Organization for Standardization (ISO). U.S. representatives from the AAMI Radiation Sterilization Working Group (U.S. Sub-TAG for ISO/TC 198/WG 2), chaired by Lisa Foster and Byron Lambert, played an active part in developing the ISO Standard.

Committee approval of this document does not necessarily imply that all committee members voted for its approval.

At the time this document was published, the **AAMI Radiation Sterilization Working Group** had the following members:

#### *Cochairs*

Lisa Foster  
Byron J. Lambert, PhD

#### *Members*

Chris B. Anderson, St Jude Medical Inc.  
Leonard S. Berman, PhD, Pall Medical  
Paul William Boentges, BS, Cardinal Health (MP&S)  
Anne F. Booth, MS, Conmed Corporation  
John Broad, NAMSA  
Trabue D. Bryans, AppTec  
Virginia C. Chamberlain, PhD, VC Chamberlain & Associates (Independent Expert)  
Rod Chu, MDS Nordion  
Gary N. Cranston, Consulting & Technical Svcs/PCS  
Greg Crego, Ethox Corporation  
Kate Davenport, Northview Biosciences  
Douglas D. Davie, Sterilization Validation Services  
Brian R. Drumheller, CR Bard  
Barry P. Fairand, PhD (Independent Expert)  
Lisa Foster, Sterigenics International  
Ruth Garcia, Steris Corporation  
Joyce M. Hansen, JM Hansen & Associates (Independent Expert)  
Thomas L. Hansen, Terumo Medical Corporation  
Doug F. Harbrecht, Boston Scientific Corporation  
Deborah A. Havlik, Hospira Inc  
Arthur H. Heiss, PhD, Bruker BioSpin Corporation  
Craig M. Herring, Johnson & Johnson  
Carolyn L. Kinsley, Pharmaceutical Systems Inc.  
Byron J. Lambert, PhD, Guidant Corporation/Cardiac Rhythm Management  
Jeff Martin, Alcon Laboratories Inc  
David Ford McGoldrick, BS, Abbott Laboratories  
James E. McGowan, Jr., BS, MBA, Sterility Assurance Laboratories Inc.  
Joseph M. Mello, Ethide Laboratories Inc.  
Russell D. Mills, Zimmer Inc.  
Gerry A. O'Dell, MS, Gerry O'Dell Consulting (Independent Expert)  
Frank Peacock, Jr., Bausch & Lomb Inc.  
Bryant Pearce, Clearant Inc.  
Manuel Saavedra, Jr., Kimberly-Clark Corporation  
Zenius V. Seliokas, Stericon Inc.  
Jon Seulean, Cobe Sterilization Services Inc.  
Harry L. Shaffer, Sterilization Consulting Services  
William N. Thompson, TYCO Healthcare/Kendall  
Richard L. Weisman, Fresenius Medical Care NA Dialysis Products Division



- Patrick B. Weixel, FDA/CDRH  
James L. Whitby, MA, MB, FRCP, University of Western Ontario (Independent Expert)  
Thelma Wilcott, Becton Dickinson & Company  
John Andrew Williams, BS, Baxter Healthcare Corporation  
Martell Kress Winters, BS, SM, Nelson Laboratories Inc.
- Alternates*  
Lisa Baryschpolec, Johnson & Johnson  
Harry F. Bushar, PhD, FDA/CDRH  
Charles Cogdill, Boston Scientific Corporation  
John DiCaro, TYCO Healthcare/Kendall  
Joyce Kay Elkins, Zimmer Inc.  
Niki Fidopiastis, Sterigenics International  
Donna Horner, Guidant Corporation/Cardiac Rhythm Management  
Joseph A. Hutson, Cardinal Health (MP&S)  
Orlando C. Johnson, Hospira Inc.  
Bert Kingsbury, Terumo Medical Corporation  
Ezra Koski, A, Cobe Sterilization Services Inc.  
Mary Malarkey, FDA/CDRH  
Mary S. Mayo, CR Bard  
Consuelo Lorraine McChesney, BS, Alcon Laboratories Inc.  
Patrick J. McCormick, PhD, Bausch & Lomb Inc.  
Dave Parente, NAMSA  
Timothy Ramsey, BS, Northview Biosciences  
Mark Seybold, Baxter Healthcare Corporation  
Ralph Stick, AppTec  
John W. Walker, Steris Corporation  
Wendy Wangsgard, PhD, Nelson Laboratories Inc.  
David Weppner, Ethox Corporation
- For a complete copy of this AAMI document,  
contact AAMI at (877) 249-8226
- AAMI Sterilization Standards Committee**
- Cochairs*  
Victoria M. Hitchins, PhD  
William E. Young
- Members*  
Trabue D. Bryans, AppTec  
Virginia C. Chamberlain, PhD, VC Chamberlain & Associates (Independent Expert)  
Nancy Chobin, RN, CSPDM, St. Barnabas Healthcare System (Independent Expert)  
Anne M. Cofiell, CRCST, FCS, International Association of Healthcare Central Service Materiel  
Management  
Charles Cogdill, Boston Scientific Corporation  
Ramona Conner, RN, MSN, CNOR, Association of Perioperative Registered Nurses  
Jacqueline Daley, Association for Professionals in Infection Control and Epidemiology  
Kimbrell Darnell, CR Bard  
Lisa Foster, Sterigenics International  
James M. Gibson, Jr., JM Gibson Associates  
Barbara J. Goodman, RN, BS, CNOR (Independent Expert)  
Joel R. Gorski, PhD, NAMSA  
Deborah A. Havlik, Hospira Inc.  
Victoria M. Hitchins, PhD, FDA/CDRH  
Richard M. Johnson, MSc, BSc, Abbott Laboratories  
Lois Atkinson Jones, MS (Independent Expert)  
Byron J. Lambert, PhD, Guidant Corporation/Cardiac Rhythm Management  
Colleen Patricia Landers, RN, Canadian Standards Association  
David Liu, Johnson & Johnson  
Jeff Martin, Alcon Laboratories Inc.  
Patrick J. McCormick, PhD, Bausch & Lomb Inc.  
Thomas K. Moore, Getinge USA  
Barry F.J. Page, Barry Page Consulting (Independent Expert)  
Nancy J. Rakiewicz, Ethox Corporation  
Phil M. Schneider, 3M Healthcare  
Michael H. Scholla, Dupont Nonwovens  
Mark Seybold, Baxter Healthcare Corporation  
Andrew Sharavara, Proper Manufacturing Co Inc.

*Alternates*

Frank Sizemore, American Society for Healthcare Central Service Professionals  
Gregory O. Stecklein, MS, MSM, Cardinal Health (MP&S)  
William N. Thompson, TYCO Healthcare/Kendall  
John W. Walker, Steris Corporation  
James L. Whitby, MA, MB, FRCP, University of Western Ontario (Independent Expert)  
Thelma Wilcott, Becton Dickinson & Company  
Martell Kress Winters, BS, SM, Nelson Laboratories Inc.  
William E. Young (Independent Expert)  
Lloyd Brown, TYCO Healthcare/Kendall  
Lina C. Bueno, Dupont Nonwovens  
Craig M. Herring, Johnson & Johnson  
Clark W. Houghtling, Steris Corporation  
Danny Hutson, Cardinal Health (MP&S)  
Jim Kaiser, Bausch & Lomb Inc.  
Susan G. Klacik, AS, BS, International Association of Healthcare Central Service Materiel  
Management  
Joseph J. Lasich, BS, Alcon Laboratories Inc.  
Chiu Lin, PhD, FDA/CDRH  
Lisa N. Macdonald, Becton Dickinson & Company  
Ralph Makinen, Guidant Corporation/Cardiac Rhythm Management  
Mary S. Mayo, CR Bard  
David Ford McGoldrick, BS, Abbott Laboratories  
Jerry R. Nelson, MS, PhD, Nelson Laboratories Inc.  
Jeff Peltier, Boston Scientific Corporation  
Janet Prust, 3M Healthcare  
Mike Sadowski, Baxter Healthcare Corporation  
Ralph Stick, AppTec  
Jason Voisinnet, Ethox Corporation  
Valerie Welter, Hospira Inc.  
William T. Young, Sterigenics International

---

NOTE—Participation by federal agency representatives in the development of this document does not constitute endorsement by the federal government or any of its agencies.

---

## Background of AAMI adoption of ISO 11137-3:2006

The International Organization for Standardization (ISO) is a worldwide federation of national standards bodies. The United States is one of the ISO members that took an active role in the development of this standard.

The first edition of ISO 11137 was developed by ISO Technical Committee 198 to fill a need for an international standard for radiation sterilization of health care products. The standard was published in 1995 and was followed by several technical reports developed in ISO or in AAMI primarily to cover additional dose setting methods. During its systematic review of ISO 11137:1995 (adopted in the U.S. as ANSI/AAMI/ISO 11137:1994), ISO/TC 198 decided to revise the document by splitting it into three parts under the general title *Sterilization of health care products—Radiation*. The three parts are

- *Part 1: Requirements for development, validation, and routine control of a sterilization process for medical devices;*
- *Part 2: Establishing the sterilization dose; and*
- *Part 3: Guidance on dosimetric aspects.*

In addition, content from some of the technical reports developed since the first edition was published has been incorporated into the latest standards.

Part 3 of ISO 11137 presents a significant expansion and improvement in guidance for the radiation sterilization community compared to Annex C of ISO 11137:1995. The guidance follows the format of Part 1 for ease of reference. ISO 11137-3 provides detailed guidance for dosimetric aspects of:

- Establishing the maximum dose (product qualification),
- Establishing the sterilization dose,
- Installation qualification,
- Operational qualification, and
- Performance qualification

Additionally, new concepts of mathematical modeling are addressed in an Annex.

U.S. participation in ISO/TC 198 is organized through the U.S. Technical Advisory Group for ISO/TC 198, administered by the Association for the Advancement of Medical Instrumentation (AAMI). The United States made a considerable contribution to this standard.

Concurrent with the development of the U.S. position on the ISO 11137 series, the AAMI Radiation Sterilization Working Group (AAMI ST/WG 02) decided to adopt the three parts verbatim. Together, these documents supersede ANSI/AAMI/ISO 11137:1994 (and 2002 amendment), AAMI TIR27:2001, AAMI/ISO TIR13409:1996 (and 2000 amendment), and AAMI/ISO TIR15844:1998.

The concepts incorporated in this standard should not be considered inflexible or static. This standard, like any other, must be reviewed and updated periodically to assimilate progressive technological developments. To remain relevant, it must be modified as technological advances are made and as new data comes to light. Suggestions for improving this standard are invited. Comments on this standard are invited and should be sent to AAMI, Attn: Standards Department, 1110 N. Glebe Road, Suite 220, Arlington, VA 22201-4795.

---

NOTE—Beginning with the ISO foreword on page x, this American National Standard is identical to ISO 11137-3:2006.

---

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11137-3 was prepared by Technical Committee ISO/TC 198, *Sterilization of health care product*.

This first edition, together with ISO 11137-1 and ISO 11137-2, cancels and replaces ISO 11137:1995.

ISO 11137 consists of the following parts, under the general title *Sterilization of health care products — Radiation*:

- *Part 1: Requirements for development, validation and routine control of a sterilization process for medical devices*
- *Part 2: Establishing the sterilization dose*
- *Part 3: Guidance on dosimetric aspects*

## Introduction

An integral part of radiation sterilization is the ability to measure dose. Dose is measured during all stages of development, validation and routine monitoring of the sterilization process. It has to be demonstrated that dose measurement is traceable to a national or International Standard, that the uncertainty of measurement is known, and that the influence of temperature, humidity and other environmental considerations on dosimeter response is known and taken into account. Process parameters are established and applied based on dose measurements. This part of ISO 11137 provides guidance on the application of dose measurements (dosimetry) during all stages of the sterilization process.

ISO 11137-1 describes requirements that, if met, will provide a radiation sterilization process, intended to sterilize medical devices, which has appropriate microbicidal activity. Furthermore, compliance with the requirements helps ensure that this activity is both reliable and reproducible so that predictions can be made, with reasonable confidence, that there is a low level of probability of there being a viable microorganism present on product after sterilization.

Generic requirements of the quality management system for design and development, production, installation and servicing are given in ISO 9001 and particular requirements for quality management systems for medical device production are given in ISO 13485. The standards for quality management systems recognize that, for certain processes used in manufacturing or reprocessing, the effectiveness of the process cannot be fully verified by subsequent inspection and testing of the product. Sterilization is an example of such a process. For this reason, sterilization processes are validated for use, the performance of the sterilization process monitored routinely and the equipment maintained.

Requirements in regard to dosimetry are given in ISO 11137-1 and ISO 11137-2. This part of ISO 11137 gives guidance to these requirements. The guidance given is not normative and is not provided as a checklist for auditors. The guidance provides explanations and methods that are regarded as being suitable means for complying with the requirements. Methods other than those given in the guidance may be used, if they are effective in achieving compliance with the requirements of ISO 11137-1.



This is a preview edition of an AAMI guidance document and is intended to allow potential purchasers to evaluate the content of the document before making a purchasing decision.

For a complete copy of this AAMI document,  
contact AAMI at (877) 249-8226  
or visit [www.aami.org](http://www.aami.org).



---

American National Standard

ANSI/AAMI/ISO 11137-3:2006/(R)2010

---

# Sterilization of health care products—Radiation— Part 3: Guidance on dosimetric aspects

## 1 Scope

This part of ISO 11137 gives guidance on the requirements in ISO 11137 parts 1 and 2 relating to dosimetry. Dosimetry procedures related to the development, validation and routine control of a radiation sterilization process are described.

This is a preview edition of an AAMI guidance document and is intended to allow potential purchasers to evaluate the content of the document before making a purchasing decision.

For a complete copy of this AAMI document,  
contact AAMI at (877) 249-8226  
or visit [www.aami.org](http://www.aami.org).