

ABYC H-24 July, 2012

Hull Division Standard
Fuel and Ventilation Systems Project
Technical Committee

The ABYC Standards and Technical Information Reports for Small Craft are the product of a consensus of representatives of government, industry and public sectors. It is intended solely as a guide to aid manufacturers and the marine community in the design, construction, equipage and maintenance of small craft.

ABYC reviews each standard at least every five years at which time it may be reaffirmed, revised, or withdrawn. ABYC welcomes any written comments on the Standards and Technical Information Reports.

ABYC H-24

GASOLINE FUEL SYSTEMS



H-24 7/12

FUEL & VENTILATION SYSTEMS PROJECT TECHNICAL COMMITTEE

G. Medford Smith, Chairman

Glenn Anderson Eric Johnson Dan Ostrosky Miles Beam Richard Kolb Robert Porter Richard Blackman Kim MacCartney Craig Scholten Brian Campbell William Shields **Chuck Mapes** Steven Carrier Lee Medford Eric Skaggs Gary Dunkle **Orestes Monterrey** Steven Walesh E. Charles Game Robert Newsome Sean Whelan

Denzil Hellesen

This list represents the membership at the time the Committee was balloted.

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of ABYC or any document developed by the committee on which the member serves.

This standard was developed under procedures accredited as meeting the criteria for American National Standards. The Project Technical Committee that approved the standard was balanced to ensure that individuals from competent and concerned interests have had an opportunity to participate.

This standard, which is the result of extended and careful consideration of available knowledge and experience on the subject, is intended to provide minimum performance requirements.

ABYC's Project Technical Committee meetings are open to the public. All contact regarding standards activity, interpretations, or meeting attendance should be directed to the ABYC Technical Department at comments@abycinc.org.

ABYC and its committees do not "approve", "certify", or "endorse" any item, construction, or proprietary device.

REQUEST FOR INTERPRETATIONS

Upon written request, the Fuel & Ventilation Systems PTC will render an interpretation of any requirement of the standard. The request for interpretation should be clear and unambiguous. Requests should be presented to the PTC in a manner in which they may be answered in a yes or no fashion.

The committee reserves the right to reconsider any interpretation when or if additional information which might affect it becomes available to the PTC. Persons aggrieved by an interpretation may appeal to the Committee for reinterpretation.

H-24 GASOLINE FUEL SYSTEMS

Table of Contents

24.1	PURPOSE	1
24.2	SCOPE	1
24.3	REFERENCES	1
24.4	DEFINITIONS	3
24.5	REQUIREMENTS - IN GENERAL	4
24.6	FLEXIBLE FUEL HOSE	5
24.7	PRIMER BULB	5
24.8	FUEL LINE SUPPORTS	5
24.9	VALVES	6
24.10	FUEL FILTERS, STRAINERS, AND WATER SEPARATORS	6
24.11	INSTALLATION - FUEL TANK	7
24.12	CONNECTIONS - FUEL HOSE	8
24.13	FUEL FILL SYSTEMS	9
24.14	TANK VENT SYSTEMS	10
24.15	FUEL DISTRIBUTION AND RETURN SYSTEMS	11
24.16	FUEL SYSTEM GROUNDING	14
24.17	FUEL SYSTEM LABELING	14
24.18	SYSTEM TESTS	14
24.19	GASOLINE FUEL TANKS	18
TAB	LE I - TYPES OF HOSE	23
TAB	LE II - MATING OF HOSE WITH SPUDS	23
TAB	LE III - HOSE CLAMP WIDTHS MINIMUM NOMINAL CLAMP BAND WIDTH	24
TAB	LE IV - METALLIC FUEL TANK MATERIAL AND FABRICATION REQUIREMENTS FOR	
COR	ROSION RESISTANCE	24
TAB	LE V - TAPERED PIPE THREAD ENGAGEMENT	24
TAB	LE VI – QUICK REFERENCE SYSTEM PRESSURE	25
FI	GURE 1- ENCLOSURE - BELOW DECK INSTALLATION	26
FI	GURE 2 - ENCLOSURE - ABOVE DECK INSTALLATION	26
FI	GURE 3 – FUEL FILL VENT SEPARATION	26
FI	GURE 4 – DETERMINING THE TOPMOST TANK SURFACE AND OPENING LOCATIONS	27
FI	GURE 5 – DETERMINING THE SYSTEM TEST PRESSURE	28
APP	ENDIX A - MARINE FUEL SYSTEM COMPONENT FIRE TEST	29
Or	igin and Development of H-24, Gasoline Fuel Systems	31

H-24 7/12

H-24 GASOLINE FUEL SYSTEMS

Based on ABYC's assessment of existing technology, promulgated federal regulations and the problems associated with achieving the goals of this standard, ABYC recommends compliance with this standard for all boats, associated equipment, and systems manufactured or installed after July 31, 2013. Federal regulations included in 40 CFR part 1060 may require compliance with parts of this standard before 2013, and additionally may allow relief for compliance to specific requirements after July, 2013.

24.1 **PURPOSE**

This standard is a guide for the design, choice of materials for, construction, installation, repair, and maintenance of permanently installed gasoline fuel systems.

NOTES:

- 1. Portable Gasoline fuel systems are covered by ABYC H-25, Portable Gasoline Fuel Systems.
- 2. The United States Coast Guard has promulgated mandatory requirements for gasoline fuel systems in 33 CFR, Subpart J. Sections 183.501 183.590. Refer to the CFR for complete, current federal requirements.
- 3. The Environmental Protection Agency has promulgated regulations regarding the evaporative and diurnal emissions for gasoline spark ignition marine engines and fuel systems in 40 CFR Chapter 1060. Refer to the CFR for complete, current federal requirements.

24.2 **SCOPE**

This standard applies to all parts of permanently installed gasoline fuel systems from the fuel fill opening to the point of connection to the propulsion engine and/or to any auxiliary equipment on all boats with gasoline engines, excluding onboard refueling systems.

24.3 **REFERENCES**

- 24.3.1 The following publications form a part of this standard. Unless otherwise noted the latest version of referenced standards shall apply.
- 24.3.1.1 ABYC American Boat & Yacht Council, Inc., 613 Third St Suite 10, Annapolis, MD 21403. Phone: (410) 990-4460. Fax: (410) 990-4466. Website: www.abycinc.org

ABYC E-11, AC and DC Electrical Systems on Boats

ABYC H-2, Ventilation of Boats Using Gasoline

ABYC H-25, Portable Gasoline Fuel Systems

ABYC S-8, Boat Measurement and Weight

ABYC T-5, Safety Signs and Labels

ABYC T-24, Owner/Operator's Manual