



American
Gear Manufacturers
Association

Technical Resources

Revision of ANSI/AGMA 6025-C90
Reaffirmed March 16, 2016

American National Standard

Sound for Enclosed Helical, Herringbone and Spiral Bevel Gear Drives

American National Standard

Sound for Enclosed Helical, Herringbone and Spiral Bevel Gear Drives

ANSI/AGMA 6025-D98

(Revision of ANSI/AGMA 6025-C90)

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing or using products, processes or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation of this standard should be addressed to the American Gear Manufacturers Association.

CAUTION NOTICE: AGMA technical publications are subject to constant improvement, revision or withdrawal as dictated by experience. Any person who refers to any AGMA technical publication should be sure that the publication is the latest available from the Association on the subject matter.

[Tables or other self-supporting sections may be quoted or extracted. Credit lines should read: Extracted from ANSI/AGMA 6025-D98, *Sound for Enclosed Helical, Herringbone and Spiral Bevel Gear Drives*, with the permission of the publisher, the American Gear Manufacturers Association, 1500 King Street, Suite 201, Alexandria, Virginia 22314.]

Approved June 19, 1998

ABSTRACT

The standard describes a recommended method of acceptance testing and reporting of the sound pressure levels generated by a gear speed reducer or increaser when tested at the manufacturer's facility. The results obtained should represent only the sound of the gear unit. Other systems influenced such as the prime mover or driven equipment are minimized. The purchaser should not expect to translate the manufacturer's test results directly to the system installation because of differences in environment, mounting and system effects. An annex is included for use in those instances where sound power levels are required by the purchaser.

Published by

**American Gear Manufacturers Association
1500 King Street, Suite 201, Alexandria, Virginia 22314**

Copyright © 1998 by American Gear Manufacturers Association
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

ISBN: 1-55589-718-5

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Measuring instrumentation used	2
5 Test procedure	2
6 Sound measurement	3
7 Acceptance criteria	4
8 Typical sound levels	4
9 Measurement report	4

Tables

1 Distance between major vertical surface and microphone (for sound pressure measurements)	3
2 Corrections for ambient sound pressure levels	4

Figures

1 Sound test microphone position	3
2 Typical maximum sound level vs. high speed mesh pitch line velocity	5
3 Typical high speed gear drive maximum sound pressure levels	5
4 Typical maximum sound level vs. catalog power rating	6

Annexes

A Gear unit sound power determination	7
B Obtaining an average level from different sound pressure levels on an energy basis	15
C Determination of the environmental correction factor, K_2 , with the aid of a reference sound source	17
D Special contractual considerations	19

Bibliography	21
---------------------------	-----------

Foreword

[The foreword, footnotes and annexes, if any, in this document are provided for informational purposes only and are not to be construed as a part of ANSI/AGMA Standard 6025–D98, *Sound for Enclosed Helical, Herringbone and Spiral Bevel Gear Drives.*]

Concern with industrial noise created a need for acoustical standards covering all types of gear products. Noise measurement and control is dependent upon the individual characteristics of the prime mover, gear unit and driven machine as well as their combined effects as a system in addition to the effects of the acoustic environment.

The complexity makes most sound standards difficult to apply or interpret properly. The AGMA Acoustical Technology Committee developed this standard for the purpose of providing improved communication between purchaser, gear manufacturer and user in the areas of sound instrumentation, sound measurements and test procedures.

Because of the many variations of system response in different acoustic environments, this standard identifies certain areas where special test conditions might be necessary and should be part of the contractual agreement between purchaser and gear manufacturer.

The first draft of ANSI/AGMA 6025–C90 was prepared in January 1989 as a revision of AGMA 297.02. AGMA 297.01 was first approved by the AGMA membership in July of 1973. The standard presented the A-weighted sound pressure level measurement procedures for enclosed helical, herringbone and spiral bevel gear drives. Work began on a revision of AGMA 297.01 in 1979 to update the terminology and to add an appendix, a procedure for sound power measurements. AGMA 297.02 was approved for printing and distribution in 1983. This revision of AGMA 297.02 also incorporates AGMA 295.04 and AGMA 298.01, which were similar in content.

ANSI/AGMA 6025–C90 was approved by the AGMA membership and the American National Standards Institute in 1990. This revision of the 1990 standard is a modification incorporating the procedures from ISO 8579–1:1993 as a normative annex, updating of references and including additional information.

There are four annexes in this standard. Annex A is normative and is considered part of this standard when specified; Annexes B, C and D are informative and are not considered part of this standard.

ANSI/AGMA 6025–D98 was approved by the AGMA membership in March 1998. It was approved as an American National Standard on June 19, 1998.

Suggestions for improvement of this standard will be welcome. They should be sent to the American Gear Manufacturers Association, 1500 King Street, Suite 201, Alexandria, Virginia 22314.

PERSONNEL of the AGMA Acoustical Technology Committee

Chairman: D.D. Behlke Twin Disc, Inc.
Vice Chairman: R.A. Schunck The Falk Corporation

ACTIVE MEMBERS

J.B. Amendola MAAG Gear Company, Ltd.
J.V. Lisiecki The Falk Corporation
J. Luz General Electric Company
J.L. Radovich Davis-Standard

ASSOCIATE MEMBERS

E.J. Bodensieck Bodensieck Engineering
D.L. Borden Gear Research Institute
F. Choy University of Akron
D. Cressman Philadelphia Mixers Corporation
M.F. Dalton General Electric Company
J.M Franchuk WesTech Gear Corporation
D.R. Houser Ohio State University
G. Kempf General Motors Corporation
A.J. Lemanski Penn State University
L. Lloyd Lufkin Industries, Inc.
W. Mark Penn State University
D.A. McCarroll The Gleason Works
W. Nageli MAAG Gear Company, Ltd.
G. Nagorny Nagorny & Associates
M.W. Neesley WesTech Gear Corporation
J.R. Partridge euro Lufkin bv
R.L. Platt General Motors Corporation
E.I. Rivin Wayne State University
D.C. Root Otis Elevator
J. Simonelli Emerson Power Transmission Corporation
N. Sonti Penn State University
F.A. Thoma F.A. Thoma, Inc.
K. Umezawa Tokyo Institute
R. Ward Schaeffer Manufacturing Company

(This page is intentionally left blank.)

American National Standard – Sound for Enclosed Helical, Herringbone and Spiral Bevel Gear Drives

1 Scope

This standard describes the instrumentation, measuring methods and test procedures necessary for the determination of a gear unit's sound pressure levels for acceptance testing. Sound power measurement methods are provided in annexes A, B and C for use when required by specific contract provisions between the manufacturer and purchaser.

1.1 Application

This standard is applicable to gear drives designed and rated in accordance with the following standards: ANSI/AGMA 6010-F97, *Standard for Spur, Helical, Herringbone and Spiral Bevel Enclosed Drives*; ANSI/AGMA 6011-H97, *Practice for High Speed Helical and Herringbone Gear Units*; ANSI/AGMA 6019-B89, *Standard for Gearmotors Using Spur, Helical, Herringbone, Straight Bevel or Spiral Bevel Gears*; and ANSI/AGMA 6021-G89, *Standard for Shaft Mounted and Screw Conveyor Drives Using Spur, Helical and Herringbone Gears*.

ANSI/AGMA 6025-D98 applies to only those gear units which are lubricated in accordance with manufacturer's recommendations and tested in a system of connected rotating parts free from serious critical speeds, torsional vibrations or overloads as tested at the gear unit manufacturer's facility.

Where performance of actual shop tests to determine sound level is required, it shall be the responsibility of the purchaser to so state in his inquiry and order.

NOTE: The gear unit is only part of the total acoustic system which includes, in addition to the gear unit, the

prime mover, driven equipment, gear unit mounting, foundation and acoustic environment. Each of these might affect the measured level of sound emitted from the gear unit. Unless otherwise agreed, the gear manufacturer's responsibility is to ensure that the level of noise emitted from a gear unit under the test conditions in his factory is within contractually specified or negotiated limits.

Special contractual considerations are discussed in annex D.

CAUTION: Compliance with this standard does not constitute a warranty of the measured gear unit sound levels under installed field service conditions.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

ANSI S1.1(1994), *Acoustical terminology*

ANSI S1.4 (1983), *Specification for sound level meters*

ANSI S1.6 (1984), *Preferred frequencies and band numbers for acoustical measurements*

ANSI S1.11 (1986), *Octave, half-octave and third-octave band filter sets*

ANSI S1.13 (1995), *Methods for the measurement of sound pressure level*

NOTE: These standards may be obtained from:

American National Standards Institute
11 West 42nd Street
New York, NY 10036
(212) 642-4900

3 Definitions

The following definitions are provided to identify specific terms and phrases used in this standard.