



Method for Measuring Performance of Portable Household Electric Room Air Cleaners

ANSI/AHAM AC-1-2015



Leadership > Knowledge > Innovation

PREFACE

The Association of Home Appliance Manufacturers (AHAM) develops standards in accordance with AHAM's "Policy and Procedures Governing Technical Standards" which states:

"AHAM Standards shall be in the best interest, mutually, of consumers who use appliances, the industries which provide and service appliances, and other interested parties. They shall relate to actual use conditions, be technically and scientifically sound."

Use or observance of AHAM standards is voluntary.

AHAM standards are presented to the American National Standards Institute (ANSI) for recognition as American National Standards. This standard was so recognized on May 13, 2015 and bears the American National Standard designation ANSI/AHAM AC-1-2015.

This standard contains test procedures which may be applied to any brand or model of portable household electric room air cleaners within the stated confines of the standard's limits of measurability for measuring performance. Results of tests in accordance with this standard may be publicly stated.

With regard to safety, AHAM recommends that all appliance products - both major and portable appliances - manufactured or marketed in the United States be submitted to an appropriate independent Nationally Recognized Testing Laboratory for inspection and listing in conformance with the safety standards and procedures followed by such laboratories. The relevant standards for portable household electric room air cleaners are UL 867, "Standard for Electrostatic Air Cleaners" and UL 507, "Standard for Fans."

The annexes to this standard are included for informational purposes only unless the annexes are noted as normative.

AHAM welcomes comments and suggestions regarding this standard. Any standard may be reviewed and improved as needed. All standards must be updated or reconfirmed at least every five years. Any interested party, at any time, may request a change in an AHAM standard. Such request should be addressed to AHAM's President, and should be accompanied by a statement of reason for the request and a suggested alternate proposal.

This standard may involve hazardous materials, operations, and equipment. This standard does not purport to address all of the safety problems associated with its use. It is the responsibility of whoever uses this standard to consult and establish appropriate safety and health practices and determine the applicability of any regulatory limitations prior to use.

Copyright © 2015 by the Association of Home Appliance Manufacturers (AHAM)

All rights reserved.

The hard copy print version of this document shall be for individual use only.

The electronic file version of this document shall be for storage on one computer for purposes of viewing and/or printing one copy for individual use only.

This document shall not be reproduced in whole or in part by any means, and shall not be transmitted electronically or otherwise to a third person without the prior written permission of AHAM.

TABLE OF CONTENTS

1.	PURPOSE	1
2.	SCOPE.....	1
3.	DEFINITIONS	2
	3.1 Portable Household Electric Room Air Cleaner (“Air Cleaner”)	2
	3.2 Design Characteristics of Portable Household Electric Room Air Cleaners	3
	3.3 Test Particulate Matter	3
	3.4 Test Chamber	3
	3.5 Air Circulating Equipment	4
	3.6 Particulate Matter Removal.....	4
	3.7 High Efficiency Particulate Air (HEPA) Filter	4
	3.8 Aerosol Generator	4
	3.9 Cigarette Humidity Chamber	4
	3.10 Particle Number Concentration	4
	3.11 Aerosol Spectrometer	5
	3.12 Cigarette Smoke Diluter	5
	3.13 Natural Decay	5
	3.14 Clean Air Delivery Rate (CADR)	5
	3.15 Room Size	5
4.	GENERAL CONDITIONS FOR MEASUREMENT.....	6
	4.1 Electrical Supply	6
	4.2 Test Chamber Ambient Temperature	6
	4.3 Test Chamber Air Exchange Rate	6
	4.4 Test Chamber Particulate Concentrations	6
	4.5 Chamber Equipment.....	7
	4.6 Test Equipment Preparation	7
5.	TEST PROCEDURE FOR DETERMINING PERFORMANCE ON CIGARETTE SMOKE.	8
	5.1 Natural Decay Measurement	8
	5.2 Cigarette Smoke Particulate Matter Removal Measurement with Air Cleaner Operating (includes natural decay).....	9
6.	TEST PROCEDURE FOR DETERMINING PERFORMANCE ON TEST DUST.....	11
	6.1. Natural Decay Measurement	11
	6.2. Dust Particulate Matter Removal Measurement with Air Cleaner Operating (includes natural decay).	12
7.	TEST PROCEDURE FOR DETERMINING PERFORMANCE ON PAPER MULBERRY POLLEN.....	13
	7.1 Natural Decay Measurement	13
	7.2 Pollen Particulate Matter Removal Measurement with Air Cleaner Operating (includes natural decay).....	14

8.	CALCULATION PROCEDURES (Refer to Annex D)	16
8.1	Criteria for Elimination of Data Points from an AC-1 Run	16
8.2	Calculating the Decay Constant	16
8.3	Computation of the Standard Deviation Estimate for the Slope of One Regression Line.....	17
8.4	Performance Calculation.	18
8.5	Calculation of the Standard Deviation Estimate of the CADR for a Single Test	18
8.6	Calculation of Suggested Room Size	18
9.	MEASUREMENT OF OPERATING POWER.....	20
9.1	Conditions of Measurement	20
9.2	Conditioning of Air Cleaner Prior to Measurement.....	20
9.3	Measurement Procedure	20
9.4	Operating Power Results	20
10.	MEASUREMENT OF STANDBY POWER.....	21
10.1	Conditions of Measurement	21
10.2	Preparation of Air Cleaner Model for Testing	21
10.3	Test Procedure	21
10.4	Test Results	21
11.	REPORTING.....	22
12.	SAFETY	22
	ANNEX A – NORMATIVE DETAILS OF TEST CHAMBER CONSTRUCTION AND EQUIPMENT	23
	ANNEX B - NORMATIVE.....	28
	ANNEX C - INFORMATIVE	29
	ANNEX D - NORMATIVE	33
	ANNEX E - INFORMATIVE	34
	ANNEX F - INFORMATIVE	36
	ANNEX G – TEST STAND FOR WALL MOUNT AND PLUG-IN TYPE AIR CLEANERS.....	46
	ANNEX H – INFORMATIVE	47

1. PURPOSE

This standard method establishes uniform, repeatable procedures and standard methods for measuring specified product characteristics of portable household electric room air cleaners.

The standard methods provide a means to compare and evaluate different brands of portable household electric room air cleaners regarding characteristics significant to product use.

The standard methods of measurement are not intended to inhibit improvement and innovation in product testing, design or performance.

2. SCOPE

This standard method applies to portable household electric room air cleaners as defined in Section 3.

This standard method includes definitions and safety characteristics of portable household electric room air cleaners of the types indicated.

This standard method measures the relative reduction by the air cleaner of particulate matter suspended in the air in a specified test chamber. It also prescribes a method for measuring the operating power and standby power of the air cleaner.

This standard method has defined limits of measurability based on the statistical accuracy of the methods. Based on a 95% confidence limit (2 standard deviations), a CADR cannot be distinguished between zero (0) and a CADR rating less than those CADR limits shown below. Therefore, the standard only applies to air cleaners with minimum CADR ratings of:

Dust	CADR = 10 cfm
Cigarette smoke	CADR = 10 cfm
Pollen	CADR = 25 cfm

The maximum CADR values are determined based on theoretical maximum limits. The theoretical maximum limits are determined by the maximum number of initial available particles, the acceptable minimum number of available particles, an average background natural decay rate (from statistical study), the size of the test chamber, and the available minimum experiment time. CADR values for dust and cigarette smoke greater than those listed will not have the necessary statistical data required by this method. CADR values for pollen greater than those listed will not have the necessary statistical data required by this method. CADR values for pollen approaching that listed are normally determined by pooling of the test value data determined under this method. Therefore, the standard only applies to air cleaners with maximum CADR ratings of:

Dust	CADR = 400 cfm
Cigarette smoke	CADR = 450 cfm
Pollen	CADR = 450 cfm

The precision of the Standard as based on a 0 CADR air cleaner expressed as 2 standard deviation limits (95%) are: