# **Standard**

# Space Plug-and-Play Architecture Standard

# **Networking**

AlAA standards are copyrighted by the American Institute of Aeronautics and Astronautics (AlAA), 1801 Alexander Bell Drive, Reston, VA 20191-4344 USA. All rights reserved.

AIAA grants you a license as follows: The right to download an electronic file of this AIAA standard for storage on one computer for purposes of viewing, and/or printing one copy of the AIAA standard for individual use. Neither the electronic file nor the hard copy print may be reproduced in any way. In addition, the electronic file may not be distributed elsewhere over computer networks or otherwise. The hard copy print may only be distributed to other employees for their internal use within your organization.



This is a preview of "AIAA S-133-2-2013". Click here to purchase the full version from the ANSI store.

# Space Plug-and-Play Architecture Standard

Networking

#### Sponsored by

American Institute of Aeronautics and Astronautics

#### **Approved August 2012**

#### **Abstract**

This document specifies the overall SPA network methodology, the approach to abstraction of unique transport details, and methods of communicating across multiple similar and dissimilar networks.

This document does not discuss details about messaging protocol families, message structure, or the format of specific SPA messages. Those specifications are expressed in the SPA Logical Interface document.

This is a preview of "AIAA S-133-2-2013". Click here to purchase the full version from the ANSI store.

AIAA S-133-2-2013

Published by American Institute of Aeronautics and Astronautics 1801 Alexander Bell Drive, Reston, VA 20191

Copyright © 2013 American Institute of Aeronautics and Astronautics
All rights reserved

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

ISBN 978-1-62410-230-1

# Contents

Fore	word	V
Introd	duction	vii
1	Scope	1
2	Applicable Documents	1
3	Vocabulary	1
3.1	Acronyms and Abbreviated Terms	1
3.2	Terms and Definitions	2
4	Networking Requirements for a SPA System	2
4.1	Overview	2
4.2	Topology Discovery and Routing	4
5	Requirement to Support Packet Fragmentation	18
6	Specific Topology Considerations	18
6.1	Multiple SM-x on the Same Subnet	18
6.2	Multiple Available Paths Within a Subnet	19
7	SPA Network Requirements	20
7.1	SPA Local Bus Requirements	20
7.2	Central Addressing Service (CAS) Requirements	20
7.3	SPA Lookup Service Requirements	21
7.4	SPA subnet Manager (SM-x) Requirements	21
7.5	Generic Router Requirements	22
7.6	Generic SPA Endpoint Requirements	23
7.7	SPA Checksum Generation	23
Anne	ex A Compliance Matrix for a SPA Network	24
<b>Figu</b> ı Figure	r <b>es</b> e 1 – Example SPA network implementation	3
Figure	e 2 – SPA network phases of operation	4
Figure	re 3 – A sample SPA network topology for discovery	5
Figure	re 4 – Network topology discovery	6
Figure	re 5 – SPA lookup Service to SPA component intercommunication	14
Figure	re 6 – Component registration data flow sequence	15
Figure	re 7 – Address request sequencing diagram	16
Figure	re 8 – Subnet to subnet communication via SPA-L	17
Figure	re 9 – Subnet to subnet communication without SPA-L	18
Figure	re 10 – A subnet with two SM-x	19

# This is a preview of "AIAA S-133-2-2013". Click here to purchase the full version from the ANSI store.

## AIAA S-133-2-2013

Figure 11 – A subnet with two routes to every component	19
Tables Table 1 – SPA request address block format	8
Table 2 – SPA assign address block message format	8
Table 3 – SPA request CAS route message format	9
Table 4 – SPA reply CAS route message format	10
Table 5 – SPA distribute route message format	11
Table 6 – CAS routing table example	12
Table 7 – SM-x routing table example	13
Table A1 – Minimum requirements for a compliant SPA network	24

#### **Foreword**

This document was developed by the Space Plug and Play Architecture (SPA) Standards Working Group as one of a series of 10 documents describing the various components of the standard. The SPA standards were initially recorded in earlier documentation. This document set separates content along logical boundaries to better organize the volumes (so that developers or domain experts need only reference the documents applicable to their needs) and to avoid duplication of content between documents in the standard series. This 2013 AIAA standard supersedes all previous documentation of the SPA standards.

This particular volume of the SPA Networking standard contains information not recorded in previous documentation. It is part of a set of 10 documents describing other components of the standard:

- SPA Guidebook
- SPA Logical Interface
- SPA Physical Interface Standard
- SPA 28V Power Service Standard
- SPA System Timing Standard
- SPA Ontology Standard
- SPA Test Bypass Standard
- SPA SpaceWire Subnet Adaptation Standard
- SPA System Capability Guide

At the time of approval, the members of the AIAA SPA Committee on Standards were:

Fred Slane, Chair Space Infrastructure Foundation

Jeanette Arrigo Sierra Nevada Corporation

Scott Cannon Utah State University

Ken Center PnP Innovations

Don Fronterhouse\* PnP Innovations

Rod Green Design Group

Jane Hansen HRP Systems

Doug Harris Operationally Responsive Space Office

Paul Jaffe Naval Research Laboratory

Stanley Kennedy\* Comtech Aero-Astro

Ronald Kohl R.J. Kohl & Associates

Bill Kramer Independent

Ramon Krosley Independent

Denise Lanza SAIC

James Lyke Air Force Research Laboratory

#### This is a preview of "AIAA S-133-2-2013". Click here to purchase the full version from the ANSI store.

AIAA S-133-2-2013

Joseph Marshall BAE Systems

Gerald Murphy\* Design Group

Gary Rodriguez sysRand

Steven Schenk Comtech Aero-Astro

Robert Vick\* SAIC

The above consensus body approved this document in May 2012.

The AIAA Standards Executive Council (VP-Standards, Laura McGill, Chairperson) accepted the document for publication in August 2012.

The AIAA Standards Procedures dictates that all approved Standards, Recommended Practices, and guides are advisory only. Their use by anyone engaged in industry or trade is entirely voluntary. There is no agreement to adhere to any AIAA standards publication and no commitment to conform to or be guided by standards reports. In formulating, revising, and approving standards publications, the committees on standards will not consider patents that may apply to the subject matter. Prospective users of the publications are responsible for protecting themselves against liability for infringement of patents or copyright or both.

<sup>\*</sup>Alternate CoS participant.

## Introduction

SPA is a collection of standards designed to facilitate rapid construction of spacecraft systems using modular components. The SPA Networking standard is intended to specify the overall SPA network methodology. To this end it discusses how packets are routed and how component discovery occurs, with attention given to topology concerns.

The SPA Networking standard does not discuss the specific fields of individual packet formats, nor does it attempt to limit the types of networks that might connect to a SPA network; those are considerations addressed in the SPA Logical Interface Standard (AIAA S-133-3-2013) and the various subnet standards (of which SPA SpaceWire, AIAA S-133-9-2013, is the only currently approved subnet standard).

This standard describes the minimum requirements for the components in a SPA network and for the functions of network topology discovery, routing table construction and distribution, packet routing, and dynamic reconfiguration.

This is a preview of "AIAA S-133-2-2013". Click here to purchase the full version from the ANSI store.

#### 1 Scope

This document specifies the overall SPA network methodology, the approach to abstraction of unique transport details, and methods of communicating across multiple similar and dissimilar networks.

This document does not discuss details about messaging protocol families, message structure, or the format of specific SPA messages. Those specifications are expressed in the SPA Logical Interface Standard (AIAA S-133-3-2013).

### 2 Applicable Documents

The following standards documents contain provisions which, through reference in this text, constitute provisions of this standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies.

AIAA G-133-1-2013 Space Plug-and-Play Architecture Guidebook

AIAA S-133-3-2013 Space Plug-and-Play Architecture Standard Logical Interface

AIAA S-133-9-2013 Space Plug-and-Play Architecture Standard SpaceWire Subnet Adaptation

### 3 Vocabulary

#### 3.1 Acronyms and Abbreviated Terms

AIAA American Institute of Aeronautics and Astronautics

ASME American Society of Mechanical Engineers

ASTM American Society of Testing and Materials

CAS central addressing service

EOP end of packet

EP endpoint

MTU maximum transmission unit

SM-L SPA manager for the SPA local interconnects

SM-s SPA manager for SpaceWire protocol subnet

SM-x SPA subnet manager, where x represents a given technology protocol

SPA Space Plug-and-Play Architecture

SPA-L SPA local interconnect

UUID universally unique identifier

xTEDS extensible transducer electronic data sheet