



ANSI/AIHA Z9.3-2007

American National Standard for

Spray Finishing Operations: Safety Code for Design, Construction, and Ventilation



A Publication by
American Industrial Hygiene Association

ANSI/AIHA Z9.3–2007

**American National Standard —
Spray Finishing Operations:
Safety Code for Design,
Construction and Ventilation**

Secretariat

American Industrial Hygiene Association

Approved: July 31, 2007

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirement for due process, consensus, and other criteria for approval have been met by the standard's developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objection be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards, or not, from manufacturing, marketing, purchasing, or using products, processors, or procedures not conforming to the Standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this Standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by
American Industrial Hygiene Association
2700 Prosperity Ave., Suite 250
Fairfax, VA 22031
www.aiha.org

Copyright © 2007 by the American Industrial Hygiene Association
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America.

Stock No: SVEA07-735
ISBN: 978-1-931504-85-0

Contents

	Page
Foreword	iii
1. Scope, Purpose and Presentation.....	1
2. Referenced and Related Standards and Publications.....	2
3. Definitions.....	3
4. Locations and Applications.....	5
5. Design and Construction of Spray Booths and Spray Rooms	6
6. Ventilation	6
7. Velocity and Airflow Requirements.....	9
8. Makeup and Replacement Air	10
9. Exhaust Air	13
10. Portable Ovens in Spraying Areas	13
11. Fixed Drying or Baking Ovens in Connection with Spray Booths	14
12. Personal Protection	14
13. Waste Disposal.....	17
 Appendices	
A. Air Volume Flowrate Calculation Example.....	17
B. ANSI/AIHA Z9.3 Audit Form	19

This is a preview of "ANSI/AIHA Z9.3-2007". [Click here to purchase the full version from the ANSI store.](#)

FOREWORD (This foreword is not part of the American National Standard/AIHA Z9.3-2007)

This standard was processed and approved for submittal to ANSI by the Z9 Accredited Standards Committee on Health and Safety Standards for Ventilation Systems. Committee approval of the Standard does not necessarily imply that all committee members voted for its approval. At the time it approved this Standard, the Z9 Committee had the following members:

L. DiBerardinis, Chair
J.M. Price, Vice Chair
Mili Mavely, Secretariat Representative

Organization Represented

Name of Representative

Alliance of American Insurers	S. Ecoff
American Chemical Society	D. Walters
American Conference of Governmental Industrial Hygienists	G. Knutson
American Automobile Manufacturers Association	G.M. Adams
American Foundrymen's Society	R. Scholz
American Glovebox Society	S. Crooks
American Society of Heating, Refrigerating, and Air Conditioning Engineers	H.F. Behls
National Association of Metal Finishers	K.C. Hankinson
National Spray Equipment Manufacturers Association	D.R. Scarborough
U.S. Department of Labor Occupational Safety and Health Administration	I. Wainless

Individual Members

D. Blackburn	L. Hathon	J.C. Rock
D.J. Burton	R.L. Karbowski	M. Rollins
J.L. Cook	N. McManus	J.W. Sheehy
L. DiBerardinis	D. O'Brien	T.C. Smith
C. Figueroa	K. Paulson	L.K. Turner
S.J. Gonsel	J.M. Price	

At the time of development, the Z9.3 subcommittee on Spray Finishing Operations: Safety Code for Design, Construction, and Ventilation, which developed this standard, had the following members:

G.M. Adams, Chair
K.C. Hankinson
K. Paulson

This is a preview of "ANSI/AIHA Z9.3-2007". [Click here to purchase the full version from the ANSI store.](#)

American National Standard — Spray Finishing Operations: Safety Code for Design, Construction and Ventilation

1. Scope and Purpose

1.1 Scope. This standard is intended to help manufacturers and users protect the health of personnel from injurious effects of contact with gases, vapors, mists, dusts, powders, or solvents used in, created, released, or disseminated during or by spray finishing operations.

NOTE: It is recognized that uniform treatment of subjects covered by industry codes and standards such as this ANSI Z9.3 standard is desirable because:

- It promotes confidence that there is widespread agreement concerning principles relating to the subject which, in turn, facilitates compliance.
- It facilitates enforcement by code-enforcing authorities.
- It facilitates the manufacture of equipment that will comply with code requirements.

This standard is not intended to cover the health and safety requirements for personnel involved in the spraying the exteriors of buildings, inside fixed tanks, or similar structures. The safety requirements of this standard also do not cover personnel involved in spraying operations in which small hand spray cans are used. However, the fundamental safeguards prescribed in this standard can and should be followed when applicable.

1.2 Purpose. The requirements of this standard are intended to prevent the emission into the workroom atmosphere of gases, vapors, mists, or dusts from spray finishing operation in quantities tending to:

- injure health through inhalation;
- cause injury due to contact with the skin;
- condense or collect on floors, ceilings, or walls of any workroom to produce unsanitary, unhealthy or unsafe conditions.

These requirements are also intended to guide operators of these processes in attaining reasonable safety from fire and explosion.

1.3 Presentation and Coverage

Format – The Standard is presented in a two-column format. The left column presents the requirements for Users of the Standard. The right column describes the “why” and “how” of the recommendations, including alternative approaches for following the requirements, objectives and recommendations provided.

The Appendix provides references, sources, important information, educational materials, and an Audit Form.

Overlap – For Sections to be mutually exclusive and to stand alone, similar recommendations may occasionally be stated in more than one section of the Standard.

Flexibility – Requirements, recommendations and objectives are minimum “criteria” and can be adapted to the needs of the user. Demonstrably equal or better approaches are acceptable.

Where Standard recommendations are in conflict with other standards and codes, the more stringent should normally be applied.