

ANSI-ASC A14.5-2007

American National Standard for Ladders — Portable Reinforced Plastic — Safety Requirements



American National Standards

ANSI-ASC® A14.5-2007
Revision of ANSI A14.5 2000

American National Standard for Ladders — Portable Reinforced Plastic — Safety Requirements

Secretariat

American Ladder Institute

Approved August 20, 2007

American National Standards Institute, Inc.



For information on possible errata sheets and other ANSI-ASC
A14 Standards please refer to the ALI website located at:

www.americanladderinstitute.org

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether they have approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review and users are cautioned to obtain the latest editions.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no persons shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

American Ladder Institute
401 N. Michigan Avenue, Chicago, IL 60611

Copyright© 2007 by ANSI-ASC A14

All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword

(This Foreword is not a part of American National standard A14.5-2007.)

This standard on reinforced plastic ladders is one of many American National Standards prepared under the supervision of ANSI Accredited Standards Committee on Safety in the Construction, Care, and Use of Ladders, A14. Subcommittees that report to American National Standards Committee A14 have developed all of the standards. The subcommittees are: A14.1, Portable Wood Ladders; A14.2, Portable Metal Ladders; A14.3, Fixed Ladders; A14.4, Job-Made Ladders; and A14.5, Portable Reinforced Plastic Ladders, and 14.9, Ceiling Mounted Disappearing Climbing Systems.

All standards, except A14.7, Mobile Ladders Stands and Mobile Ladder Stand Platforms, derive from the original American National Standard Safety Code for Construction, Care, and Use of Ladders, which was first approved on July 25, 1923. Revisions were approved in 1935, 1948, and 1952.

The earlier editions contained some treatment of metal and fixed ladders. Requirements for these types were removed from the 1948 revision because rapid development in the metal ladder field warranted special consideration and treatment of metal ladders and fixed ladders (usually metal) in separate standards.

The ensuing years saw the introduction of many new materials. The reinforced plastics and composite development efforts yielded man-made materials that offered advantages when employed in ladders. Initially, the performance test requirements given in American National Standard Safety Requirements for Portable Metal Ladders, A14.2, were used in the design and evaluation of reinforced plastic ladders.

The American Ladder Institute initiated a project that resulted in the development of the Fiberglass Ladder Material Specification, which was approved on October 6, 1971. Further revisions were approved on February 29, 1972 and October 4, 1972.

Concurrently, numerous requests were made to the American Ladder Institute and the American Mutual Insurance Alliance, as the Secretariat of ANSI-ASC A14, to develop an American National Standard on fiberglass ladders. Because of the significant use of

reinforced plastic ladders, the recommendation was discussed at the May 23, 1972 meeting of American National Standards Committee A14. Subcommittee A14-5, Portable Reinforced Plastic Ladders, was created as a permanent subcommittee of ANSI-ASC A14 with instructions to develop a performance standard.

Subcommittee membership was solicited from a wide range of organizations representing consumers, manufacturers, and general interest areas. Technical specialists were included with expertise in material manufacture and testing of composite structures.

A preliminary draft was submitted to the A14-5 Subcommittee by the Fiberglass Code Committee of the American Ladder Institute on June 23, 1972. This was reviewed, and the first draft, dated November 1, 1972, was developed following the subcommittee meeting of September 7, 1972. The subcommittee met again on November 16, 1972, to review this draft, which resulted in a second draft. A letter ballot was submitted to the subcommittee membership with this draft soliciting approval.

A working task force from the subcommittee updated the draft to incorporate all relevant comments. The final draft was submitted to American National Standards Committee A14 on February 16, 1973, and was approved by the American National Standards Institute on June 20, 1974.

Responding to a Consumer Product Safety Commission challenge in August 1975, the A14 Committee mounted a three-prong attack to upgrade the portable ladder standards within the consensus framework of developing standards. Three Task Forces — Anthropometric, Testing, and Labeling — were established in October 1975.

Without question the most massive technically difficult task, which included a significant amount of human-factors work, was carried out by the Testing Task Force. Over 100 known ladder experts were solicited to join this task force and provide their technical expertise. The work involved 50 meetings, over 400 test documents, and the use of numerous test ladders over a period of nearly two years. The cost of the project has been conservatively estimated at over \$300,000.

At the August 11, 1977, joint meeting of the Testing Task Force and the A14 Advisory Committee, 23 procedures were presented. These procedures, with an accompanying rationale based upon statistical and human factors data, were distributed to the three portable-ladder subcommittees for review and incorporation into the standards. Recommendations for review and incorporation into the standards. Recommendations for nomenclature, and for care and use of ladders, as well as the Ladder Use Survey Form and Bi-Level Fall Victim Report Form that have been included in the Appendixes, had been previously balloted in order that this more technical material from the Testing Task Force would receive the full attention of the three subcommittees.

Test procedures were developed for three different applications, namely, design verification, quality control, and in-service testing. Design verification tests would generally be conducted on a one-time basis during the original design development of the product and would usually be destructive tests. Quality control tests would be conducted by the manufacturer on an on-going basis; some of the tests would be destructive and some would be nondestructive. In-service tests would be conducted by the user on a periodic basis and would be nondestructive in nature.

ANSI A14.2-1981 was approved March 4, 1980 with an effective date of March 4, 1982. This 2 year period was to allow the manufacturers the necessary lead time to evaluate their products for conformance to the 1981 edition of the three portable ladder standards, to redesign and test their products where applicable, to design and build the required manufacturing tooling and machinery, and to convert their manufacturing operations to produce the revised products.

During development of product for compliance with the 1981 revision, experience by some of the manufacturers indicated that the inclined load test was not practical when applied to all available length ladders. Also, recommendations were received for clarifications in test procedure descriptions. In the course of resolving these questions, evidence was produced to warrant modifications in the label test requirements and further investigations brought about changes in the label test specifications.

To allow time for investigating these issues, the effective date of the 1981 revision was postponed to June 4, 1982

Erick Knox, Chairman
Don Gibson, Vice Chair
Ron Pietrzak, Administrative Secretariat

Organization Represented

American Insurance Association

American Ladder Institute.

American Society of Safety Engineers.

Name of Representative

George Earhart

Thomas Murray (Alt)

Marc McConnell

Earnest Harper

Michael Lorenzo (Alt)

and then to October 4, 1982. Once the issues were resolved, ANSI A14.2-1982 was approved with the needed changes incorporated and an effective date of October 4, 1982.

In the 1992 revision, several issues, which had arisen since the 1982 revision, were addressed. Most significantly, requirements were developed to cover the multipurpose articulated ladder. In addition the label/markings section improved the graphics as well as presented new labels.

Considerable effort went into preparing the 2000 revision to assure consistency between the A14.2 standard for portable metal ladders and the new revisions of A14.1 (portable wood ladders) and A14.5 (portable reinforced plastic ladders) standards.

In this current revision, several issues, which have arisen since the last revision, are addressed. As a result of efforts by an Articulated Ladder Task Force, additional dynamic testing has been added to the testing requirements for articulated ladders. Additionally, requirements for ladders with a 375 pound duty rating, designated as "Special Duty Type IAA" are now being incorporated within the ANSI A14.2 and A14.5 standards. Requirements for Special Duty Type IAA ladders were previously developed and issued in the ANSI A14.10-2000 standard. The A14.10 subcommittee was originally formed in order to quickly respond to a petition to ANSI by cable TV and electric companies for a higher duty rating ladder. After incorporation of the Special Duty Type IAA requirements into the A14.2 and A14.5 standards, the A14.10 standard will be withdrawn.

Each revision of the standard was processed and approved for submittal to ANSI by American National Standards Committee on Safety in the Construction, Care, and Use of Ladders, A14. Committee approval of the standard does not necessarily imply that all the committee members voted for its approval.

Suggestions for improvement of this standard are welcome. They should be sent to American Ladder Institute, 401 N. Michigan Ave., Chicago, IL 60611-4267.

At the time it approved this standard, the A14 Committee had the following members:

Associated General Contractors of America	Charles Bird
Canadian Standards Association	Walter Dick
Cosco Home and Office Products	Eric Kruse
	Terry Emerson (Alt)
Disappearing Attic Stairway Association	Dennis Williams
	Brad Hudspeth (Alt)
Illinois Association of Building Maintenance Contractors	Carl Pedersen
	James Weil (Alt)
International Brotherhood of Electrical Workers	James Tomaseski
International Brotherhood of Painters and Allied Trades	Dan Penski
	Mike Metz (Alt)
International Union of Bricklayers & Allied Craftsmen	Anthony Kassman
Metal Ladder Manufacturers Association	Dave Plotner
	Dale King (Alt)
National Fire Protection Association	Samuel C. Cramer
	Ronald Bennett (Alt)
National Frame Builders Association	Stan Virkler
Precision Ladders.	Don McKinney
	Steve Richey (Alt)
Risk Retention Services.	Paul B. Junius
	Robert G. Stuligross (Alt)
Scaffold Industry Association	Alan Kline (Alt)
Steel Plate Fabricators Association	Wallace Melvin
Underwriter's Laboratories	Edgar Wolff-Klammer
U.S. Consumer Product Safety Commission	Thomas Caton*
	Mark E. Kumagai (Alt)*
U.S. Department of Labor OSHA.	Virginia Fitzner*
	Robert Bell (Alt)*
Independent Specialists.	Donald Bloswick
	John E. Johnson
	George H. Kyanka
	Irving Ojalvo
	Steven Cramer

*non-voting advisory member

Subcommittee A14.5 on reinforced plastic ladders, which revised this standard, consists of the following members:

John E. Johnson, Chairman	Edgar Wolff-Klammer
Ronald Bennett	Erick Knox
Don Gibson	Dave Plotner
Clint Smith	Thomas Schmitt
John Vasichko	Mike Van Bree

Contents

Section	Page
1. Scope and Purpose	1
1.1 Scope	1
1.2 Purpose	1
2. General	1
2.1 Rationale	1
2.2 Application	1
2.3 Interpretation	2
2.4 Mandatory and Advisory Rules	2
2.5 Equivalent	2
2.6 Effective Date	2
3. Related Standards	2
3.1 Related American National Standards	2
3.2 Other Related Standards	2
4. Definitions and Nomenclature	3
5. General Requirements	5
5.1 Flare	5
5.2 Side Rails	5
5.3 Rung and Step Spacing	5
5.4 Rung Connections	5
5.5 Rungs, Steps, and Platforms	5
5.6 Hardware	5
5.7 Burrs, Bolts, Rivets, and Welds	5
5.8 Angle of Inclination	5
5.9 Plastic Top Caps	6
6. Specifications	6
6.1 Stepladders	6
6.2 Single and Extension Ladders	6
6.3 Trestle (Double Front) and Extension Trestle Ladders	8
6.4 Platform Ladders	8
6.5 Combination Ladders	9
6.6 Step Stools (Ladder Type)	10
6.7 Articulated Ladders	11

7.	Fiberglass Material Specifications for Ladder	11
7.1	General	11
7.2	Manufacturing Process	11
7.3	Reinforcements	12
7.4	Resin, Filler, and Additives	12
7.5	Color	12
7.6	Special Requirements	12
7.7	Product Care	12
7.8	Fabrication Properties	12
7.9	Physical and Mechanical Properties	12
7.10	Electrical Properties	15
7.11	Rail Tolerances	16
7.12	Flexural Modulus Requirement	16
7.13	Process Control Requirements — Rail	17
7.14	Quality Control Requirements	18
8.	Test Requirements	18
8.1	General	18
8.2	Combination Ladder Tests	18
8.3	Single, Extension, Combination and Articulated Ladder Tests	19
8.4	Articulated Ladder Tests	37
8.5	Step, Trestle (Double Front), Extension Trestle, Platform, Combination and Articulated Ladder and Step Stool Tests	42
8.6	Labeling Tests	52
8.7	Cyclic Loading Tests	52
9.	Selection, Care, and Use	54
9.1	General	54
9.2	Selection	56
9.3	Rules for Ladder Use	57
9.4	Care	59
10.	Labeling/Marking Requirements	60
10.1	General Requirements	60
10.2	Product Data Information Markings	61
10.3	Specific Labeling/Marking Requirements	61
11.	Revision of American National Standards Referred to in this Document	62

Tables

Table 1	Extension Ladder Size	7
Table 2	Minimum Required Overlap for Extension Ladders	7
Table 3	Minimum Required Extension Trestle Ladder Overlap	8
Table 4	Combination Ladder Size	9
Table 5	Periodic Coupon Tests — Minimum Composite Properties	13
Table 6	Qualification Coupon Tests — Minimum Composite Properties	13
Table 7	Rating Values for Surface Appearance Changes	15
Table 8	Classifications for Weather Resistance	15
Table 9	Surface Roughness Values	15
Table 10	Horizontal Bending Test Loads	20
Table 11	Maximum Allowable Average Deflections for Horizontal Bending Test	20

Table 12	Deflection Test Loads	20
Table 13	Deflections and Angles of Twist	23
Table 14	Simulated In-Use Inclined Load Test	25
Table 15	Hardware Tests	26
Table 16	Step Bending, Rung Bending, Side-Rail Bending, Compression, And Shear Strength Tests	30
Table 17	Rung Torque Tests	31
Table 18	Maximum Allowable Deflection for Side Sway Test — Midspan Deflection of Lower Side Rail	33
Table 19	Static Side-Rail Cantilever Bending Test Load.	34
Table 20	Ladder Section Twist Test	36
Table 21	Foot Slip Test.	37
Table 22	Articulated Ladder Self-Supported Scaffold Test	38
Table 23	Stability Test Loads	43
Table 24	Maximum Allowable Racking Deflection.	46
Table 25	Static Cantilever Bending Test	48
Table 26	Rail Torsion Test	50
Table 27	Summary of Significant Accident Causes.	55
Table 28	Ladder Size, Working Length, and Height	56

Figures

Figure 1	Horizontal Bending Test	19
Figure 2	Deflection Test.	21
Figure 3	Deflection Test Data Sheet	22
Figure 4	Inclined Load Test	25
Figure 5	Column and Hardware Load Test and Single Lock Load Test	25
Figure 6	Standard Loading Block	26
Figure 7	Lock Test	26
Figure 8	Lock Tip Load Test	27
Figure 9	Cyclic Rung Lock Test Arrangement	28
Figure 10	Rung Lock Testing Cycle	29
Figure 11	Rung Bending Test and Rung-to-Side-Rail Shear Strength Test	30
Figure 12	Rung Torque Tests	32
Figure 13	Side Sway Test.	33
Figure 14	Static Side-Rail Cantilever Bending Test	35
Figure 15	Side-Rail Cantilever Dynamic Drop Test	36
Figure 16	Single, Extension, or Articulated Ladder Twist Test.	37
Figure 17	Foot Slip Test.	38
Figure 18	Scaffold Bending Strength Tests	39
Figure 19	Compression, Step Bending, Side-Rail Bending, and Step-to-Side Rail Shear Tests	41
Figure 20	Methods (Other Than Dead Weight) for Applying Test Loads.	42
Figure 21	Front, Side, and Rear Stability Tests	44
Figure 22	Torsional Stability and Rail Torsion and Spreader Tests	45
Figure 23	Racking Test	47
Figure 24	Rail Static Cantilever Test	49
Figure 25	Dynamic Drop Test	50
Figure 26	Stepladder Slip Test.	51
Figure 27	Relative Motion of Side Rail (Shearing of Side Rail) Test-Typical Set-up	53

Appendixes

Appendix A Format of Design and Color for Primary Hazard Danger and Caution Labels/Markings	64
Appendix B Format of Design and Color for the Safety First and Notice Labels/Markings.	65
Appendix C Quality Control of Reinforced Plastic Material	75
Appendix D Marking Classification	76
ANSI A14 Comment Form.	77

Markings

Marking No. 00 – All Ladders	66
Marking No. 1 – Step, Platform and Combination Ladders	67
Marking No. 2 – Step, Trestle (Double Front), and Platform Ladders	67
Marking No. 3 – Step, Trestle (Double Front), and Combination Ladders	67
Marking No. 4 – Step Ladders	68
Marking No. 5 – Extension, Combination, and Articulating Ladders	68
Marking No. 6 – Extension, Extension Trestle, and Combination Ladders.	69
Marking No. 7 – Extension, Extension Trestle, and Combination Ladders.	69
Marking No. 8 – Extension and Combination Ladders	69
Marking No. 9 – Extension Ladders	70
Marking No. 10, 11 – Step Stool	70
Marking No. 12 – Trestle Ladder (Double Front Ladder), and Extension Trestle Ladders	71
Marking No. 13 – Trestle Ladder (Double Front Ladder)	71
Marking No. 14 – Extension Trestle Ladder	71
Marking No. 15, 16 – Combination Ladder.	72
Marking No. 17 – Platform Ladder	72
Marking No. 18, 19, 20 – Articulated Ladder	73
Marking No. 21 – Articulated Ladder	74
Marking No. 22 – All Ladders	74
Marking No. 23 – Step, Trestle, Platform Ladders	74

American National Standard for Ladders — Portable Reinforced Plastic — Safety Requirements

1. Scope and Purpose

1.1 Scope

This standard prescribes rules governing the safe construction, design, testing, care and use of portable reinforced plastic ladders of various Types and styles. Ladder Types included are:

Duty Rating	Ladder Type	Working Load (pounds)
Special Duty	IAA	375
Extra Heavy-Duty	IA	300
Heavy-Duty	I	250
Medium-Duty	II	225
Light-Duty	III	200

Ladder styles include ladder type step stools, portable extension, step, trestle, sectional, combination, single, platform, and articulating ladders, but excluding ladders in and on mines, the fire services, mobile equipment, hoisting equipment, work platforms, antenna communications towers, transmission towers, utility poles, and chimneys. It does not cover special-purpose ladders that do not meet the general requirements of this standard, nor does it cover ladder accessories, including, but not limited to, ladder levelers, ladder stabilizers or stand-off devices, ladder jacks, or ladder straps or hooks, that may be installed on or used in conjunction with ladders.

Note: Ladder type step stools are covered by A14.5. It is recognized that a step stool standard is under development. When the step stool standard is approved, A14.5 will no longer cover ladder type step stools.

These requirements are also intended to prescribe rules and criteria for labeling/marketing of the kinds of portable ladders cited in this standard, but exclusive of furniture type step stools and special purpose ladders. These labeling/marketing requirements do not apply to those situations where training, supervision, or documented safety procedures would be in conflict, or serve in lieu of, these labeling/marketing requirements.

1.2 Purpose

The purpose of this standard is to provide reasonable safety for life, limb, and property. In order to develop an effective safety program, the standard may serve also as a basis for purchase requirements and for instructions in personnel training, and in the preparation of motivational/instructional material such as safety practices, manuals, posters, and the like.

This standard is also intended to provide the manufacturer, purchaser, and user of reinforced plastic ladders with a set of performance and dimensional requirements against which this product may be compared. It is not the purpose of this standard to specify all the details of construction of portable reinforced plastic ladders. The limitations imposed are for the purpose of providing adequate general requirements and testing methods needed for consistency.

2. General

2.1 Rationale

A rationale has been developed covering the specifications and performance requirements of this standard.¹

2.2 Application

This standard is intended for voluntary use by establishments that use, manufacture or evaluate ladders. It is also designed to serve as a guide to federal and state authorities or other regulatory bodies in the formulation of laws or regulations.

The methods employed to ensure compliance with this Standard shall be determined by the proper regulatory or administrative authority.

¹The rationale is on file with the Secretariat. American Ladder Institute, 401 N. Michigan Avenue, Chicago, IL. 60611.