

ANSI B11.12-2005 (R2010)

American National Standard for Machine Tools –

Safety Requirements for
Roll-forming and Roll-bending Machines

Secretariat and Accredited Standards Developer:

B11 Standards, Inc.
42293 Young Lane
Leesburg, VA 20176

Approved: May 10, 2005
Reaffirmed: November 17, 2010

by the American National Standards Institute, Inc.



AMERICAN NATIONAL STANDARDS

By approving this American National Standard, the ANSI Board of Standards Review confirms that the requirements for due process, consensus, balance and openness have been met by AMT – The Association For Manufacturing Technology (the ANSI-accredited standards developing organization).

American National Standards are developed through a consensus process. Consensus is established when substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward resolution. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While AMT administers the process and establishes procedures to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards or guidelines.

American National Standards are promulgated through ANSI for voluntary use; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. However, users, distributors, regulatory bodies, certification agencies and others concerned may apply American National Standards as mandatory requirements in commerce and industry.

AMT MAKES NO WARRANTY, EITHER EXPRESSED OR IMPLIED AS TO THE FITNESS OF MERCHANTABILITY OR ACCURACY OF THE INFORMATION CONTAINED WITHIN THIS STANDARD, AND DISCLAIMS AND MAKES NO WARRANTY THAT THE INFORMATION IN THIS DOCUMENT WILL FULFILL ANY OF YOUR PARTICULAR PURPOSES OR NEEDS. AMT disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, application or reliance on this document. AMT does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide, nor does it take any position with respect to the validity of any patent rights asserted in connection with the items which are mentioned in or are the subject of this document, and AMT disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

In publishing or making this document available, AMT is not undertaking to render professional or other services for or on behalf of any person or entity, nor is AMT undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment, or as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AMT has no power, nor does it undertake to police or enforce conformance to the requirements of this document. AMT does not certify, test or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of conformance to any health or safety-related information in this document shall not be attributable to AMT and is solely the responsibility of the certifier or maker of the statement.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. You may contact the Secretariat for current status information on this, or other B11 standards. Individuals interested in obtaining up-to-date information on standards can access this information at <http://www.nssn.org> (or by contacting ANSI). NSSN - A National Resource for Global Standards, provides a central point to search for standards information from worldwide sources and can connect those who seek standards to those who supply them.

Published by:
AMT – The Association For Manufacturing Technology
7901 Westpark Drive, McLean, VA 22102
Copyright © 2005 by AMT- The Association For Manufacturing Technology
All rights reserved

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

CONTENTS	PAGE
FOREWORD	V
EXPLANATION OF THE FORMAT, AND ANSI B11 CONVENTIONS	VII
INTRODUCTION	VIII
1 SCOPE	1
1.1 GENERAL	1
1.2 DESCRIPTIONS	1
1.3 INCLUDED MACHINES	1
1.4 EXCLUDED MACHINES	2
2 REFERENCES	2
3 DEFINITIONS	3
4 RESPONSIBILITY	6
4.1 SUPPLIER'S RESPONSIBILITY	6
4.2 USER'S RESPONSIBILITY	7
4.3 PERSONNEL'S RESPONSIBILITY	8
5 HAZARD CONTROL	8
5.1 TASK AND HAZARD IDENTIFICATION	8
5.2 RISK ASSESSMENT / RISK REDUCTION	10
6 DESIGN AND CONSTRUCTION	11
6.1 GENERAL	11
6.2 COMPONENT SELECTION	11
6.3 MACHINE CONTROLS.....	11
6.4 DESCRIPTION OF MODES OF OPERATION.....	11
6.5 ELECTRICAL EQUIPMENT.....	12
6.6 VOLTAGE	12
6.7 PNEUMATIC AND HYDRAULIC SYSTEMS.....	12
6.8 FLUCTUATION IN OR INTERRUPTION OF POWER SOURCES	13
6.9 ISOLATION OF POWER SOURCES.....	13
6.10 STORED ENERGY.....	13
6.11 INTERFERENCES	14
6.12 PERFORMANCE OF THE SAFETY-RELATED FUNCTIONS	14
6.13 MACHINE INITIATION.....	14
6.14 STOP AND EMERGENCY STOP CONTROLS.....	14
6.15 OPERATOR CONTROL STATIONS.....	14
6.16 MANUALLY OPERATED CONTROL DEVICES	15
6.17 INDICATORS.....	16
6.18 ELIMINATION OF, OR PROTECTION FROM, INHERENT HAZARDS	17
7 INSTALLATION, TESTING AND START-UP	18
7.1 GENERAL	18
7.2 FOUNDATION	18
7.3 LIGHTING.....	18
7.4 TESTING AND START-UP.....	18
8 SAFEGUARDING	19
8.1 GENERAL	19
8.2 GUARDS.....	19
8.3 SAFEGUARDING (PROTECTIVE) DEVICES	19

8.4	AWARENESS BARRIERS, DEVICES AND SIGNS	19
8.5	SAFEGUARDING METHODS.....	20
8.6	SAFE WORK PROCEDURES	20
8.7	COVERS AND SHIELDS	20
8.8	COMPLEMENTARY EQUIPMENT	20
8.9	SAFETY DISTANCE.....	21
8.10	PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S).....	21
9	OPERATION AND MAINTENANCE	22
9.1	TRAINING OF PERSONNEL.....	22
9.2	LOCKOUT/TAGOUT/TRYOUT	23
9.3	SET-UP.....	23
9.4	OPERATION.....	23
9.5	MAINTENANCE	24
ANNEX A (INFORMATIVE) – EXAMPLES OF ROLL-FORMING AND ROLL-BENDING MACHINES..		25
ANNEX B (INFORMATIVE) – PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S).....		31
ANNEX C (INFORMATIVE) – GUIDELINES FOR GENERAL TRAINING OF OPERATORS OF ROLL-FORMING AND ROLL-BENDING MACHINES.....		32
ANNEX D (INFORMATIVE) – AUDIT LIST		33

Foreword (This Foreword is not part of the requirements of American National Standard B11.12-2005)

The primary objective of this standard is to eliminate, control or reduce hazards to individuals associated with roll-forming and roll-bending machines by establishing requirements for the design, construction, operation and maintenance of these machines. To accomplish this objective, responsibilities have been assigned to the supplier (e.g., manufacturer, modifier, rebuilder and integrator), the user, and individuals in the working environment.

The safeguarding of production systems in roll-forming and roll-bending operations is complicated by the wide variety of operations and operating conditions; the variations in size, speed, thickness, and the kind of pieces to be worked; the required accuracy of the finished work; the skill of operators; the length of run; and the method of sheet feeding and part removal. Because of these varying factors in the operations and in the workplace, a number of point-of-operation safeguarding methods (guards and devices) have been covered in this standard.

The words "safe" and "safety" are not absolutes. An important element of safety is attitude. While the objective of this standard is to eliminate, control, or reduce hazards, this standard recognizes that hazards cannot be practically reduced to zero in any human activity. This standard is not intended to replace good judgment, proper training, or personal responsibility. Operator skill, job monotony, fatigue, and experience are safety factors that should be considered by the user.

The original B11.12 Standard was approved in 1983 and reaffirmed in 1989 as originally written. B11.12 was then revised and approved in 1996. That (1996) standard was then revised (its third) by the B11.12 Subcommittee, processed and administered by the Secretariat, and approved by the B11 Accredited Standards Committee for submittal to the ANSI Executive Standards Council as a newly revised American National Standard. Approval was given May 10, 2005.

Roll-forming and roll-bending machine technology is continuously evolving. This standard reflects the most commonly used and time-tested state of the art at the time of its approval. The inclusion or omission of language relative to any evolving technology, either in the requirements or explanatory area of this standard, in no way infers acceptance or rejection of such technologies.

Inquiries with respect to the application of the substantive requirements of this standard and suggestions for its improvement are welcomed and are to be sent to the AMT - The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, Virginia 22102-4206. Attention: B11 Secretariat.

EFFECTIVE DATE

The following is informative guidance only, and not a normative part of this standard. This Subcommittee recognizes that some period of time after the approval date on the title page of this document is necessary for suppliers and users to develop new designs, or modify existing designs or manufacturing processes in order to incorporate the new or revised requirements of this standard into their product development or production system.

This Subcommittee recommends that suppliers complete and implement design changes for new machines within 30 months of the approval date of this standard.

For existing or modified machines, this Subcommittee recommends that users should confirm that the equipment / process has tolerable risk using generally recognized risk assessment methods within 30 months of the approval date of this standard. If the risk assessment shows that modification(s) is necessary, refer to the requirements of this standard to implement protective measures for appropriate risk reduction.

This standard was processed and submitted for ANSI approval by the B11 Accredited Standards Committee on Safety Standards for Machine Tools. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time this document was approved as an American National Standard, the ANSI B11 Accredited Standards Committee was composed of the following member organizations:

John W. Russell, PE, CSP Chairman
 Gary D. Kopps, Vice-Chairman
 David A. Felinski, Secretary

Organizations Represented

Aerospace Industries Association of America
 Alliance of American Insurers
 Aluminum Extruders Council
 American Society of Safety Engineers
 AMT- The Association For Manufacturing Technology
 Automotive Industry Action Group
 The Boeing Company
 Can Manufacturers Institute
 General Motors Corporation
 John Deere
 Metal Building Manufacturers Association
 Metal Powder Industries Federation
 National Institute for Occupational Safety & Health
 Occupational Safety & Health Administration
 Packaging Machinery Manufacturers Institute
 Precision Metalforming Association
 Presence Sensing Device Manufacturers Association
 Robotic Industries Association
 Scientific Technologies, Inc.
 Sheet Metal & Air Conditioning Contractors' Natl. Assn.
 Tooling and Manufacturing Association
 Toyota Motor Manufacturing North America

Name of Representative(s)

Delegate	Alternate
Will J. Wood, ARM	Lance E. Chandler
John Russell, PE, CSP	Keith Lessner
Melvin Mitchell	Doug Hart
Bruce Main, PE, CSP	George Karosas, PE,
Russell Bensman	Dan Soroka
Ron Tillinger	Roland Jagutis
Don R. Nelson	Robert Eaker, PE CSP
Geoffrey Cullen	Jenny Day
Michael Taubitz	Dallas Gatlin
Gary D. Kopps	Ellen K. Blanshan
Charles M. Stockinger	Charles E. Praeger
Dennis Cloutier, CSP	Teresa F. Stillman
John Etherton, PhD	Rick Current
Ken Stevanus	
Charles F. Hayes	Maria Ferrante
William Gaskin	Christie Carmigiano
Jim Kirton	Mike Carlson
Jeff Fryman	Roberta Nelson Shea
Frank Webster	Chris Soranno
Mike McCullion, CSP, ARM	Roy Brown
Daniel Kiraly	Allan Te Ronde
Barry Boggs	Tom Huff

At the time this standard was approved, the ANSI B11 ASC **B11.12 Subcommittee** had the following members:

Ashok Shah, Chairman
 David Felinski, Secretary
 John Bloodgood
 Dennis R. Cloutier, CSP
 Chris Soranno

Formtek
 AMT
 JFB Enterprises
 Cloutier Consulting Services
 STI Machine Services, Inc.

Explanation of the format, and ANSI B11 conventions

This ANSI B11.12 – 2005 standard is divided into parts formerly referred to as sections or chapters and now referred to as clauses in line with the current ANSI style manual. Major divisions of clauses are referred to as subclauses and, when referenced by other text in the standard, are denoted by the subclause number (e.g., see 5.1).

The standard uses a two-column format to provide supporting information for requirements. The material in the left column is confined to “Standards Requirements” only, and is so captioned. The right column, captioned "Explanatory Information" contains information that the writing Subcommittee believed would help to clarify the requirements contained in the standard. This column should not be construed as being a part of the requirements of this American National Standard.

As in all American National Standards, the term “SHALL” denotes a requirement that is to be strictly followed in order to conform to this standard; no deviation is permitted. The term “SHOULD” denotes a recommendation, a practice or condition among several alternatives, or a preferred method or course of action.

Similarly, the term “CAN” denotes a possibility, ability or capability, whether physical or causal, and the term “MAY” denotes a permissible course of action within the limits of the standard.

B11 conventions: Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard. The B11 standards do not use the term “and/or” but instead, the term “OR” is used as an inclusive disjunction, meaning *one or the other or both*. A distinction between the terms “*individual*” and “*personnel*” is drawn. Individual includes personnel (employees, subcontractors, consultants, or other contract workers under the indirect control of the supplier or user) but also encompasses persons who are not under the direct or indirect control of the supplier or user (e.g., visitors, vendors, etc.). Gauge refers to a measuring or testing instrument; gage refers to a limiting device (e.g., backgage).

Suggestions for improvement of this standard will be welcome. They should be sent to AMT-The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, VA 22102 - Attention: B11 Secretariat.


Annexes A-D are for information purposes only.

Introduction

The primary purpose of every machine tool is to process parts. Hazards exist that may result in injury during production, maintenance, commissioning and de-commissioning.

The primary purpose of the ANSI B11 series of machine tool safety standards is to devise and propose ways to minimize risks of those potential hazards. This can be accomplished either by an appropriate machine design, by restricting personnel or other individuals' access to hazard areas, and by devising work procedures to minimize personnel exposure to hazardous situations. This is the essence of the ANSI B11 series of safety standards.

The responsibility to reduce these risks to a tolerable level, or eliminate them is divided between the equipment supplier (i.e., manufacturer, rebuilder, modifier, integrator), the equipment user and its operating personnel. The figure below provides an overview of this standard and in particular, the responsibilities and requirements for the supplier and user, including the user personnel.



Note: Solid lines denote required references; dashed lines denote informative ones.

This standard is segregated into the following clauses and attendant responsibilities (see also, the inter-relationships depicted in the Introduction's graphic):

- 1) **Scope** – Provides the boundaries or limits of the standard (i.e., what is included and usually, what is excluded).
- 2) **Normative references** – Other standards which in whole or in part, provide additional requirements when referenced in the normative text (i.e., left-hand column of clauses 4 – 9) of this standard.
- 3) **Definitions** – Terms used in this standard, together with their definitions (terms are defined if they are unique, are jargon, or used in a manner or context inconsistent with their common everyday usage or meaning).
- 4) **Responsibility** – The general responsibilities of the supplier, user, and the user's personnel.
- 5) **Hazard control** (task/hazard identification & risk assessment/reduction) – Although clause 5 is intended to encourage a shared responsibility between supplier and user, the requirements of this clause may fall primarily on either entity.
- 6) **Design and construction** – Generally, the supplier is responsible for the entire requirements of clause 6, with the understanding that the user may add or modify these requirements through the purchase agreement.
- 7) **Installation, testing and start-up** – Although predominantly the responsibility of the user, the supplier will normally provide assistance either directly (providing personnel) or indirectly (instruction materials). The responsibility of the supplier for layout and installation is to the extent that the user requires his involvement.
- 8) **Safeguarding** – This is normally a shared responsibility but often, either the supplier or the user will provide the requirements of clause 8.
- 9) **Operation and maintenance** – The user is normally responsible for the requirements of clause 9, with possible assistance from the supplier for training or documentation.

American National Standard for Machine Tools – Safety Requirements for Roll-forming and Roll-bending Machines

STANDARD REQUIREMENTS

1 Scope

1.1 General

This standard specifies the safety requirements for the design, construction, operation and maintenance (including installation, dismantling, and transport) of roll-forming and roll-bending machines.

NOTE: In the context of this standard, the term “machine” used without any other qualification refers to a roll-former / roll-bender.

1.2 Descriptions

roll-forming machines: Roll-formers are self-contained machines normally consisting of a base, chassis, stand, transmission drive, electrical system, tooling and lubrication system, which are capable of continuous lineal forming of material progressively through one or more sets of rotating dies or rolls and associated tooling to achieve a predetermined configuration (see Figures 1 and 2, Annex A).

roll-bending machines: Roll-benders are self-contained machines normally consisting of a base, chassis, transmission drive, electrical system, dies, or rolls, which are capable of producing a bend across the width of flat or preformed material by means of one or more rotating dies or rolls and other tooling to achieve a predetermined configuration (see Figures 3 and 4, Annex A).

1.3 Included machines

The requirements of this standard apply to those single-purpose or multipurpose powered machines similar in construction and function to roll-forming and roll-bending machines or portions thereof, such as, but not limited to:

Roll-bending machines:

- beading machines;
- carando rolls;
- combination rotary machines;
- crimping machines;
- curling machines;
- flanging machines;
- four-roll-bending machines;

EXPLANATORY INFORMATION

(Not part of American National Standard for machine tools – Safety Requirements for Roll-forming and Roll-bending Machines - ANSI B11.12-2005)

E1.1

For examples of roll-forming / roll-bending machines, see Figures A.1 – A.4 (Annex A).

The terms roll-former / roll-bender, and roll-forming / roll-bending machine are considered synonymous.