

ANSI B11.16 (MPIF #47)

*American National Standard for Machine Tools -
Safety Requirements for
Powder/Metal Compacting Presses*

Secretariat and Standards Developing Organization

The Association for Manufacturing Technology
7901 Westpark Drive
McLean, VA 22102
Attn: Safety Department

Approved: DECEMBER 17, 2003
by the American National Standards Institute



AMERICAN NATIONAL STANDARDS

By approving this American National Standard, the ANSI Board of Standards Review confirms that the requirements for due process, consensus, balance and openness have been met by AMT – The Association For Manufacturing Technology (the ANSI-accredited standards developing organization).

American National Standards are developed through a consensus process. Consensus is established when substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward resolution. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While AMT administers the process and establishes procedures to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards or guidelines.

American National Standards are promulgated through ANSI for voluntary use; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. However, users, distributors, regulatory bodies, certification agencies and others concerned may apply American National Standards as mandatory requirements in commerce and industry.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of an American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the Secretariat (AMT).

AMT makes no warranty, either expressed or implied as to the fitness of merchantability or accuracy of the information contained within this standard, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. AMT disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, application or reliance on this document. AMT does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide, nor does it take any position with respect to the validity of any patent rights asserted in connection with the items which are mentioned in or are the subject of this document, and AMT disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

In publishing or making this document available, AMT is not undertaking to render professional or other services for or on behalf of any person or entity, nor is AMT undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment, or as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AMT has no power, nor does it undertake to police or enforce conformance to the requirements of this document. AMT does not certify, test or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of conformance to any health or safety-related information in this document shall not be attributable to AMT and is solely the responsibility of the certifier or maker of the statement.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. You may contact the Secretariat for current status information on this, or other B11 standards. Individuals interested in obtaining up-to-date information on standards can access this information at <http://www.nssn.org> (or by contacting ANSI). NSSN - A National Resource for Global Standards, provides a central point to search for standards information from worldwide sources and can connect those who seek standards to those who supply them.

Published by: AMT – The Association For Manufacturing Technology
7901 Westpark Drive, McLean, VA 22102-4206, USA
Copyright © 2003 by the Association For Manufacturing Technology
All rights reserved. Printed in the United States of America

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Contents	Page
FOREWORD	IV
EXPLANATION OF THE FORMAT, AND ANSI B11 CONVENTIONS	VIII
INTRODUCTION	IX
1 SCOPE AND EXCLUSIONS	1
1.1 SCOPE.....	1
1.2 TYPES OF MACHINES EXCLUDED.....	1
2 NORMATIVE REFERENCES	2
3 DEFINITIONS	2
4 RESPONSIBILITY	9
4.1 SUPPLIER	9
4.2 USER	10
4.3 PERSONNEL	11
5 HAZARD CONTROL	12
5.1 TASK AND HAZARD IDENTIFICATION	12
5.2 RISK ASSESSMENT / RISK REDUCTION	13
6 DESIGN AND CONSTRUCTION	14
6.1 GENERAL REQUIREMENTS	14
6.2 MECHANICAL P/M PRESS	21
6.3 HYDRAULIC P/M PRESS.....	26
6.4 TOOL SETS	28
6.5 REMOVABLE DIE SET HANDLING.....	29
7 FEEDING AND PART REMOVAL	30
7.1 FEEDING AND PART REMOVAL SAFEGUARDING	30
7.2 FEEDING - COMPACTING PRESS	30
7.3 GREEN PART REMOVAL - COMPACTING PRESS	30
7.4 MANUAL FEEDING	31
7.5 PART REMOVAL - COINING AND SIZING PRESS	31
8 SAFEGUARDING	32
8.1 GENERAL.....	32
8.2 RESPONSIBILITY	32
8.3 GUARDS	32
8.4 POINT OF OPERATION GUARDS.....	33
8.5 POINT OF OPERATION SAFEGUARDING DEVICES	34
8.6 AWARENESS BARRIERS, DEVICES, OR SIGNALS.....	36
8.7 SAFE WORK PRACTICES	36
8.8 PERFORMANCE OF THE SAFETY RELATED FUNCTION(S).....	37
9 OPERATION AND MAINTENANCE	37
9.1 RESPONSIBILITY	37
ANNEX A : FIGURES (INFORMATIVE)	39
ANNEX B : TASK - BASED HAZARDS (INFORMATIVE)	60
ANNEX C: PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S)	61

Foreword (This foreword is not part of American National Standard B11.16 - 2003 (MPIF #47).

The first standard for Metal Powder Compacting Presses was developed and approved by the Metal Powder Industries Federation (MPIF) in 1973 and published in 1974 as MPIF #47. It was subsequently revised in 1977. Recognizing the need for an ANSI safety standard for powder/metal compacting presses, the ANSI Accredited Standards Committee B11 on safety requirements for machine tools established Subcommittee B11.16 in 1985 to develop for its approval a draft standard to cover safety requirements for this equipment.

Because of the substantial use of compacting presses in the powder metallurgy industry and the MPIF involvement in the original writing of MPIF #47, this standard consistently refers to "metal" powder compacting presses. However, it is recognized that these presses are used in the compaction of all types of powders, metallic and nonmetallic and that the use of compacting presses in nonmetallic and advanced particulate material industries will continue to grow. It is the intention of the Subcommittee that this standard be applicable to all industries involved in powder compaction, regardless of the specified material utilized.

The primary objective of this standard is to eliminate injuries to personnel associated with presses used in the powder metal (P/M) industry by establishing safety requirements for the construction, safeguarding, operation and maintenance of P/M presses.

To accomplish this objective the B11.16 Subcommittee approached the safe operation of P/M presses from four directions:

- Eliminating certain recognized construction hazards by design and establishing standard approaches to design so that machines available from competitive suppliers will have similar operating control characteristics.
- Minimizing the necessity of having the operator place hands, fingers, or other body parts within the point of operation through design, procedure, and process, thus minimizing the operator's exposure to point of operation hazards.
- Safeguarding the point of operation to protect personnel, should they inadvertently expose themselves to hazards at the point of operation.
- Establishing guidelines for general training and specific job-related instruction for establishing safe practices and procedures for all personnel working on P/M presses.

It is recognized that the words "safe" and "safety" are not absolutes. Safety is influenced by many factors, including attitude. This standard is not intended to replace good judgment. Operator skill, training, experience, and job organization are all safety factors that must be considered in proper compliance with written regulations or recommended practice.

In order to achieve the above goals and to assist persons in the implementation of this standard, responsibilities have been assigned to the supplier (manufacturer, reconstructor, modifier), the employer and the employee. To achieve uniform interpretation, it is imperative to read and understand the definitions (Clause 3) used in this standard.

P/M presses and associated equipment technologies are continuously evolving. This standard reflects the most commonly used and time-tested state of the art at the time of its approval. The inclusion or omission of language relative to any evolving technology, either in the requirements or explanatory area of this standard, in no way infers acceptance or rejection of such technologies.

Suggestions for improvement of this standard will be welcome. They should be sent to the Association for Manufacturing Technology, 7901 Westpark Drive, McLean, VA 22102, Attention: Safety Department. Recognizing the importance of distributing and encouraging the use of this standard as important to the proper use of the equipment described, it is recommended that all interested persons and associations make the availability of this standard known and encourage its use.

The standard was written by the B11.16 Subcommittee, processed by the Association for Manufacturing Technology, as the ANSI-accredited Standards Developing Organization, and finally, approved by the ANSI B11 Accredited Standards Committee and an MPIF review committee, for submittal to ANSI in accordance

with the requirements of the Accredited B11 Operating Procedures. The ANSI process provides for a consensus to be reached by a broad representation of associations, labor, safety organizations, federal government agencies, and industry.

ANSI B11 Accredited Standards Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time this standard was approved as an American National Standard, the ANSI B11 Accredited Standards Committee was composed of the following member organizations:

John W. Russell, PE, CSP Chairman
 Gary D. Kopps, Vice-Chairman
 David A. Felinski, Secretary

Organizations Represented


Name of Representative(s)

	Delegate	Alternate
Aerospace Industries Association of America	Willard J. Wood, ARM	Robert J. Eaker, PE, CSP
Alliance of American Insurers	John Russell, PE, CSP (D)	Keith Lessner
American Society of Safety Engineers	Bruce Main, PE, CSP	George Karosas, PE, CSP
Association For Manufacturing Technology	Russell Bensman	
Automotive Industry Action Group	Ron Tillinger	
Can Manufacturers Institute	Geoffrey Cullen	
General Motors Corporation	Michael Taubitz	
John Deere	Gary D. Kopps	Ellen K. Blanshan
Metal Building Manufacturers Association	Charles M. Stockinger	Charles E. Praeger
Metal Powder Industries Federation	Dennis Cloutier, CSP	Teresa F. Stillman
National Institute for Occupational Safety & Health	John Etherton	
Packaging Machinery Manufacturers Institute	Charles F. Hayes	
Precision Metalforming Association	William Gaskin	Christie Carmigiano
Presence Sensing Device Manufacturers Association	Jim Kirton	Mike Carlson
Robotic Industries Association	Jeff Fryman	
Scientific Technologies, Inc.	Frank Webster	Chris Soranno
Sheet Metal & Air Conditioning Contractors' Natl. Assn.	Mike McCullion, CSP, ARM	
Tooling and Manufacturing Association	Daniel Kiraly	Allan Te Ronde
Toyota Motor Manufacturing North America	Barry Boggs	Tom Huff

At the time the standard was written, the following companies of powder metal press builders, end-user parts manufacturers, and trade association personnel supported and comprised membership on the B11.16 Subcommittee:

Dennis Cloutier, CSP Teresa Stillman	Chairman Secretary	Cincinnati Incorporated Metal Powder Industries Federation
	Gary Barrett Laird Brislen Ronald Cejer David Charley Keith Chevalier James Cretti, Jr. Thomas Gasbarre Tom Gaul James Gilbert Mel Henry Jim Jones Roger Ketterer Jack Krajcirik Robert Krueger Jeff Krupa Robert Pittan Larry Shindledecker Joseph Skurka Tim Stauffer Michael Swiderski Gary Todd Steve West Fred Wheeler Matt Yow	Gasbarre Products Press Division Tamagawa Machinery CIECO General Motors Corporation GKN Sinter Metals - Salem Gasbarre Products Press Division Gasbarre Products Press Division Keystone Powdered Metal Company PTX-Pentronix Gasbarre Products Press Division GKN Sinter Metals - Emporium GKN Sinter Metals - Salem Dorst America, Inc. Borg-Warner Automotive Keystone Powdered Metal Company Burgess-Norton Mfg. Co. Gasbarre Products Press Division Borg-Warner Automotive Keystone Powdered Metal Company Burgess-Norton Mfg. Co. Cincinnati Incorporated National Sintered Alloys, Inc. PTX-Pentronix Burgess-Norton Mfg. Co.

The B11.16 Subcommittee and the ANSI B11 Accredited Standards Committee would like to dedicate this work to Mr. Mel Henry who died in an airplane crash while returning from a B11.16 Subcommittee meeting on September 8, 1994.



**In Sympathy and Fond Memory of Mel Henry
1958-1994**

Explanation of the format, and ANSI B11 conventions

This ANSI B11.16 – 2003 standard is divided into parts formerly referred to as sections or chapters and now referred to as clauses in line with the current ANSI style manual. Major divisions of clauses are referred to as subclauses and, when referenced by other text in the standard, are denoted by the subclause number (e.g., see 5.1).

The standard uses a two-column format to provide supporting information for requirements. The material in the left column is confined to “Standard Requirements” only, and is so captioned. The right column, captioned “Explanatory Information” contains information that the writing Subcommittee believed would help to clarify the requirements contained in the standard. This column should not be construed as being a part of the requirements of this American National Standard.

As in all American National Standards, the term “SHALL” denotes a requirement that is to be strictly followed in order to conform to this standard; no deviation is permitted. The term “SHOULD” denotes a recommendation, a practice or condition among several alternatives, or a preferred method or course of action.

Similarly, the term “CAN” denotes a possibility, ability or capability, whether physical or causal, and the term “MAY” denotes a permissible course of action within the limits of the standard.

B11 conventions: Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard. The B11 standards do not use the term “and/or” but instead, the term “OR” is used as an inclusive disjunction, meaning *one or the other or both*. A distinction between the terms “*individual*” and “*personnel*” is drawn. Individual includes personnel (employees, subcontractors, consultants, or other contract workers under the indirect control of the supplier or user) but also encompasses persons who are not under the direct or indirect control of the supplier or user (e.g., visitors, vendors, etc.). Gauge refers to a measuring or testing instrument; gage refers to a limiting device (e.g., backgage).


Suggestions for improvement of this standard will be welcome. They should be sent to AMT-The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, VA 22102 - Attention: B11 Secretariat.

Introduction

The primary purpose of every machine tool is to process parts. This is accomplished by the machine imparting process energy onto the workpiece. Inadvertent interference with, or accidental misdirection of the released energy during production, maintenance, commissioning and de-commissioning may result in injury.

The purpose of the ANSI B11 series of machine tool safety standards is to devise and propose ways to minimize risks of the potential hazards. This can be accomplished either by an appropriate machine design, by restricting personnel access to hazardous areas, and by devising work procedures to minimize personnel exposure to hazardous situations. This is the essence of the ANSI B11 series of safety standards.

The requirements of this ANSI standard are grouped according to those that apply to the supplier (i.e., manufacturer, modifier), the user and the user personnel. Some of these requirements are shared between the supplier and user and are so indicated (e.g., task and hazard identification, risk assessment / risk reduction, safeguarding). The responsibility of the supplier for layout and installation is to the extent that the user requires that involvement. The user personnel are required to use the skills, procedures, and information from training to maintain hazard control and equipment safeguarding.



American National Standard for Machine Tools – Safety Requirements for Powder/Metal Compacting Presses

STANDARD REQUIREMENTS

1 Scope and exclusions

1.1 Scope

The requirements of this standard apply to those mechanically or hydraulically powered machines that are designed, modified, or converted for the purpose of compressing metallic or nonmetallic powders.

These machines are commonly referred to as metal powder presses, powder metal presses, compacting presses, P/M briquetting presses, metal powder sizing presses or metal powder coining presses. For the purpose of this standard, they shall be referred to as "P/M presses."

P/M presses are composed of a frame, tooling platens, upper or lower rams or sliding anvil and may utilize any combination of mechanical, hydraulic, or pneumatic power.

1.2 Types of machines excluded

Excluded from this standard are:

- mechanical and hydraulic power press brakes;
- mechanical and hydraulic power presses;
- bulldozers;
- conventional hot bending and hot metal presses;
- conventional forging presses;
- hammers;
- riveting machines and similar types of fastener applications;
- isostatic and hydrostatic presses;
- high energy rate presses.

EXPLANATORY INFORMATION

(Not part of American National Standard for Machine Tools –Safety Requirements for Powder/Metal Compacting Presses, ANSI B11.16 (MPIF #47) - 2003.

E1.1

P/M presses are composed of a frame, tooling platens and upper or lower rams. Mechanical P/M presses have fixed or moving die platens and utilize a single motion, multi-motion, rotary motion or sliding anvil motion. The tooling components are located in, or attached to the rams and are mechanically driven. Hydraulic P/M presses contain all the components and motions of mechanical machines but are hydraulically driven. "Hybrid" P/M presses may utilize any combination of mechanical, pneumatic or hydraulic power for driving the rams and have the same basic description as mechanical P/M presses.

P/M presses include compacting and certain automatic isostatic and hydrostatic P/M presses for the initial consolidation of powder into a desired shape, as well as coining and sizing presses for repressing of previously compacted parts.

P/M presses include compacting presses for the initial consolidation of powder into a desired shape, as well as coining and sizing presses for re-pressing of previously compacted parts. The unique characteristics that differentiate the P/M press from other presses are how it is used to achieve the conversion from metallic and nonmetallic powder to the green part or to size, coin, or densify the previously compacted P/M part. Typical nonmetallic powders are ceramics, various oxides, plastics, food products, chemicals and pharmaceutical powders. See Figures 2-11, Annex A.

E1.2

Typical of those machines excluded are metal stamping presses, sheet- and plate-working press brakes. See E1.1 regarding non-automatic isostatic and hydrostatic presses.

The unique characteristics described in E1.1 are those which differentiate between a conventional hot metal press, a P/M hot press, a forging press, and a P/M (coining) press. See 3.28 (hot forging) and 3.29 (hot pressing).