

ANSI B11.22–2002 (R07)

American National Standard for Machine Tools –

Safety Requirements for Turning Centers and Automatic, Numerically Controlled Turning Machines

Secretariat and Accredited Standards Developer:

AMT – The Association For Manufacturing Technology
7901 Westpark Drive
McLean, VA 22102

Approved: JUNE 14, 2002
Reaffirmed: August 28, 2007

by the American National Standards Institute, Inc.



AMERICAN NATIONAL STANDARDS

By approving this American National Standard, the ANSI Board of Standards Review confirms that the requirements for due process, consensus, balance and openness have been met by AMT – The Association For Manufacturing Technology (the ANSI-accredited standards developing organization).

American National Standards are developed through a consensus process. Consensus is established when substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward resolution. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While AMT administers the process and establishes procedures to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards or guidelines.

American National Standards are promulgated through ANSI for voluntary use; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. However, users, distributors, regulatory bodies, certification agencies and others concerned may apply American National Standards as mandatory requirements in commerce and industry.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of an American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the Secretariat (AMT).

AMT makes no warranty, either expressed or implied as to the fitness of merchantability or accuracy of the information contained within this standard, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. AMT disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, application or reliance on this document. AMT does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide, nor does it take any position with respect to the validity of any patent rights asserted in connection with the items which are mentioned in or are the subject of this document, and AMT disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

In publishing or making this document available, AMT is not undertaking to render professional or other services for or on behalf of any person or entity, nor is AMT undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment, or as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AMT has no power, nor does it undertake to police or enforce conformance to the requirements of this document. AMT does not certify, test or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of conformance to any health or safety-related information in this document shall not be attributable to AMT and is solely the responsibility of the certifier or maker of the statement.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. You may contact the Secretariat for current status information on this, or other B11 standards. Individuals interested in obtaining up-to-date information on standards can access this information at <http://www.nssn.org> (or by contacting ANSI). NSSN - A National Resource for Global Standards, provides a central point to search for standards information from worldwide sources and can connect those who seek standards to those who supply them.

Published by: AMT – The Association For Manufacturing Technology
7901 Westpark Drive, McLean, VA 22102-4269, USA
Copyright © 2002 by the Association For Manufacturing Technology
All rights reserved. Printed in the United States of America

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Table of Contents

Page

FOREWORD	V
EXPLANATION OF THE FORMAT OF THIS STANDARD, AND ANSI B11 CONVENTIONS	VII
INTRODUCTION	VIII
1 SCOPE	1
1.1 TURNING CENTERS	1
1.2 AUTOMATIC, NUMERICALLY CONTROLLED TURNING MACHINES	1
1.3 EXCLUSIONS.....	2
2 NORMATIVE REFERENCES	2
3 DEFINITIONS	3
4 RESPONSIBILITY	7
4.1 SUPPLIER'S RESPONSIBILITY	7
4.2 USER'S RESPONSIBILITY	8
4.3 PERSONNEL RESPONSIBILITY	10
5 HAZARD CONTROL	11
5.1 TASK AND HAZARD IDENTIFICATION	11
5.2 RISK ASSESSMENT / RISK REDUCTION	12
6 DESIGN AND CONSTRUCTION	13
6.1 GENERAL	13
6.2 COMPONENT SELECTION	13
6.3 MACHINE CONTROLS.....	13
6.4 MODES OF OPERATION	13
6.5 ELECTRICAL EQUIPMENT	14
6.6 HYDRAULIC AND PNEUMATIC SYSTEMS	14
6.7 EXTERNAL POWER SOURCES	16
6.8 STORED ENERGY	16
6.9 EXTERNAL INTERFERENCES	17
6.10 PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S).....	17
6.11 MACHINE STARTING.....	17
6.12 STOP AND EMERGENCY STOP CONTROLS.....	17
6.13 OPERATOR CONTROL STATIONS.....	18
6.14 MANUALLY OPERATED CONTROL DEVICES.....	19
6.15 INDICATORS	21
6.16 ANTI-MOTION MECHANISMS OR COUNTER-BALANCE SYSTEMS.....	21
6.17 POWER OPERATED WORKHOLDING	22
6.18 COOLANT SYSTEMS.....	24
6.19 TOOL HOLDER RETENTION	26
6.20 ELIMINATION OF, OR PROTECTION FROM, INHERENT HAZARDS	26
6.21 SAFEGUARDING	28
6.22 ACCESS TO MACHINE PARTS	31
6.23 EJECTED PARTS OR FLUIDS	31
6.24 VIEWING WINDOWS.....	32
6.25 STRUCTURAL INTEGRITY	32
6.26 NOISE	32
6.27 MIST, FUMES, VAPORS AND DUST	33
6.28 ERGONOMIC CONSIDERATIONS	33
6.29 ENERGY SUPPLY FAILURES.....	33
6.30 ERRORS OF FITTING	33

6.31	LIFTING OF MACHINE COMPONENTS.....	33
7	LAYOUT, INSTALLATION, TESTING AND START-UP	34
7.1	GENERAL	34
7.2	LAYOUT AND INSTALLATION.....	34
7.3	TESTING AND START-UP	35
8	SAFEGUARDING.....	35
8.1	GENERAL	35
8.2	GUARDS.....	35
8.3	SAFEGUARDING DEVICES	36
8.4	AWARENESS BARRIERS AND DEVICES	37
8.5	SAFEGUARDING AGAINST SPECIFIC HAZARDS.....	37
8.6	SAFE WORK PROCEDURES	39
8.7	PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S)	39
9	SET-UP, OPERATION AND MAINTENANCE.....	40
9.1	GENERAL	40
9.2	MACHINE SET-UP PROCEDURES.....	41
9.3	SAFEGUARDING	41
9.4	MAINTENANCE.....	42
9.5	PERSONAL PROTECTIVE EQUIPMENT.....	43
9.6	TRAINING	43
9.7	SUPERVISION	44
9.8	INITIATION OF NORMAL OPERATION	44
ANNEX A – (INFORMATIVE) FIGURES	45	
FIGURE A.1 – EXAMPLE OF A HORIZONTAL NC TURNING MACHINE.....	45	
FIGURE A.2 – EXAMPLE OF A VERTICAL NC TURNING MACHINE	46	
ANNEX B – (INFORMATIVE) LIST OF HAZARDS AND HAZARDOUS SITUATIONS.....	47	
ANNEX C – (INFORMATIVE) PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S)	50	
ANNEX D – (INFORMATIVE) SAFETY DISTANCE.....	51	

Foreword (This foreword not part of the requirements of American National Standard B11.22-2002)

The primary objective of this standard is to eliminate or control hazards to personnel associated with numerically controlled turning machines by establishing requirements for the construction, operation and maintenance of these machines. To accomplish this objective, responsibilities have been assigned to the supplier (e.g., manufacturer, rebuilder, reconstructor, installer, integrator), the user, and personnel in the working environment.

The words "safe" and "safety" are not absolutes. Safety begins with good design. While the goal of this standard is to eliminate injuries, it is recognized that risk factors cannot be practically reduced to zero in any human activity. This standard is not intended to replace good judgment and personal responsibility. Operator skill, attitude, training, job monotony, fatigue and experience are safety factors that must be considered by the user.

Turning centers, numerically controlled turning machines, and associated equipment technologies are continuously evolving. This standard reflects the most commonly used and time-tested state of the art at the time of its approval. The inclusion or omission of language relative to any evolving technology, either in the requirements or explanatory area of this standard, in no way infers acceptance or rejection of such technologies.

Inquiries with respect to the application or the substantive requirements of this standard, and suggestions for its improvement are welcomed, and should be sent to the AMT – The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, Virginia 22102-4206, Attention: B11 Secretariat.

This standard was prepared by the B11.22 Subcommittee, processed and submitted for ANSI approval by the B11 Accredited Standards Committee on Safety Standards for Machine Tools. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time this standard was approved as an American National Standard, the ANSI B11 Accredited Standards Committee was composed of the following member organizations:

John W. Russell, PE, CSP Chairman
Gary D. Kopps, Vice-Chairman
David A. Felinski, Secretary

Organizations Represented

Name of Representative(s)

Delegate

Alternate

Aerospace Industries Association of America
Alliance of American Insurers
Aluminum Extruders Council
American Insurance Service Group
American Institute of Steel Construction
American Society of Safety Engineers
AMT – The Association For Manufacturing Technology

Willard Wood	Robert Eaker
John Russell, PE, CSP	Keith Lessner
Jeff Dziki	Martin Bidwell
Henry S. Pankiw	Paul Frenier
Thomas Schlafly	
Bruce Main, PE, CSP	George Karosas, PE, CSP
Russell Bensman	

Can Manufacturers Institute
Deere and Company
Forging Industry Association
General Motors Corporation
Graphic & Product Identification Mfgs. Assn.
International Association of Machinists & Aerospace Workers, District Lodge 142

Geoff Cullen	
Gary D. Kopps	Kent D. Johnson
John W. Commet	Karen Taylor
Michael Taubitz	
Donald Root	
Jim Soptic	Ken Hass

Intl. Union, United Automobile, Aerospace and Agricultural Implement Workers of America (UAW)	Jim Howe, CSP	Luiz Vazquez
Machinery Dealers National Association	John Stencel, III	James Heppner, Jr.
Metal Building Manufacturers Association	Charles M. Stockinger	Charles E. Praeger
Metal Powder Industries Federation	Dennis Cloutier, CSP	Donald White
National Electrical Manufacturers Association	Vincent A. Baclawski	Frank Kitzantides
National Fluid Power Association	June VanPinsker	
National Institute for Occupational Safety & Health	John Etherton, PhD, PE	
National Tooling and Machining Association	Andy Levine	Richard R. Walker
Precision Metalforming Association	Christopher E. Howell	Christie Carmigiano
Presence-sensing Device Manufacturers	Jim Kirton	Barry Stockton
Rubber Manufacturers Association	Kim Weber	Robert Walker
Sheet Metal and Air Conditioning Contractors' National Association	James T. Strother	Tom J. Meighen
Tooling and Manufacturing Association	Jeffery W. Hayes	Bruce C. Braker
Unified Abrasives Manufacturers' Association, Bonded Division	Charles S. Conant	
U.S. Department of the Navy (NAVSEA)	William Riley	William Aberg

At the time this standard was approved, the ANSI B11 ASC **B11.22 Subcommittee** had the following members who participated in the development of this standard:

Name	Company	Title
James Hoffman	Cincinnati Milacron	Chairman
Carl Sharak	Liberty Mutual	Secretary
Anthony M. Bratkovich, PE	AMT	Administrator
John F. Bloodgood, PE	JFB Enterprises	
James Cordier	Hardinge	
Roger Hopkins	General Motors	
Carlos Lugo	Boeing	
William E. Riley	U.S. Navy	
Larry Sieftring	Monarch	
Mark D. Vetty	Okuma	
Joseph Volk	Okuma	

Explanation of the format of this standard, and ANSI B11 conventions

This ANSI B11.22 – 2002 American National Standard is divided into parts formerly referred to as sections or chapters and now referred to as clauses in line with the current ANSI style manual. Major divisions of clauses are referred to as subclauses and, when referenced by other text in the standard, are denoted by the subclause number (e.g., see 5.1).

The standard uses a two-column format to provide supporting information for requirements. The material in the left column is confined to “Standard Requirements” only, and is so captioned. The right column, captioned “Explanatory Information” contains information that the writing Subcommittee felt would clarify the standard. This column should not be construed as being a part of the requirements of this American National Standard.

As in all American National Standards, the term “SHALL” denotes a requirement that is to be strictly followed in order to conform to this standard; no deviation is permitted. The term “SHOULD” denotes a recommendation, a practice or condition among several alternatives, or a preferred method or course of action.

Similarly, the term “CAN” denotes a possibility, ability or capability, whether physical or causal, and the term “MAY” denotes a permissible course of action within the limits of the standard.

B11 conventions: Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard. The B11 standards do not use the term “and/or” but instead, the term “OR” is used as an inclusive disjunction, meaning *one or the other or both*. A distinction between the terms “*individual*” and “*personnel*” is drawn. Individual includes personnel (employees, subcontractors, consultants, or other contract workers under the indirect control of the supplier or user) but also encompasses persons who are not under the direct or indirect control of the supplier or user (e.g., visitors, vendors, etc.). Gauge refers to a measuring or testing instrument; gage refers to limiting device (e.g., backgage).


Suggestions for improvement of this standard will be welcome. They should be sent to AMT-The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, VA 22102 - Attention: B11 Secretariat.

Introduction

The primary purpose of every machine tool is to process parts. This is accomplished by the machine imparting process energy onto the workpiece. Inadvertent interference with, or accidental misdirection of the released energy during production, maintenance, commissioning and de-commissioning may result in injury.

The purpose of the ANSI B11 series of machine tool safety standards is to devise and propose ways to minimize risks of the potential hazards. This can be accomplished by an appropriate machine design, by restricting personnel and other individuals' access to hazard areas, and by devising work procedures to minimize personnel exposure to hazardous situations. This is the essence of the ANSI B11 series of safety standards.

The responsibility for the alleviation of these risks is divided between the equipment supplier, its user and its operating personnel, as follows (numbers in parentheses refer to the clause numbers in these standards which address that responsibility):



*American National Standard for Machine Tools –
Safety Requirements for Turning Centers and Automatic,
Numerically Controlled Turning Machines*

Standard Requirements

Explanatory Information

(This column is not part of the requirements of this American National Standard for Machine Tools – Safety Requirements for Turning Centers and Automatic, Numerically Controlled Turning Machines, ANSI B11.22-2002).

1 Scope

E1

This standard specifies the safety requirements for the design, construction, operation and maintenance (including installation, dismantling and transport) of turning centers and automatic, numerically controlled turning machines (see 1.1 and 1.2).

This standard is applicable to:

- automatic, numerically controlled horizontal- and vertical- spindle turning machines and turning centers which are designed to accept workholding devices up to 500 mm (20 inches) outside diameter and with distance between centers of up to 2 m (80 inches);
- auxiliary equipment and components which are integral to the machine;
- machines which are integrated into automatic production lines or turning cells as much as the potential hazards and associated risks are comparable to those of machines working separately.

Larger machines may comply with this standard or use other effective means to reduce the risks associated with the identified hazards.

Generally, workholding chucks are not considered to be integral parts of the machine.

1.1 Turning centers

These are automatic, numerically controlled turning machines with additional features such as power driven tools, the capability to orient the workholding spindle around its axis and automatic tool changing or workholding changing from a magazine.

1.2 Automatic, numerically controlled turning machines

These are machine tools that use automatic control of a process performed by a device that makes use of numeric data introduced while the operation is in progress. The principal movement is the rotation of the workpiece against a stationary tool(s) such that the cutting force is from the workpiece and not the tool. This machine operates under numerical control (NC) or computer numerical control (CNC).

E1.2

A NC turning machine can also include, but is not limited to, functions such as gaging, burnishing, grinding, boring and drilling.