

ANSI B11.23–2002 (R07)

American National Standard for Machine Tools –

Safety Requirements for Machining Centers and Automatic, Numerically Controlled Milling, Drilling and Boring Machines

Secretariat and Accredited Standards Developer:

The Association For Manufacturing Technology
7901 Westpark Drive
McLean, VA 22102

Approved: June 14, 2002
Reaffirmed: August 28, 2007

by the American National Standards Institute, Inc.



This is a preview of "ANSI B11.23-2002 (R2...)". Click [here](#) to purchase the full version from the ANSI store.

AMERICAN NATIONAL STANDARDS

By approving this American National Standard, the ANSI Board of Standards Review confirms that the requirements for due process, consensus, balance and openness have been met by AMT – The Association For Manufacturing Technology (the ANSI-accredited standards developing organization).

American National Standards are developed through a consensus process. Consensus is established when substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward resolution. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While AMT administers the process and establishes procedures to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards or guidelines.

American National Standards are promulgated through ANSI for voluntary use; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. However, users, distributors, regulatory bodies, certification agencies and others concerned may apply American National Standards as mandatory requirements in commerce and industry.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of an American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the Secretariat (AMT).

AMT makes no warranty, either expressed or implied as to the fitness of merchantability or accuracy of the information contained within this standard, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. AMT disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, application or reliance on this document. AMT does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide, nor does it take any position with respect to the validity of any patent rights asserted in connection with the items which are mentioned in or are the subject of this document, and AMT disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

In publishing or making this document available, AMT is not undertaking to render professional or other services for or on behalf of any person or entity, nor is AMT undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment, or as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AMT has no power, nor does it undertake to police or enforce conformance to the requirements of this document. AMT does not certify, test or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of conformance to any health or safety-related information in this document shall not be attributable to AMT and is solely the responsibility of the certifier or maker of the statement.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. You may contact the Secretariat for current status information on this, or other B11 standards. Individuals interested in obtaining up-to-date information on standards can access this information at <http://www.nssn.org> (or by contacting ANSI). NSSN - A National Resource for Global Standards, provides a central point to search for standards information from worldwide sources and can connect those who seek standards to those who supply them.

Published by: AMT – The Association For Manufacturing Technology
7901 Westpark Drive, McLean, VA 22102-4269, USA
Copyright © 200X by the Association For Manufacturing Technology
All rights reserved. Printed in the United States of America

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Table of Contents

Page

FOREWORD	V
EXPLANATION OF THE FORMAT OF THIS STANDARD, AND ANSI B11 CONVENTIONS	VII
INTRODUCTION	VIII
1 SCOPE	1
2 NORMATIVE REFERENCES	1
3 DEFINITIONS	3
4 RESPONSIBILITY	6
4.1 SUPPLIER'S RESPONSIBILITY	6
4.2 USER'S RESPONSIBILITY	7
4.3 PERSONNEL RESPONSIBILITY	9
5 HAZARD CONTROL	10
5.1 TASK AND HAZARD IDENTIFICATION	10
5.2 RISK ASSESSMENT / RISK REDUCTION	11
6 DESIGN AND CONSTRUCTION	12
6.1 GENERAL	12
6.2 COMPONENT SELECTION	12
6.3 MACHINE CONTROLS.....	12
6.4 MODES OF OPERATION	12
6.5 ELECTRICAL EQUIPMENT	12
6.6 HYDRAULIC AND PNEUMATIC SYSTEMS	13
6.7 EXTERNAL POWER SOURCES	14
6.8 STORED ENERGY	15
6.9 EXTERNAL INTERFERENCES	15
6.10 PERFORMANCE OF SAFETY-RELATED FUNCTION(S).....	15
6.11 MACHINE STARTING	15
6.12 STOP AND EMERGENCY STOP CONTROLS	16
6.13 OPERATOR CONTROL STATIONS	17
6.14 MANUALLY OPERATED CONTROL DEVICES	17
6.15 INDICATORS.....	19
6.16 ANTI-MOTION MECHANISMS OR COUNTER-BALANCE SYSTEMS.....	19
6.17 POWER-OPERATED WORKHOLDING	20
6.18 COOLANT SYSTEMS	20
6.19 TOOL HOLDER RETENTION.....	22
6.20 ELIMINATION OF, OR PROTECTION FROM INHERENT HAZARDS.....	22
6.21 SAFEGUARDING.....	23
6.22 ACCESS TO MACHINE PARTS	27
6.23 EJECTED PARTS OR FLUIDS.....	27
6.24 VIEWING WINDOWS	27
6.25 STRUCTURAL INTEGRITY	27
6.26 NOISE.....	27
6.27 MIST, FUMES, VAPORS AND DUST	28
6.28 ERGONOMIC CONSIDERATIONS	28
6.29 ENERGY SUPPLY FAILURES	28
6.30 ERRORS OF FITTING.....	28
6.31 LIFTING OF MACHINE COMPONENTS.....	28

7	LAYOUT, INSTALLATION, TESTING AND START-UP	29
7.1	GENERAL	29
7.2	LAYOUT AND INSTALLATION	29
7.3	TESTING AND START-UP	29
8	SAFEGUARDING	30
8.1	GENERAL	30
8.2	GUARDS	30
8.3	SAFEGUARDING DEVICES	31
8.4	AWARENESS BARRIERS AND DEVICES	32
8.5	SAFEGUARDING AGAINST SPECIFIC HAZARDS	32
8.6	SAFE WORK PROCEDURES	33
8.7	PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S)	33
9	SET-UP, OPERATION AND MAINTENANCE	34
9.1	GENERAL	34
9.2	MACHINE SET-UP PROCEDURES	34
9.3	SAFEGUARDING	35
9.4	MAINTENANCE	35
9.5	PERSONAL PROTECTIVE EQUIPMENT	36
9.6	TRAINING	37
9.7	SUPERVISION	38
9.8	INITIATION OF NORMAL OPERATION	38
	ANNEX A – FIGURES (INFORMATIVE)	39
	ANNEX B -- LIST OF HAZARDS AND HAZARDOUS SITUATIONS (INFORMATIVE)	42
	ANNEX C – PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S) (INFORMATIVE)	45
	ANNEX D – SAFETY DISTANCE (INFORMATIVE)	46

This is a preview of "ANSI B11.23-2002 (R2...)". [Click here to purchase the full version from the ANSI store.](#)

Foreword (This Foreword is not part of the requirements of American National Standard B11.23-2002)

The primary objective of this standard is to eliminate or control hazards to personnel associated with machining centers and automatic numerically controlled milling, drilling and boring machines by establishing requirements for the construction, operation and maintenance of these machines. To accomplish this objective, responsibilities have been assigned to the supplier (e.g., manufacturer, rebuilder, reconstructor, installer, integrator), the user, and personnel in the working environment.

The words "safe" and "safety" are not absolutes. Safety begins with good design. While the goal of this standard is to eliminate injuries, it is recognized that risk factors cannot be practically reduced to zero in any human activity. This standard is not intended to replace good judgment and personal responsibility. Operator skill, attitude, training, job monotony, fatigue and experience are safety factors that must be considered by the user.

Machining centers and automatic numerically controlled milling, drilling and boring machines, and associated equipment technologies are continuously evolving. This standard reflects the most commonly used and time-tested state of the art at the time of its approval. The inclusion or omission of language relative to any evolving technology, either in the requirements or explanatory area of this standard, in no way infers acceptance or rejection of such technologies.

Inquiries with respect to the application or the substantive requirements of this standard, and suggestions for its improvement are welcomed, and should be sent to the AMT – The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, Virginia 22102-4206, Attention: B11 Secretariat.

This standard was prepared by the B11.23 Subcommittee, processed and submitted for ANSI approval by the B11 Accredited Standards Committee on Safety Standards for Machine Tools. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time this standard was approved as an American National Standard, the ANSI B11 Accredited Standards Committee was composed of the following member organizations:

John W. Russell, PE, CSP Chairman
 Gary D. Kopps, Vice-Chairman
 David A. Felinski, Secretary

Organizations Represented

Name of Representative(s)

Aerospace Industries Association of America
 Alliance of American Insurers
 Aluminum Extruders Council
 American Insurance Service Group
 American Institute of Steel Construction
 American Society of Safety Engineers
 AMT – The Association For Manufacturing Technology
 Can Manufacturers Institute
 Deere and Company
 Forging Industry Association
 General Motors Corporation
 Graphic & Product Identification Mfgs. Assn.
 International Association of Machinists & Aerospace Workers, District Lodge 142
 Intl. Union, United Automobile, Aerospace and Agricultural Implement Workers of America (UAW)
 Machinery Dealers National Association

Delegate	Alternate
Willard Wood	Robert Eaker
John Russell, PE, CSP	Keith Lessner
Jeff Dziki	Martin Bidwell
Henry S. Pankiw	Paul Frenier
Thomas Schlafly	
Bruce Main, PE, CSP	George Karosas, PE, CSP
Russell Bensman	
Geoff Cullen	
Gary D. Kopps	Kent D. Johnson
John W. Commet	Karen Taylor
Michael Taubitz	
Donald Root	
Jim Soptic	Ken Hass
Jim Howe, CSP	Luiz Vazquez
John Stencel, III	James Heppner, Jr.

Metal Building Manufacturers Association	Charles M. Stockinger	Charles E. Praeger
Metal Powder Industries Federation	Dennis Cloutier, CSP	Donald White
National Electrical Manufacturers Association	Vincent A. Baclawski	Frank Kitzantides
National Fluid Power Association	June VanPinsker	
National Institute for Occupational Safety & Health	John Etherton, PhD, PE	
National Tooling and Machining Association	Andy Levine	Richard R. Walker
Precision Metalforming Association	Christopher E. Howell	Christie Carmigiano
Presence-sensing Device Manufacturers	Jim Kirton	Barry Stockton
Rubber Manufacturers Association	Kim Weber	Robert Walker
Sheet Metal and Air Conditioning Contractors' National Association	James T. Strother	Tom J. Meighen
Tooling and Manufacturing Association	Jeffery W. Hayes	Bruce C. Braker
Unified Abrasives Manufacturers' Association, Bonded Division	Charles S. Conant	
U.S. Department of the Navy (NAVSEA)	William Riley	William Aberg

At the time this standard was approved, the ANSI B11 ASC **B11.23 Subcommittee** had the following members who participated in the development of this standard:

Name	Company	Title
Miles Loretta	Cincinnati-Milacron	Chairman
John F. Bloodgood, PE	JFB Enterprises	Secretary
Anthony M. Bratkovich, PE	AMT	Administrator
Lance Chandler	Boeing	
Aaron Clark	Lamb-Technicon	
Shawn P. Creighton	Monarch	
David W. Demco	General Motors	
Robert Garcia	Caterpillar	
Kent Johnson	Deere	
Mark Perriello	Westinghouse	
Mark Reitzel	Cellular Concepts	
William E. Riley	U.S. Navy	
Mark Vetty	Okuma	

Explanation of the format of this standard, and ANSI B11 conventions

This ANSI B11.23 – 2002 American National Standard is divided into parts formerly referred to as sections or chapters and now referred to as clauses in line with the current ANSI style manual. Major divisions of clauses are referred to as subclauses and, when referenced by other text in the standard, are denoted by the subclause number (e.g., see 5.1).

The standard uses a two-column format to provide supporting information for requirements. The material in the left column is confined to “Standard Requirements” only, and is so captioned. The right column, captioned "Explanatory Information" contains information that the writing Subcommittee believed would help clarify the standard. This column should not be construed as being a part of the requirements of this American National Standard.

As in all American National Standards, the term “SHALL” denotes a requirement that is to be strictly followed in order to conform to this standard; no deviation is permitted. The term “SHOULD” denotes a recommendation, a practice or condition among several alternatives, or a preferred method or course of action.

Similarly, the term “CAN” denotes a possibility, ability or capability, whether physical or causal, and the term “MAY” denotes a permissible course of action within the limits of the standard.

B11 conventions: Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard. The B11 standards do not use the term “and/or” but instead, the term “OR” is used as an inclusive disjunction, meaning *one or the other or both*. A distinction between the terms “*individual*” and “*personnel*” is drawn. Individual includes personnel (employees, subcontractors, consultants, or other contract workers under the indirect control of the supplier or user) but also encompasses persons who are not under the direct or indirect control of the supplier or user (e.g., visitors, vendors, etc.). *Gauge* refers to a measuring or testing instrument; *gage* refers to limiting device (e.g., backgage).


Suggestions for improvement of this standard will be welcome. They should be sent to AMT-The Association For Manufacturing Technology, 7901 Westpark Drive, McLean, VA 22102 - Attention: B11 Secretariat.

Introduction

The primary purpose of every machine tool is to process parts. This is accomplished by the machine imparting process energy onto the workpiece. Inadvertent interference with, or accidental misdirection of the released energy during production, maintenance, commissioning and de-commissioning may result in injury.

The purpose of the ANSI B11 series of machine tool safety standards is to devise and propose ways to minimize risks of the potential hazards. This can be accomplished by an appropriate machine design, by restricting personnel or other individuals' access to hazard areas, and by devising work procedures to minimize personnel exposure to hazardous situations. This is the essence of the ANSI B11 series of safety standards.

The responsibility for the alleviation of these risks is divided between the equipment supplier, its user and its operating personnel, as follows (numbers in parentheses refer to the clause numbers in these standards which address that responsibility):



*American National Standard for Machine Tools –
Safety Requirements for Machining Centers and Automatic,
Numerically Controlled Milling, Drilling and Boring Machines*

STANDARD REQUIREMENTS

1 Scope

This standard specifies the safety requirements for the design, construction, operation and maintenance (including installation, dismantling, and transport) of machining centers and automatic numerically controlled milling, drilling and boring machines (see 3.1).

This standard is applicable to machines where the axes of travel is not greater than 1x1x1 m (39x39x39 in.).

1.1 Machining center

A machining center is a numerically controlled machine tool with automatic tool changing capability and work support means capable of multiple functions of drilling, milling, boring or any combination of these operations normally utilizing a rotating tool. This machine operates in a continuous sequence of movements under numerical control (NC).

NOTE - The terms machine and machinery as used throughout this standard mean machining center.

2 Normative references

The following normative documents contain provisions that, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid.

ANSI Z 244.1-1982, *Safety Requirements for the Lock Out/Tag Out of Energy Sources*

ANSI B93.114M, *Pneumatic Fluid Power – Systems Standard for Industrial Machinery*

EXPLANATORY INFORMATION

(This column is not part of the requirements of this American National Standard for Machine Tools – Safety Requirements for Machining Centers and Automatic, Numerically Controlled Milling, Drilling and Boring Machines, ANSI B11.23-2002).

E1

This standard is not intended to cover safety requirements of manufacturing systems/cells (see B11.20).

Larger machines may comply with this standard or use other effective means to reduce the risks associated with the identified hazards.

E1.1

A machining center can also include, but is not limited to, functions such as gaging, burnishing, grinding and machining operations that are not covered in this standard. A machining center may have one or more spindles, work stations and may include an automatic work changing means.

E2 Informative references

All normative documents are subject to revision and users of this standard are encouraged to investigate applying the most recent revisions of the normative references listed in clause 2.

The following documents (this column, below) are listed for information only, and are not essential for the completion of the requirements of this standard:

ANSI B11.TR1 – 1994 Ergonomic Guidelines for the Design and Installation of Machine Tools

ANSI B11.TR2 – 1997 Mist Control Considerations for the Design, Installation and Use of Machine Tools Using Metalworking Fluids