

ANSI/CTA Standard

Digital Television (DTV) Closed Captioning: 3D Extensions

ANSI/CTA-708.1 R-2017

(Formerly ANSI/CEA-708.1)

October 2012



**Consumer
Technology
Association™**

NOTICE

Consumer Technology Association (CTA)™ Standards, Bulletins and other technical publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards, Bulletins and other technical publications shall not in any respect preclude any member or nonmember of the Consumer Technology Association from manufacturing or selling products not conforming to such Standards, Bulletins or other technical publications, nor shall the existence of such Standards, Bulletins and other technical publications preclude their voluntary use by those other than Consumer Technology Association members, whether the standard is to be used either domestically or internationally.

Standards, Bulletins and other technical publications are adopted by the Consumer Technology Association in accordance with the American National Standards Institute (ANSI) patent policy. By such action, the Consumer Technology Association does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard, Bulletin or other technical publication.

Note: The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights.

By publication of this standard, no position is taken with respect to the validity of this claim or of any patent rights in connection therewith. The patent holder has, however, filed a statement of willingness to grant a license under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license. Details may be obtained from the publisher.

This document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this document to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

This document is copyrighted by the Consumer Technology Association (CTA)™ and may not be reproduced, in whole or part, without written permission. Federal copyright law prohibits unauthorized reproduction of this document by any means. Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. Requests to reproduce text, data, charts, figures or other material should be made to the Consumer Technology Association (CTA)™.

(Formulated under the cognizance of the CTA **R4.3 Television Data Systems Subcommittee.**)

Published by
©CONSUMER TECHNOLOGY ASSOCIATION 2017
Technology & Standards Department
www.cta.tech

All rights reserved

FOREWORD

This standard was developed by the Consumer Technology Association (CTA) R4.3 TV Data Committee.

CTA-708.1

CONTENTS

1 Scope	3
1.1 Overview	3
1.2 Notation	3
2 General	3
2.1 Normative References	3
2.1.1 Normative Reference List	3
2.1.2 Normative Reference Acquisition	3
2.2 Definitions	3
2.3 Symbols, Abbreviations and Acronyms	4
2.4 Compliance Notation	4
3 Caption Disparity Data	4
3.1 Adjunct Service	4
3.2 SET DEPTH	4
3.3 Caption Disparity Data	5
3.4 Time-varying Disparity Example	6
3.5 Proper Order of Inclusion of Disparity Data	7
3.6 Description and Use of Alternate Disparity	7
ANNEX A Decoder Performance Levels (informative)	8

Figures

Figure 1 Time-varying Disparity Example	6
--	----------

Tables

Table 1 Caption Disparity Data Syntax	5
--	----------

Digital Television (DTV) Closed Captioning: 3D Extensions

1 Scope

This standard specifies signaling to allow CTA-708 [1] caption services to be rendered with stereoscopic 3D program content. CTA-708.1 defines the syntax and semantics of the **SetDepth** command. **SetDepth** is a variable-length command¹ delivered in the C3 code set² as defined in CTA-708 [1].

1.1 Overview

The principle of stereoscopic 3D TV involves displaying different views of a scene to the left and right eyes. The difference in horizontal position of a given object between the right- and left-eye views is called the disparity. Negative values of disparity cause the object to be perceived in front of the plane of the screen. Positive values of disparity cause the object to be perceived behind the plane of the screen. Zero disparity causes the object to appear at the plane of the screen.

This standard specifies a standardized method for associating a disparity value, or a series of disparity values that change over time, with a given caption window within a given caption service. Disparity values are specified using a horizontal resolution of 1920 units. For HDTV signals delivered at a resolution of 1920 pixels horizontally, one unit of disparity corresponds to one pixel. For HDTV signals delivered at a resolution of 1280 pixels horizontally, one unit of disparity corresponds to 1920/1280 or 1.5 pixels.

1.2 Notation

Notation for binary and hexadecimal numbers and bitstream syntax notation follows the same conventions as are used in CTA-708 [1].

2 General

2.1 Normative References

The following references contain provisions that, through reference in this text, constitute normative provisions of this standard. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below.

2.1.1 Normative Reference List

- [1] CTA-708-D Digital Television (DTV) Closed Captioning, Consumer Electronics Association, August, 2008.

2.1.2 Normative Reference Acquisition

CTA Standards:

- Global Engineering Documents, World Headquarters, 15 Inverness Way East, Englewood, CO USA 80112-5776; Phone 800-854-7179; Fax 303-397-2740; Internet <http://global.ihs.com>; Email global@ihs.com

2.2 Definitions

For the purposes of this standard, the following definition applies:

disparity — difference between the horizontal positions of a pixel representing the same point in space in the right and left views.

¹ Variable-length commands are defined in CEA-708 [1] Sec. 7.1.11.2.

² Code space organization is defined in CEA-708 [1] Sec. 7.1.