ANSI/ITSDF B56.11.5-2013 (Reaffirmation of ASME B56.11.5 2005)

Measurements of Sound Emitted By Low Lift, High Lift and Rough Terrain Powered Industrial Trucks

AN AMERICAN NATIONAL STANDARD

INDUSTRIAL TRUCK STANDARDS DEVELOPMENT FOUNDATION

AN AMERICAN NATIONAL STANDARD

MEASUREMENTS OF SOUND EMITTED BY LOW LIFT, HIGH LIFT AND ROUGH TERRAIN POWERED INDUSTRIAL TRUCKS



Date of Issuance: November 15, 1 9 9 4

ITSDF issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ITSDF Web site at http://www.itsdf.org as they are issued, and will also be published within the next edition of the Standard.

ITSDF is the registered trademark of Industrial Truck Standards Development Foundation.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ITSDF does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ITSDF does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ITSDF accepts responsibility for only those interpretations of this document issued in accordance with the established ITSDF procedures and policies, which precludes the issuance of interpretations by individuals.

Industrial Truck Standards Development Foundation 1750 K Street NW, Suite 460, Washington DC 20009 202-478-7599 http://www.itsdf.org

Copyright © 2005 by INDUSTRIAL TRUCK STANDARDS DEVELOPMENT FOUNDATION All rights reserved Printed in U.S.A. This is a preview of "ANSI/ITSDF B56.11.5-...". Click here to purchase the full version from the ANSI store.

FOREWORD

(This foreword is not part of ITSDF B56.11.5-2013)

Work on this Standard, originally designated as MH11.5M, was begun by the MH11 Committee. With the consolidation of the activities of the MH11 and B56 Committees, the MH11 Committee became the B56.11 Subcommittee, under the jurisdiction of the B56 Committee. The B56 Subcommittee continued the development of this Standard, redesignated as B56.11.5.

After several B56 Committee ballots and public review, the standard was approved by the sponsor. After obtaining such approval, the standard was submitted to the American National Standards Institute, Inc. (ANSI). ANSI approval to issue the standard as American National Standard B56.11.5 was granted on October 5, 1989.

A revision to the 1989 Edition of B56.11.5 was approved by the B56 Committee, by ASME, and, after public review, by the American National Standards Institute on June 10, 1992.

This Standard shall become effective 1 year after its respective Date of Issuance. Part III applies only to trucks manufactured after the effective date.

Safety codes and standards are intended to enhance public health and safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

This is a preview of "ANSI/ITSDF B56.11.5-...". Click here to purchase the full version from the ANSI store.

ASME STANDARDS COMMITTEE B56 Powered and Nonpowered Industrial Trucks

(The following is the roster of the Committee at the time of approval of this Standard.)

OFFICERS

J. D. Schell, Chairman R. G. Lang, Vice Chairman W. Berger, Secretary

COMMITTEE PERSONNEL*

ALLIANCE OF AMERICAN INSURERS R. A. Klebes, Liberty Mutual Insurance Co.

AMERICAN TRUCKING ASSOCIATIONS, INC.

N. Darmstadter, American Trucking Associations, Inc.

J. M. Dandrea, Alternate, American Trucking Associations, Inc.

INDUSTRIAL TRUCK ASSOCIATION, THE W. J. Montwieler, The Industrial Truck Association

INTERNATIONAL ASSOCIATION OF MACHINISTS AND AEROSPACE WORKERS

J. W. Barnett, International Association of Machinists and Aerospace Workers

E. W. Sprang, Alternate, International Association of Machinists and Aerospace Workers

MOTOR VEHICLE MANUFACTURERS ASSOCIATION E. E. Meyer, Ford Motor Co.

NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION W. N. Ritchie, East Penn Manufacturing Co., Inc.

J. L. Browning, Alternate, National Electrical Manufacturers Association

UNDERWRITERS LABORATORIES, INC.

E. W. Killoren, Underwriters Laboratories, Inc.

U.S. DEPARTMENT OF THE ARMY N. Fertman, Belvoir RD&E Center

INDIVIDUAL MEMBERS

L. J. Churches, Churches & Associates, Inc.

R. C. Fuller

G. L. Gaulke, Hyster Co.

L. Gould, Modern Materials Handling Magazine

E. B. Gutta

- T. W. Hill, Clark Material Systems Technology Co.
- D. E. Hupp, Aluminum Company of America

^{*}The members listed, except for those listed under the heading for individual members, were nominated by their respective organizations.

INDIVIDUAL MEMBERS (CONT'D)

- R. R. Kareckas, Kellogg Co.
- D. T. LaBelle, ITL Industrial Tires, Inc.
- R. G. Lang, Eastman Kodak Co.
- A. C. Karelus, Alternate, Eastman Kodak Co.
- R. R. Lasecki
- E. J. Ramsey, Sellick Equipment Ltd.
- G. H. Ritterbusch, Caterpillar Tractor Co.
- R. N. Rogers, The Raymond Corp.
- J. D. Schell
- E. R. Sirotak
- F. Steinberger, Hydra-Matic, Division of General Motors

HONORARY MEMBER

O. S. Carliss

SUBCOMMITTEE B56.11 - STANDARDIZATION OF POWERED AND NONPOWERED INDUSTRIAL TRUCKS

S. Simpson, Chairman, SMC

G. L. Gaulke, Vice Chairman, Hyster Co.

W. Berger, Secretary, ASME

- F. L. Clason, Caterpillar Industrial, Inc.
- N. Fertman, Belvoir RD&E Center

R. R. Kareckas, Kellogg Co.

E. W. Killoren, Underwriters Laboratories, Inc.

R. D. Lachman, Gehl Power Products

D. J. Healy, Alternate, Gehl Power Products

R. G. Lang, Eastman Kodak Co.

L. Laya, R. R. Donnelly & Sons Co.

W. J. Montwieler, The Industrial Truck Association

E. J. Ramsey, Sellick Equipment Ltd.

- T. P. Rhoades, J. M. Miller Engineering, Inc.
- J. D. Schell

ITSDF B56.11.5-2013 SUMMARY OF CHANGES

Following reaffirmation by the ITSDF B56 Committee and after public review, ITSDF B56.11.5 was approved as a reaffirmation of ASME B56.11.5-1992 and 1994 addenda by the American National Standards Institute on September 1, 2005.

SPECIAL NOTE

The Interpretations to ITSDF B56.11.5 are included at the end of this edition as a separate section for the user's convenience. The interpretations are not part of this edition or of the standard itself.

This is a preview of "ANSI/ITSDF B56.11.5-...". Click here to purchase the full version from the ANSI store.

CONTENTS

| Foreword | | | | | |
|----------------------------|--|---------------|--|--|---|
| Standards Committee Roster | | v vii 1 | | | |
| | | | | | - |
| | | | | | |
| 1 | Scope | 3 | | | |
| 2 | Field of Application | 3 | | | |
| 3 | References | 3 | | | |
| 4 | Definitions | 3 | | | |
| 5 | General Requirements | 4 | | | |
| 6 | Measurement of Sound at the Operator's Workplace | 7 | | | |
| 7 | Measurement of Airborne Sound to the Environment | ģ | | | |
| 8 | Test Report | 10 | | | |
| | 7 | 10 | | | |
| Figu | ires | | | | |
| 1 | Test Site Arrangement General Requirements | 6 | | | |
| 2 | Test Site Arrangement - Microphone Location | U | | | |
| | (For Test With Truck in Motion) | 9 | | | |
| 3 | Test Site Arrangement - Microphone Location | - | | | |
| | (For Test With Truck Stationary) | 11 | | | |
| | | 11 | | | |
| Ann | endices | | | | |
| A | Work Cycle | 13 | | | |
| B | | 15 | | | |
| č | | 17 | | | |
| - | | 17 | | | |
| Tabl | 82 | | | | |
| B1 | | 15 | | | |
| B2 | Sound Level Index E_1 for Work Cycle (3 dB Doubling Rate) Sound Level Index E_1 for Work Cycle (5 dB Doubling Rate) | 15 | | | |
| CI | Fourivalent Sound Level in dB (2 dB Doubling Rate) | 16 | | | |
| C2 | Equivalent Sound Level in dB (3 dB Doubling Rate) | 17 | | | |
| -4 | Equivalent Sound Level in dB (5 dB Doubling Rate) | 18 | | | |

ITSDF B56.11.5-2013

POWERED AND NONPOWERED INDUSTRIAL TRUCKS

General

This Standard is one of a series that have been formulated with the Industrial Truck Standards Developing Foundation as Sponsor in accordance with the Accredited Organization method, the procedures accredited by the American National Standards Institute, Inc., and the following scope.

Establishment of the safety requirements relating to the elements of design, operation, and maintenance; standardization relating to principal dimensions to facilitate interchangeability, test methods, and test procedures of powered and nonpowered industrial trucks (not including vehicles intended primarily for earth moving or over-the-road hauling); and maintenance of liaison with the International Organization for Standardization (ISO) in all matters pertaining to powered and nonpowered industrial trucks.

One purpose of the Standard is to serve as a guide to governmental authorities having jurisdiction over subjects within the scope of the Standard. It is expected, however, that the Standard will find a major application in industry, serving as a guide to manufacturers, purchasers, and users of the equipment.

For convenience, Standards for Powered and Nonpowered Industrial Trucks has been divided into separate volumes:

Safety Standards

- B56.1 Low Lift and High Lift Trucks
- B56.5 Guided Industrial Vehicles and Automated Functions of Manned Industrial Vehicles
- B56.6 Rough Terrain Forklift Trucks
- B56.7 Industrial Crane Trucks
- B56.8 Personnel and Burden Carriers
- B56.9 Operator Controlled Industrial Tow Trucks
- B56.10 Manually Propelled High Lift Industrial Trucks

Standardization Standards

B56.11.1 Double Race or Bi-Level Swivel and Rigid Industrial Casters

- B56.11.3 Load Handling Symbols for Powered Industrial Trucks
- B56.11.4 Hook-Type Forks and Fork Carriers for Powered Industrial Forklift Trucks
- B56.11.5 Measurement of Sound Emitted by Low Lift, High Lift, and Rough Terrain Powered Industrial Trucks
- B56.11.6 Evaluation of Visibility From Powered Industrial Trucks
- B56.11.7 Liquefied Petroleum Gas (LPG) Fuel Cylinders (Horizontal or Vertical) Mounting — Liquid Withdrawal — for Powered Industrial Trucks

Safety standards that were previously listed as B56 volumes but now have different identification due to a change in standards development assignments are as follows.

- NFPA 505 Fire Safety Standard for Powered Industrial Trucks — Type Designations, Areas of Use, Maintenance and Operation (formerly B56.2)
 UL 583 Standard for Safety for Electric-Battery-
- Powered Industrial Trucks (formerly B56.3) UL 558 Standard for Safety for Internal
- Combustion Engine-Powered Industrial Trucks (formerly B56.4)

If adopted for governmental use, the references to other national codes and standards in the specific volumes may be changed to refer to the corresponding governmental regulations.

The use of powered and nonpowered industrial trucks is subject to certain hazards that cannot be completely eliminated by mechanical means, but the risks can be minimized by the exercise of intelligence, care, and common sense. It is therefore essential to have competent and careful operators, physically and mentally fit, and thoroughly trained in the safe operation of the equipment and the handling of the loads. Serious hazards are overloading, instability of the load, obstruction to the free passage of the load, collision with objects or pedestrians, poor maintenance, and use of equipment for a purpose for which it was not intended or designed.