

ANSI/AHRI Standard 1200 (I-P)

2013 Standard for Performance Rating of Commercial Refrigerated Display Merchandisers and Storage Cabinets



Approved by ANSI on October 1, 2013



we make life better™

2111 Wilson Boulevard, Suite 500
Arlington, VA 22201, USA
www.ahrinet.org
PH 703.524.8800
FX 703.562.1942

IMPORTANT

SAFETY DISCLAIMER

AHRI does not set safety standards and does not certify or guarantee the safety of any products, components or systems designed, tested, rated, installed or operated in accordance with this standard/guideline. It is strongly recommended that products be designed, constructed, assembled, installed and operated in accordance with nationally recognized safety standards and code requirements appropriate for products covered by this standard/guideline.

AHRI uses its best efforts to develop standards/guidelines employing state-of-the-art and accepted industry practices. AHRI does not certify or guarantee that any tests conducted under its standards/guidelines will be non-hazardous or free from risk.

Note:

This standard supersedes ANSI/AHRI Standard 1200-2010.

For SI ratings, see ANSI/AHRI Standard 1201 (SI) – 2013.

The following certification program ratings are verified by test:

- Total Daily Energy Consumption or Calculated Daily Energy Consumption (kW·h per day)

TABLE OF CONTENTS

SECTION	PAGE
Section 1. Purpose	1
Section 2. Scope	1
Section 3. Definitions	1
Section 4. Test Requirements	4
Section 5. Rating Requirements for Remote Commercial Refrigerated Display Merchandisers and Storage Cabinets.....	4
Section 6. Rating Requirements for Self-contained Commercial Refrigerated Display Merchandisers and Storage Cabinets	8
Section 7. Symbols and Subscripts.....	9
Section 8. Minimum Data Requirements for Published Ratings.....	10
Section 9. Marking and Nameplate Data.....	10
Section 10. Conformance Conditions.....	10

TABLES

Table 1. EER for Remote Commercial Refrigerated Display Merchandisers and Storage Cabinets.....	6
Table 2. Presentation of Data for Remote Commercial Refrigerated Display Merchandisers and Storage Cabinets.....	11
Table 3. Presentation of Data for Self-contained Commercial Refrigerated Display Merchandisers and Storage Cabinets	11

APPENDICES

Appendix A.	References - Normative	12
Appendix B.	References - Informative.....	12
Appendix C.	Commercial Refrigerated Display Merchandiser and Storage Cabinet Load Line Volume Calculation - Normative.....	13
Appendix D.	Commercial Refrigerated Display Merchandiser Total Display Area (TDA) Calculation - Normative.....	16
Appendix E.	Example – Energy Performance Representation for a Remote Commercial Refrigerated Display Merchandiser or Storage Cabinet - Informative	22
Appendix F.	Example – Energy Performance Representation for a Self-contained Commercial Refrigerated Display Merchandiser or Storage Cabinet - Informative	25

TABLES FOR APPENDICES

Table E1.	Sample Presentation of Data for Remote Commercial Refrigerated Display Merchandisers and Storage Cabinets.....	24
Table F1.	Sample Presentation of Data for Self-contained Commercial Refrigerated Display Merchandisers and Storage Cabinets.....	26

FIGURES FOR APPENDICES

Figure C1.1.	Sample Isometric View of Commercial Refrigerated Display Merchandisers for Illustrating Length of Refrigerated Space.....	13
Figure C1.2.	Sample Cross Sections of Commercial Refrigerated Display Merchandisers for Load Line Volume Calculation.....	14
Figure C2.	Sample Cross Section of Commercial Refrigerated Storage Cabinets for Volume Calculation.....	15
Figure D1.	Vertical Open Multi-deck.....	16
Figure D2.	Vertical Open Multi-deck with Transparent Front.....	16
Figure D3.	Semi-vertical Open Multi-deck	17
Figure D4.	Semi-vertical Open Multi-deck with Transparent Front	17

Figure D5.	Horizontal Open Single-deck	17
Figure D6.	Horizontal Open Single-deck with Transparent Front	17
Figure D7.	Service Over Counter with Flat Transparent Front	18
Figure D8.	Service Over Counter with Curved Transparent Front.....	18
Figure D9.	Horizontal Open Single-deck Island	18
Figure D10.	Horizontal Open Single-deck Island with Transparent Wall	18
Figure D11.	Horizontal Open Single-deck Island with Transparent Walls	19
Figure D12.	Vertical Closed Multi-deck with Transparent Doors	19
Figure D13.	Vertical End Wall with Transparent Section.....	19
Figure D14.	Semi-vertical End Wall with Transparent Section	19
Figure D15.	Horizontal Single-deck and Single-deck Island End Wall with Transparent Section.....	20
Figure D16.	Service Over Counter End Wall with Transparent Section.....	20
Figure D17.	Example TDA for Unique Geometries.....	20
Figure D18.	Radius Cases with Transparent Sides.....	21

PERFORMANCE RATING OF COMMERCIAL REFRIGERATED DISPLAY MERCHANDISERS AND STORAGE CABINETS

Section 1. Purpose

1.1 *Purpose.* The purpose of this standard is to establish for Commercial Refrigerated Display Merchandisers and Storage Cabinets: definitions; test requirements; rating requirements; symbols and subscripts; minimum data requirements for Published Ratings; marking and nameplate data and conformance conditions.

1.1.1 *Intent.* This standard is intended for the guidance of the industry, including manufacturers, engineers, installers, contractors and users. The values reported using this standard allow comparison of energy consumption within each of the following product categories: Remote Commercial Refrigerated Display Merchandisers, Remote Commercial Refrigerated Storage Cabinets, Self-contained Commercial Refrigerated Display Merchandisers and Self-contained Commercial Refrigerated Storage Cabinets.

1.1.2 *Review and Amendment.* This standard is subject to review and amendment as technology advances.

Section 2. Scope

2.1 *Scope.* This standard applies to the following manufacturers' standard catalog Commercial Refrigerated Display Merchandisers and Storage Cabinets, provided that the cases are equipped and designed to work with electrically driven, direct expansion type systems:

- 2.1.1** Self-contained and Remote Commercial Refrigerated Display Merchandisers and Storage Cabinets
- 2.1.2** Open and Closed Commercial Refrigerated Display Merchandisers

2.2 *Exclusions.* This standard does not apply to the following:

- 2.2.1** Refrigerated vending machines
- 2.2.2** Ice makers
- 2.2.3** Soft serve extruders
- 2.2.4** Secondary coolant applications

Section 3. Definitions

All terms in this document will follow the standard industry definitions in the ASHRAE Wikipedia website (<http://wiki.ashrae.org/index.php/ASHRAEwiki>) unless otherwise defined in this section.

3.1 *Anti-condensate Energy Consumption (AEC).* The Total Daily Energy Consumption used in condensate removal on the outside of the Commercial Refrigerated Display Merchandiser or Storage Cabinet, which typically includes fan and condensate heater energy expressed in kW·h per day.

3.2 *Calculated Daily Energy Consumption (CDEC).* This is a value for Remote Commercial Refrigerated Display Merchandisers or Storage Cabinets based upon the requirements of this standard expressed in kW·h per day.

3.3 *Commercial Refrigerated Display Merchandiser.* A cabinet cooled by a refrigerating system for displaying chilled and/or frozen food to be maintained within prescribed temperature limits.

3.3.1 *Closed Commercial Refrigerated Display Merchandiser.* A refrigerated display merchandiser where food is accessible for removal by opening or moving doors or panels.