

ANSI/ASA S12.9-2013/Part 3

---

---

---

AMERICAN NATIONAL STANDARD

**Quantities and Procedures for Description and  
Measurement of Environmental Sound – Part 3: Short-term  
Measurements with an Observer Present**

---

---

---

ANSI/ASA S12.9-2013/Part 3

Accredited Standards Committee S12, Noise

---

Standards Secretariat  
Acoustical Society of America  
35 Pinelawn Road, Suite 114 E  
Melville, NY 11747-3177

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



**ANSI/ASA S12.9-2013/Part 3**  
(Revision of ANSI S12.9-1993/Part 3)

**AMERICAN NATIONAL STANDARD**

**Quantities and Procedures for Description and  
Measurement of Environmental Sound — Part 3:  
Short-term Measurements with an Observer Present**

**Secretariat:**

**Acoustical Society of America**

**Approved on January 15, 2013 by:**

**American National Standards Institute, Inc.**

**Abstract**

This standard is the third in a series of parts concerning description and measurement of outdoor environmental sound. The standard describes recommended procedures for measurement of short-term, time-average environmental sound outdoors at one or more locations in a community for environmental assessment or planning for compatible land uses and for other purposes such as demonstrating compliance with a regulation. These measurements are distinguished by the requirement to have an observer present. Sound may be produced by one or more separate, distributed sources of sound such as a highway, factory, or airport. Methods are given to correct the measured levels for the influence of background sound.

## AMERICAN NATIONAL STANDARDS ON NOISE

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).


These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the Accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America  
ASA Secretariat  
35 Pinelawn Road, Suite 114E  
Melville, New York 11747-3177  
Telephone: 1 (631) 390-0215  
Fax: 1 (631) 390-0217  
E-mail: [asastds@aip.org](mailto:asastds@aip.org)

© 2013 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

## Contents

1	Scope .....	1
2	Normative references.....	1
3	Terms and definitions.....	2
4	Instrumentation .....	4
4.1	Sound measuring instrument.....	4
4.2	Acoustical calibrator.....	4
4.3	Spectrum analyzer.....	4
4.4	Recording equipment .....	4
4.5	Windscreen.....	4
4.6	Meteorological equipment .....	5
5	General data collection concepts.....	5
5.1	Introduction .....	5
5.2	Background sound.....	5
5.3	General data collection methods for measurement of the LEQ of a source corrected for the continuous LEQ of the background and for transient background sound .....	6
6	Source(s) data collection .....	6
6.1	Site selection .....	6
6.2	Instrument setup .....	7
6.3	Measurement site operation and checking instrument sensitivity .....	7
6.4	Initial data collection .....	8
6.5	Simplified procedure 1 for the accelerated measurement of equivalent-continuous sound pressure level.....	8
6.6	Simplified procedure 2 for the accelerated measurement of equivalent-continuous sound pressure level.....	10
6.7	Basic procedure for measurement of equivalent-continuous sound pressure level.....	11
6.8	Minimum data collection requirements for basic measurement data collection .....	13
6.9	Correction for continuous background sound.....	14
7	Determining the background sound.....	15
7.1	Introduction .....	15
7.2	Background sound measurement method .....	15
7.3	Background sound measurement alternatives for sources that can be turned off .....	15
7.4	Background sound measurement alternatives for sources that cannot be turned off.....	17
8	Data to be reported .....	18
8.1	Source data .....	18
8.2	Background sound.....	19
8.3	General site and procedural information .....	20
	<b>Annex A</b> (informative) Source and receiver sound .....	21
	<b>Annex B</b> (informative) Determination of the presence of prominent discrete tones .....	22
	B.1 Test for the presence of a prominent discrete tone.....	22
	B.2 Determination of the presence of a prominent discrete tone .....	22

<b>Annex C</b> (informative) Table look-up method to determine the continuous background sound level.....	24
Bibliography .....	30

## Figures

Figure 1 - Lengths and distances related to large, distributed sources .....	19
--	----

## Tables

Table 1 — Corrections to measured equivalent-continuous sound pressure levels for contributions of continuous background sound .....	15
Table C.1 — A-weighted day, night, and day-night average sound levels in decibels and corresponding approximate population densities as indicated.....	25
Table C.2 — Offsets to be added to A-weighted background sound pressure levels to calculate octave band and one-third octave band background sound pressure levels <sup>a</sup> .....	26
Table C.3 — Daytime equivalent-continuous background sound pressure levels by land use categories and octave band sound pressure level or for standard A- and C-frequency weightings <sup>a</sup> .....	27
Table C.4 — Nighttime equivalent-continuous background sound pressure levels by land use categories and octave band sound pressure level or for standard A- and C-frequency weightings <sup>a</sup> .....	27
Table C.5 — Daytime equivalent-continuous background sound pressure levels by land use categories and one-third octave band sound pressure levels <sup>a</sup> .....	28
Table C.6 — Nighttime equivalent-continuous background one-third-octave-band sound pressure levels by land use categories.....	29

## FOREWORD

*[This Foreword is for information only and is not a part of the American National Standard ANSI/ASA S12.9-2013/Part 3 American National Standard Quantities and Procedures for Description and Measurement of Environmental Sound – Part 3: Short-term Measurements with an Observer Present. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the standard.]*

This standard comprises a part of a group of definitions, standards, and specifications for use in noise. It was developed and approved by Accredited Standards Committee S12, Noise, under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S12 is as follows:

*Standards, specifications, and terminology in the field of acoustical noise pertaining to methods of measurement, evaluation, and control, including biological safety, tolerance, and comfort, and physical acoustics as related to environmental and occupational noise.*

This standard is a technical revision of ANSI/ASA S12.9-1993/Part 3. The applications of this Standard have been clarified, the microphone position and correction for nearby reflecting surfaces has been expanded, and the equation for day-night sound level as a function of population density in the United States has been corrected. The prediction in the previous edition was 3 dB too high, and all associated tables have been adjusted down by 3 dB.

This standard is the third in a series of six parts concerning description and measurement of outdoor environmental sound. This Part describes recommended procedures for measurement of short-term, average environmental sound pressure levels outdoors in a community with an observer present. Part 1 deals largely with definitions for standard quantities. Part 2 addresses measurement of long-term, wide-area sound. Part 4 deals with noise assessment and noise assessment metrics. Part 5 deals with noise-zone compatible land use planning. Part 6 deals with the probability of awakening by a set of discrete noise events; typically, the set encompasses the whole nights (e.g., all the nighttime operations at a busy commercial airport).

The subject matter in ANSI/ASA S12.9-2013/Part 3 is not considered in corresponding ISO documents.

At the time this Standard was submitted to Accredited Standards Committee S12, Noise, for approval, the membership was as follows:

W.J. Murphy, *Chair*  
R.D. Hellweg, *Vice-Chair*

S.B. Blaeser, *Secretary*

**3M Occupational Health & Environmental Safety Division** ..... E.H. Berger  
**Acoustical Society of America** ..... R.D. Hellweg  
..... D. Lubman (Alt.)  
**Air-Conditioning, Heating and Refrigeration Institute** ..... S.J. Lind  
..... D. Abbate (Alt.)  
**Air Movement & Control Association, Inc.** ..... J.A. Brooks  
..... M. Stevens (Alt.)

<b>American Academy of Audiology</b> .....	D. Ostergren S. Gordon-Salant (Alt.)
<b>American Academy of Otolaryngology - Head and Neck Surgery</b> .....	R.A. Dobie L.A. Michael (Alt.)
<b>American Industrial Hygiene Association</b> .....	D. Driscoll S.N. Hacker (Alt.)
<b>American Speech-Language-Hearing Association</b> .....	L.A. Wilber V. Gladstone (Alt.)
<b>Caterpillar, Inc.</b> .....	K.G. Meitl
<b>Compressed Air and Gas Institute</b> .....	R.C. Johnson D.R. Bookshar (Alt.)
<b>Council for Accreditation in Occupational Hearing Conservation</b> .....	VACANT L.D. Hager (Alt.)
<b>Emerson Electric – Copeland Corporation</b> .....	A.T. Herfat G. Williamson (Alt.)
<b>ETS – Lindgren Acoustic Systems</b> .....	D. Winker M. Black (Alt.)
<b>ExxonMobil</b> .....	B. Moulton
<b>G.R.A.S. Sound &amp; Vibration</b> .....	J. Soendergaard B. Schustrich (Alt.)
<b>GE Aviation</b> .....	R. Majjigi R. Babbitt (Alt.)
<b>General Motors</b> .....	D.B. Moore
<b>Harley-Davidson Motor Company</b> .....	D. Jaeger
<b>Information Technology Industry Council</b> .....	W.M. Beltman J. Rosenberg (Alt.)
<b>Institute of Noise Control Engineering</b> .....	R.J. Peppin B. Tinianov (Alt.)
<b>International Safety Equipment Association</b> .....	J. Birkner C.Z. Fargo (Alt.)
<b>John Deere</b> .....	K.B. Washburn K. Cone (Alt.)
<b>National Council of Acoustical Consultants</b> .....	J. Erdreich G.E. Winzer (Alt.)
<b>National Hearing Conservation Association</b> .....	J. Cissna
<b>National Institute for Occupational Safety and Health</b> .....	W.J. Murphy E. Zechmann (Alt.)
<b>National Institute of Standards and Technology – National Voluntary Laboratory Accreditation Program</b> .....	B.A. Sandoval



<b>National Park Service</b> .....	G.R. Stanley
.....	K. Frstrup (Alt.)
<b>Noise Control Engineering, Inc.</b> .....	M.A. Bahtiarian
.....	R. Fischer (Alt.)
<b>Noise Pollution Clearinghouse</b> .....	L. Blomberg
<b>PCB Group</b> .....	K. Cox
.....	L. Harbaugh (Alt.)
<b>Power Tool Institute, Inc.</b> .....	W.D. Spencer
.....	M. Hickok (Alt.)
<b>Schomer and Associates, Inc.</b> .....	P.D. Schomer
<b>Sierra Club – National Parks and Monuments Committee</b> .....	D.J. Hingson
<b>Sperian Hearing Protection, LLC</b> .....	R. Ghent
.....	B. Witt (Alt.)
<b>U.S. Air Force</b> .....	R.L. McKinley
.....	H. Gallagher (Alt.)
<b>U.S. Army Aeromedical Research Lab</b> .....	W.A. Ahroon
<b>U.S. Army Construction Engineering Research Laboratory</b> .....	M.J. White
.....	M. Swearingen (Alt.)
<b>U.S. Army Public Health Command</b> .....	C. Stewart
.....	M. Grantham (Alt.)
<b>U.S. Army Research Laboratory, Human Research and Engineering Directorate</b> .....	J. Gaston
.....	M.S. Binseel (Alt.)
<b>U.S. Department of Transportation</b> .....	A. Konheim
<b>U.S. Naval Surface Warfare Center - Carderock</b> .....	M. Craun
<b>Université du Québec ETS</b> .....	J. Voix
.....	F. Laville (Alt.)

Individual Experts of Accredited Standards Committee S12, Noise, were:

P.K. Baade	R.D. Hellweg	R.J. Peppin
E.H. Berger	W.W. Lang	J. Schmitt
B.M. Brooks	D. Lubman	P.D. Schomer
A.J. Campanella	D. Michaud	L.C. Sutherland
K.M. Eldred	N.P. Miller	W.R. Thornton
L.S. Finegold	W.J. Murphy	L.A. Wilber
R.D. Godfrey	M.A. Nobile	G.E. Winzer

Working Group S12/WG 15, Measurement and Evaluation of Outdoor Community Noise, which assisted Accredited Standards Committee S12, Noise, in the preparation of this Standard, had the following membership:

P.D. Schomer, *Chair*

L. Blomberg	L.S. Finegold	G.A. Luz
A. Bontomase	L. Goodfriend	D. Michaud
B.M. Brooks	R.D. Hellweg	N. Miller
G.A. Daigle	G. Hessler	E. Nykaza
K.M. Eldred	R. Horonjeff	L. Pater
D. Fenneman	A.G. Konheim	K.S. Pearsons
S. Fidell	S. Lind	E. Ryherd

Suggestions for improvements of this standard will be welcomed. They should be sent to Accredited Standards Committee S12, Noise, in care of the Standards Secretariat of the Acoustical Society of America, 35 Pinelawn Road, Suite 114E, Melville, New York 11747-3177. Telephone: 631-390-0215; FAX: 631-390-0217; E-mail: [asastds@aip.org](mailto:asastds@aip.org).

## INTRODUCTION

This standard is the third part of a series related to quantities and procedures for description and measurement of environmental sound. Part 1 lists definitions for basic quantities that can be used separately or in combination to describe community sound and basic procedures for measurement of these quantities. Part 2 provides procedures for measurement of long-term, wide-area time-average descriptors such as day-night sound exposure and yearly day-night average sound level; Part 2 also establishes spatial and temporal sampling requirements so as to measure these time-average sound levels with a specified degree of precision and confidence. Long-term wide-area measurements take days or weeks or months to accomplish with the desired degree of accuracy and confidence. Normally, long-term sound level measurements are not made by an operator at a measurement site; they are measured by unattended instruments.

This standard, Part 3, deals with basic measurements of sound with an observer present. Typically, the duration of these measurements ranges from several minutes to several hours. The purpose of this part is to provide the method(s) to measure the sound of a specific source at a specified location, such as the noise from a specific power plant in some specified person's backyard. The method is to measure the total sound and then to subtract the background, which is all sound at the location in question except for the sound from the specific source in question.

**NOTE** As an example, one hour (1 h) is used as the basic measurement duration in Part 3. One hour is not a measurement duration required by this standard; it is only an example of a basic measurement duration, though a common one.

This is a preview of "ANSI/ASA S12.9-2013/...". [Click here to purchase the full version from the ANSI store.](#)

## American National Standard

# Quantities and Procedures for Description and Measurement of Environmental Sound — Part 3: Short-term Measurements with an Observer Present

## 1 Scope

The scope of this standard includes the measurement, with an observer present, of quantities such as equivalent-continuous sound pressure level or sound exposure from a specific source or sources at a specified location. These measurements require several minutes to several hours to perform; they take less than one day to perform. Measurements may be obtained with a standard frequency weighting, may be frequency filtered in a defined manner, or may be frequency filtered by octave band or fractional octave band filters. This standard specifies procedures to effectively eliminate, to the extent possible, the contributions of extraneous background sound from the source-specific measurements. Measurement procedures in this standard require the presence of an instrument operator and are not applicable to measurements by unattended instruments. This standard does not define specific measures or limits for environmental sounds or recommend measurement locations or durations.

The purposes of this standard are to (a) specify procedures for measurement of environmental sound from a specific source or sources at a specified location, and (b) to specify procedures to effectively eliminate the contributions of extraneous background sounds from the source-specific measurements. Sound pressure levels are measured with an observer present to record the data described in this part.

This standard is applicable to the measurement of quantities such as equivalent-continuous sound pressure level or sound exposure level from a specific source or sources with an observer present. Major applications of this Standard include:

1. Assessment of environmental sound
2. Measurement of source emissions as equivalent-continuous sound pressure level (LEQ), or as sound exposure level (SEL)
3. Measurement of received sound as LEQ
4. Correction of LEQ measurements for the background sound

**NOTE** Source emissions typically are measured only when the direct measurement of the received sound is not practical or when the source is not yet in operation. In either case, the received sound must be predicted using the measured source emissions. Annex A contains an informative discussion regarding source emissions and received sound, and clause 7.4 discusses, in general terms, moving closer to the source when the source cannot be turned off, and, as a result of not being able to be turned off, correction for the background is problematic.

## 2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ANSI S1.4-1983 (R 2006) *American National Standard Specification for Sound Level Meters*; and Amendment No. 1 in ANSI S1.4A-1985