

ANSI/ASA S2.81-2019/Part 11/ ISO 21940-11:2016

AMERICAN NATIONAL STANDARD

Mechanical vibration — Rotor balancing — Part 11: Procedures and tolerances for rotors with rigid behaviour (a nationally adopted international standard)

ANSI/ASA S2.81-2019/Part 11/ ISO 21940-11:2016

Accredited Standards Committee S2, Mechanical Vibration and Shock

Standards Secretariat
Acoustical Society of America
1305 Walt Whitman Road
Melville, NY 11747

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



ANSI/ASA S2.81-2019/Part 11/ ISO 21940-11:2016

AMERICAN NATIONAL STANDARD

Mechanical vibration — Rotor balancing — Part 11: Procedures and tolerances for rotors with rigid behaviour (a nationally adopted international standard)

Secretariat:

Acoustical Society of America

Approved September 24, 2019 by:

American National Standards Institute, Inc.

Abstract

This nationally adopted international standard establishes procedures and unbalance tolerances for balancing rotors with rigid behaviour. It specifies a) the magnitude of the permissible residual unbalance, b) the necessary number of correction planes, c) the allocation of the permissible residual unbalance to the tolerance planes, and d) how to account for errors in the balancing process. This document does not cover the balancing of rotors with flexible behaviour. Procedures and tolerances for rotors with flexible behaviour are dealt with in ANSI/ASA S2.81/Part 12/ISO 21940-12.

AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America through the American Institute of Physics as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).

These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America
Standards Secretariat
1305 Walt Whitman Road, Suite 300
Melville, New York 11747
Telephone: 1 (631) 390-0215
Fax: 1 (631) 923-2875
E-mail: asastds@acousticalsociety.org

© 2019 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

These materials are subject to copyright claims of ISO and ASA. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ASA. All requests pertaining to this standard should be submitted to ASA.

Contents

1	Scope.....	1
2	Normative references	1
3	Terms and definitions.....	1
4	Pertinent aspects of balancing	1
4.1	General	1
4.2	Representation of the unbalance.....	2
4.3	Unbalance effects	2
4.4	Reference planes for unbalance tolerances	2
4.5	Correction planes.....	4
4.6	Permissible residual unbalance.....	5
5	Similarity considerations	5
5.1	General	5
5.2	Permissible residual unbalance and rotor mass.....	5
5.3	Permissible residual specific unbalance and service speed.....	6
6	Specification of unbalance tolerances.....	6
6.1	General	6
6.2	Derivation of the unbalance tolerances.....	6
6.3	Balance quality grade G.....	7
6.4	Experimental evaluation.....	10
6.5	Unbalance tolerances based on bearing forces or vibrations	10
6.6	Methods based on established experience.....	11
7	Allocation of permissible residual unbalance to tolerance planes.....	11
7.1	Single plane	11
7.2	Two planes.....	11
8	Allocation of unbalance tolerances to correction planes	13
8.1	General	13
8.2	Single plane	14
8.3	Two planes.....	14
9	Assembled rotors.....	14
9.1	General	14
9.2	Balanced as a unit	14
9.3	Balanced on component level.....	14

10	Accounting for errors in the verification of permissible residual unbalances.....	15
10.1	General	15
10.2	Unbalance tolerance	15
10.3	Combined error of unbalance measurements	15
10.4	Verification of the permissible residual unbalance	16
Annex A (informative)	Example of the specification of permissible residual unbalance based on balance quality grade G and allocation to the tolerance planes.....	17
A.1	Rotor data.....	17
A.2	Specification of U_{per} based on Formula (6).....	18
A.3	Specification of U_{per} based on Figure 2.....	18
A.4	Allocation to tolerance planes (bearing planes)	20
A.5	Check on limitations in accordance with 7.2.2 for inboard rotors.....	20
A.6	Result	20
Annex B (informative)	Specification of unbalance tolerances based on bearing force limits.....	21
B.1	General	21
B.2	Example.....	21
Annex C (informative)	Specification of unbalance tolerances based on established experience	23
C.1	General	23
C.2	Similar rotors.....	23
C.3	Dissimilar rotors	24
Annex D (informative)	Rules for allocating unbalance tolerances from tolerance planes to correction planes	25
D.1	General	25
D.2	Correction planes in-between tolerance planes	25
D.3	Correction planes outside tolerance planes	26
D.4	More complex geometry	27
Bibliography	28

Tables

Table 1 — Guidance for balance quality grades for rotors with rigid behaviour	8
---	---

Figures

Figure 1 — Different representations of the same unbalance of a rotor with rigid behaviour	3
Figure 2 — Permissible residual specific unbalance based on balance quality grade G and service speed, n , (see 6.3).....	9

Figure 3 — Inboard rotor with centre of mass in an asymmetric position.....	12
Figure 4 — Outboard rotor with centre of mass in an overhung position	13
Figure A.1 — Rotor dimensions	17
Figure A.2 — Example of determination of e_{per} using Figure 2	19
Figure D.1 — Allocation to correction planes in-between tolerance planes	25
Figure D.2 — Allocation to correction planes outside tolerance planes	26

Foreword

[This Foreword is for information only and is not a part of the American National Standard ANSI/ASA S2.81-2019/ Part 11/ISO 21940-11:2016 American National Standard Mechanical vibration – Rotor balancing – Part 11: Procedures and tolerances for rotors with rigid behaviour(a nationally adopted international standard). As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the standard.]

This standard comprises a part of a group of definitions, standards, and specifications for use in mechanical vibration and shock. It was developed and approved by Accredited Standards Committee S2 Mechanical Vibration and Shock under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S2 is as follows:

Standards, specification, methods of measurement and test, and terminology in the field of mechanical vibration and shock, and condition monitoring and diagnostics of machines, including the effects of exposure to mechanical vibration and shock on humans, including those aspects which pertain to biological safety, tolerance and comfort.

This standard is an identical national adoption of ISO 21940-11:2016 Mechanical vibration — Rotor balancing —Part 11: Procedures and tolerances for rotors with rigid behaviour, which was prepared by ISO/TC 108/SC 2.

The ANSI/ASA equivalents to ISO/IEC standards referenced herein are given below:

- ANSI/ASA S2.81/Part 2/ISO 21940-2 is an identical national adoption of ISO 21940-2.
- ANSI/ASA S2.81/Part 12/ISO 21940-12 is an identical national adoption of ISO 21940-12.
- ANSI/ASA S2.81/Part 14/ISO 21940-14 is an identical national adoption of ISO 21940-14.

At the time this Standard was submitted to Accredited Standards Committee S2, Mechanical Vibration and Shock for approval, the membership was as follows:

James T. Nelson, *Chair*
Richard J. Peppin, *Vice-Chair*

Nancy Blair-DeLeon, *Secretary*

Acoustical Society of America James T. Nelson
..... Richard J. Peppin (Alt.)

Association of American Railroads George Page
..... Jeffrey Moller (Alt.)

Calnetix Larry A. Hawkins
..... Rasish Khatri (Alt.)

Caterpillar, Inc. Daniel G. Roley
..... Charles Crowell (Alt.)

Eckardt Johanning, MD, P.C. Eckardt Johanning

Emerson Electric – Copeland Corporation	Ali T. Herfat
FLIR Systems	Ronald Lucier
Logan Mullinix Consulting	Logan Mullinix
Mechanical Solutions, Inc.	William D. Marscher Maki Onari (Alt.)
National Institute for Occupational Safety and Health (NIOSH)	Renguang Dong Thomas W. McDowell (Alt.)
National Institute of Standards & Technology	Michael Gaitan
Northern Illinois University	Donald Peterson
PCB Group	Nicholas Fulciniti Chad M. Walber (Alt.)
Power Tool Institute, Inc.	William D. Spencer Mark Hickok (Alt.)
Siemens Power Generation, Inc.	Max L'vov
UE Systems, Inc.	Mark Goodman
U.S. Air Force	Suzanne D. Smith
U.S. Army Public Health Command	Steven Chervak Jay Clasing (Alt.)
U.S. Naval Surface Warfare Center – Carderock	Jason Smoker Diedre Gilmer (Alt.)
University of Washington	Peter Johnson
VibeTech, Inc.	Jeff Leismer
Vibration Institute	Ronald L. Eshleman Brian Biby (Alt.)
Z-R Consulting	Zlatan Racic Marin Racic (Alt.)

Individual Experts of Accredited Standards Committee S2, Mechanical Vibration and Shock, were:

Anthony Brammer
George Johnson
Robert Koch

Richard J. Peppin
Donald Wasserman

Working Group S2/WG 10, Operational Monitoring and Condition Evaluation, which assisted Accredited Standards Committee S2, Mechanical Vibration and Shock, in the development of this standard, had the following membership.

Max L'vov, Chair

David P. Butchy
Art J. Cautilli
Eric J. Lambert

Mark T. McGown
John Niemkiewicz
Rajagopal Subbiah

Thomas Turek
John J. Weil
Marion Williams

Suggestions for improvements to this standard will be welcomed. They should be sent to Accredited Standards Committee S2, Mechanical Vibration and Shock, in care of the Standards Secretariat of the Acoustical Society of America, 1305 Walt Whitman Road, Suite 300, Melville, New York 11747. Telephone: 631-390-0215; FAX: 631-923-2875; E-mail: asastds@acousticalsociety.org.

Introduction

Rotor balancing is a procedure by which the mass distribution of a rotor (or part or module) is checked and, if necessary, adjusted to ensure the unbalance tolerance is met. This document covers the balancing of rotors with rigid behaviour. A rotor is said to be rigid when the flexure of the rotor caused by its unbalance distribution can be neglected with respect to the agreed unbalance tolerance at any speed up to the maximum service speed. For these rotors, the resultant unbalance, and often moment unbalance, are of interest, which when combined are expressed as a dynamic unbalance of the rotor.

The balancing machines available today enable residual unbalances to be reduced to very low limits. Therefore, it is necessary to specify an unbalance quality requirement for a balancing task, as in most cases it would not be cost-effective to reduce the unbalance to the limits of the balancing machine.

In addition to specifying an unbalance tolerance, it is necessary to consider the errors introduced by the balancing process. This document takes into account the influence of these errors to distinguish clearly between the specified permissible residual unbalance and the reduced residual unbalance values to be achieved during the balancing process.

This is a preview of "ANSI/ASA S2.81-2019/...". [Click here to purchase the full version from the ANSI store.](#)

Draft American National Standard

Mechanical vibration — Rotor balancing — Part 11: Procedures and tolerances for rotors with rigid behaviour

1 Scope

This document establishes procedures and unbalance tolerances for balancing rotors with rigid behaviour. It specifies

- a) the magnitude of the permissible residual unbalance,
- b) the necessary number of correction planes,
- c) the allocation of the permissible residual unbalance to the tolerance planes, and
- d) how to account for errors in the balancing process.

NOTE In ISO 21940-14, the assessment of balancing errors is considered in detail. Fundamentals of rotor balancing are contained in ISO 19499 which gives an introduction to balancing.

This document does not cover the balancing of rotors with flexible behaviour. Procedures and tolerances for rotors with flexible behaviour are dealt with in ISO 21940-12.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 21940-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Pertinent aspects of balancing

4.1 General

Rotor balancing is a procedure by which the mass distribution of a rotor is examined and, if necessary, adjusted to ensure that the residual unbalance or vibration in service is within specified limits. It should be noted that the vibration in service can originate from sources other than unbalance.