

ANSI/ASA S2.81-2019/Part 14/ ISO 21940-14:2012

---

---

---

## AMERICAN NATIONAL STANDARD

### **Mechanical vibration — Rotor balancing — Part 14: Procedures for assessing balance errors (a nationally adopted international standard)**

---

---

---

ANSI/ASA S2.81-2019/Part 14/ ISO 21940-14:2012

Accredited Standards Committee S2, Mechanical Vibration and Shock

---

Standards Secretariat  
Acoustical Society of America  
1305 Walt Whitman Road  
Melville, NY 11747

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



**ANSI/ASA S2.81-2019/Part 14/ ISO 21940-14:2012**

**AMERICAN NATIONAL STANDARD**

**Mechanical vibration — Rotor balancing — Part 14: Procedures for assessing  
balance errors (a nationally adopted international standard)**

**Secretariat:**

**Acoustical Society of America**

**Approved September 24, 2019 by:**

**American National Standards Institute, Inc.**

**Abstract**

This nationally adopted international standard specifies the requirements for identifying errors in the unbalance measuring process of a rotor; assessing the identified errors; taking the errors into account. Specifies balance acceptance criteria, in terms of residual unbalance, for both directly after balancing and for a subsequent check of the balance quality by the user. For the main typical errors, this document lists methods for their reduction in an informative annex.

## AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America through the American Institute of Physics as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).

These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America  
Standards Secretariat  
1305 Walt Whitman Road, Suite 300  
Melville, New York 11747  
Telephone: 1 (631) 390-0215  
Fax: 1 (631) 923-2875  
E-mail: [asastds@acousticalsociety.org](mailto:asastds@acousticalsociety.org)

© 2019 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

These materials are subject to copyright claims of ISO and ASA. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ASA. All requests pertaining to this standard should be submitted to ASA.

## Contents

1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Balance error sources .....	2
4.1	General .....	2
4.2	Systematic errors .....	2
4.3	Randomly variable errors .....	3
4.4	Scalar errors .....	3
5	Error assessment .....	3
5.1	General .....	3
5.2	Errors caused by balancing equipment and instrumentation .....	4
5.3	Balance errors caused by component radial and axial runout .....	4
5.4	Assessment of balancing operation errors .....	5
5.5	Experimental assessment of randomly variable errors .....	6
5.6	Experimental assessment of systematic errors .....	7
6	Combined error evaluation .....	8
7	Acceptance criteria .....	8
	Annex A (informative) Error examples, their identification and evaluation .....	10
A.1	Errors originating from auxiliary equipment .....	10
A.2	Errors originating from the workpiece .....	11

## Tables

Table A.1	— Error examples and methods for their assessment and reduction .....	14
-----------	---	----

## Figures

Figure 1	— Coordinates of the rotor shaft and component axes, showing a component inclined to the rotor shaft axis .....	5
Figure 2	— Plot of measured vectors of residual unbalance or vibration (randomly variable errors) .....	6
Figure 3	— Plot of mean vectors of residual unbalance or vibration and systematic error .....	7

Figure A.1 — Workpiece located on mandrel.....	11
Figure A.2 — Workpiece located on its own journals.....	12
Figure A.3 — One journal on mandrel and one on workpiece.....	12

## Foreword

[*This Foreword is for information only and is not a part of the American National Standard ASA/ASA S2.81-2019/ Part 14/ISO 21940-14:2012 American National Standard Mechanical vibration – Rotor balancing – Part 14: Procedures for assessing balance errors (a nationally adopted international standard). As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the standard.*]

This standard comprises a part of a group of definitions, standards, and specifications for use in mechanical vibration and shock. It was developed and approved by Accredited Standards Committee S2 Mechanical Vibration and Shock under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S2 is as follows:

*Standards, specification, methods of measurement and test, and terminology in the field of mechanical vibration and shock, and condition monitoring and diagnostics of machines, including the effects of exposure to mechanical vibration and shock on humans, including those aspects which pertain to biological safety, tolerance and comfort.*

This standard is an identical national adoption of ISO 21940-14:2012 Mechanical vibration — Rotor balancing —Part 14: Procedures for assessing balance errors, which was prepared by ISO/TC 108/SC 2.

The ANSI/ASA equivalents to ISO/IEC standards referenced herein are given below:

- ANSI/ASA S2.81/Part 2/ISO 20816-2 is an identical national adoption of ISO 20816-2.
- ANSI/ASA S2.81/Part 11/ISO 21940-11 is an identical national adoption of ISO 21940-11.
- ANSI/ASA S2.81/Part 12/ISO 21940-12 is an identical national adoption of ISO 21940-12.

At the time this Standard was submitted to Accredited Standards Committee S2, Mechanical Vibration and Shock for approval, the membership was as follows:

James T. Nelson, *Chair*  
Richard J. Peppin, *Vice-Chair*

Nancy A. Blair-DeLeon, *Secretary*

<b>Acoustical Society of America</b> .....	James T. Nelson
.....	Richard J. Peppin (Alt.)
<b>Association of American Railroads</b> .....	George Page
.....	Jeffrey Moller (Alt.)
<b>Calnetix</b> .....	Larry A. Hawkins
.....	Rasish Khatri (Alt.)
<b>Caterpillar, Inc.</b> .....	Daniel G. Roley
.....	Charles Crowell (Alt.)
<b>Eckardt Johanning, MD, P.C.</b> .....	Eckardt Johanning
<b>Emerson Electric – Copeland Corporation</b> .....	Ali T. Herfat

<b>FLIR Systems</b> .....	Ronald Lucier
<b>Logan Mullinix Consulting</b> .....	Logan Mullinix
<b>Mechanical Solutions, Inc.</b> .....	William D. Marscher ..... Maki Onari (Alt.)
<b>National Institute for Occupational Safety and Health (NIOSH)</b> .....	Renguang Dong ..... Thomas W. McDowell (Alt.)
<b>National Institute of Standards &amp; Technology</b> .....	Michael Gaitan
<b>Northern Illinois University</b> .....	Donald Peterson
<b>PCB Group</b> .....	Nicholas Fulciniti ..... Chad M. Walber (Alt.)
<b>Power Tool Institute, Inc.</b> .....	William D. Spencer ..... Mark Hickok (Alt.)
<b>Siemens Power Generation, Inc.</b> .....	Max L'vov
<b>UE Systems, Inc.</b> .....	Mark Goodman
<b>U.S. Air Force</b> .....	Suzanne D. Smith
<b>U.S. Army Public Health Command</b> .....	Steven Chervak ..... Jay Clasing (Alt.)
<b>U.S. Naval Surface Warfare Center – Carderock</b> .....	Jason Smoker ..... Diedre Gilmer (Alt.)
<b>University of Washington</b> .....	Peter Johnson
<b>VibeTech, Inc.</b> .....	Jeff Leismer
<b>Vibration Institute</b> .....	Ronald L. Eshleman ..... Brian Biby (Alt.)
<b>Z-R Consulting</b> .....	Zlatan Racic ..... Marin Racic (Alt.)

Individual Experts of Accredited Standards Committee S2, Mechanical Vibration and Shock, were:

Anthony Brammer  
George Johnson  
Robert Koch

Richard J. Peppin  
Donald Wasserman



Working Group S2/WG 10, Operational Monitoring and Condition Evaluation, which assisted Accredited Standards Committee S2, Mechanical Vibration and Shock, in the development of this standard, had the following membership.

Max L'vov, Chair

David P. Butchy  
Art J. Cautilli  
Eric J. Lambert

Mark T. McGown  
John Niemkiewicz  
Rajagopal Subbiah

Thomas Turek  
John J. Weil  
Marion Williams

Suggestions for improvements to this standard will be welcomed. They should be sent to Accredited Standards Committee S2, Mechanical Vibration and Shock, in care of the Standards Secretariat of the Acoustical Society of America, 1305 Walt Whitman Road, Suite 300, Melville, New York 11747. Telephone: 631-390-0215; FAX: 631-923-2875; E-mail: [asastds@acousticalsociety.org](mailto:asastds@acousticalsociety.org).

## **Introduction**

The balance quality of a rotor is assessed in accordance with the requirements of ISO 1940-1 or ISO 11342 by measurements taken on the rotor. These measurements might contain errors which can originate from a number of sources. Where those errors are significant, they should be taken into account when defining the required balance quality of the rotor.

ISO 1940-1 and ISO 11342 do not consider in detail balance errors or, more importantly, the assessment of balance errors. Therefore this part of ISO 21940 gives examples of typical errors that can occur and provides recommended procedures for their evaluation.

## Draft American National Standard

# Mechanical vibration – Rotor balancing – Part 14: Procedures for assessing balance errors

## 1 Scope

This part of ISO 21940 specifies the requirements for the following:

- a) identifying errors in the unbalance measuring process of a rotor;
- b) assessing the identified errors;
- c) taking the errors into account.

This part of ISO 21940 specifies balance acceptance criteria, in terms of residual unbalance, for both directly after balancing and for a subsequent check of the balance quality by the user.

For the main typical errors, this part of ISO 21940 lists methods for their reduction in an informative annex.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1925, *Mechanical vibration — Balancing — Vocabulary*<sup>1</sup>

ISO 1940-1, *Mechanical vibration — Balance quality requirements for rotors in a constant (rigid) state — Part 1: Specification and verification of balance tolerances*<sup>2</sup>

ISO 11342, *Mechanical vibration — Methods and criteria for the mechanical balancing of flexible rotors*<sup>3</sup>

ISO 21940-21, *Mechanical vibration — Rotor balancing — Part 21: Description and evaluation of balancing machines*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1925 apply.

---

<sup>1</sup>To become ISO 21940-2 when revised.

<sup>2</sup>To become ISO 21940-11 when revised.

<sup>3</sup>To become ISO 21940-12 when revised.