

ANSI/ASA S3/SC1.6-2018

AMERICAN NATIONAL STANDARD

**Procedure for Determining Audiograms in Toothed Whales
through Evoked Potential Methods**

ANSI/ASA S3/SC1.6-2018

Accredited Standards Committee S3/SC 1, Animal Bioacoustics

Standards Secretariat
Acoustical Society of America
1305 Walt Whitman Road, Suite 300
Melville, NY 11747

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



ANSI/ASA S3/SC1.6-2018

AMERICAN NATIONAL STANDARD

Procedure for Determining Audiograms in Toothed Whales through Evoked Potential Methods

Secretariat:

Acoustical Society of America

Approved on May 31, 2018, by:

American National Standards Institute, Inc.

Abstract

This standard describes measurement procedures for obtaining audiograms in odontocete cetaceans (i.e., toothed whales) via evoked potential methods, specifically by generation of the auditory steady-state response (ASSR). Methods are specified for the use of sinusoidally amplitude-modulated (SAM) tones and trains of tone bursts. It further establishes standards for reporting data collection methods, analyses, and hearing thresholds.

AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).

These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the Accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America
ASA Secretariat
Melville, New York 11747
Telephone: 1 (631) 390-0215
Fax: 1 631-923-2875
E-mail: asastds@acousticalsociety.org

© 2018 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

Contents

1	Scope.....	1
2	Normative references.....	1
3	Terms and definitions.....	2
4	General equipment requirements.....	3
4.1	Evoked response waveform sampling.....	3
4.2	Evoked response amplification and filtering.....	3
4.3	Sound projection.....	3
5	Stimulus waveforms for threshold audiometry.....	4
5.1	Range of frequencies to be tested.....	4
5.2	Sinusoidally amplitude-modulated (SAM) tones.....	4
5.3	Multiple SAM tone stimulus.....	5
5.4	Tone-burst trains.....	6
6	Calibration of acoustic stimulus waveforms.....	6
6.1	Distance requirements.....	6
6.2	Calibration of acoustic stimuli.....	7
6.3	Frequency accuracy.....	7
6.4	Accuracy of sound pressure level.....	7
7	Method of estimating threshold.....	7
7.1	Objective response detection.....	7
7.2	Level of first presentation.....	7
7.3	Level of subsequent presentations.....	7
7.4	Threshold determination.....	8
8	Reporting of results.....	8
8.1	Audiogram form.....	8
8.2	Other information.....	8
9	Determination of the modulation rate transfer function (MRTF).....	8
10	Background noise.....	9
10.1	Acoustic noise.....	9
10.2	Residual electroencephalogram noise.....	9
11	Recommended testing arrangements.....	9
11.1	Electrodes.....	9

Annex A (informative) Recommended calibration distances and contact transducer placements for audiograms collected with a contact transducer.....	11
A.1 Introduction	11
Annex B (informative) Recommended amplitude modulation rates for select small odontocetes.....	12
B.1 Introduction	12
Annex C (informative) Methods of specifying the sound pressure level of acoustic transients	13
C.1 Introduction	13
C.2 Relation of SPL to peSPL in transients	13

Figures

Figure 1 – Example audiogram of a fictitious odontocete. Test stimuli are tone bursts (2-1-2) and the 3-dB frequency bandwidth of the test stimuli are shown in the horizontal error bars.....	8
--	---

Tables

Table A.1 – Recommended calibration distances and contact transducer placements for audiograms collected with a contact transducer. Note that in some species more than one attachment location appears reasonable for stimulus presentation. Calibration distances are not known for all species.	11
Table B.1 – Recommended amplitude modulation rates for various species of odontocete.....	12

Foreword

[This Foreword is for information only, and is not a part of the American National Standard ANSI/ASA S3/SC1.6-2018 American National Standard Procedure for Determining Audiograms in Toothed Whales through Evoked Potential Methods. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the standard.]

This standard comprises a part of a group of definitions, standards, and specifications for use in animal bioacoustics. It was developed and approved by Accredited Standards Committee S3/SC 1 Animal Bioacoustics, under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S3/SC 1 is as follows:

Standards, specifications, methods of measurement and test, instrumentation, and terminology in the field of psychological and physiological acoustics, including aspects of general acoustics which pertain to biological safety, tolerance, and comfort of non-human animals, including both risk to individual animals and to the long-term viability of populations. Animals to be covered may potentially include commercially grown food animals; animals harvested for food in the wild; pets; laboratory animals; exotic species in zoos, oceanaria or aquariums; or free-ranging wild animals.

This standard is not comparable to any existing ISO Standard.

At the time this Standard was submitted to Accredited Standards Committee S3/SC 1, Animal Bioacoustics, for approval the membership was as follows:

D.S. Houser, *Chair*
K. Fristrup, *Vice-Chair*

N. Stremmel, *Secretary*

Acoustical Society of America	A.M. Thode
.....	P.D. Schomer (Alt.)
G.R.A.S. Sound & Vibration	R. O'Neil
International Association of Geophysical Contractors	R. Gisiner
.....	D. Van Liew (Alt.)
National Park Service	K. Fristrup
.....	M. McKenna (Alt.)
Ocean Conservation Research	M. Stocker
U.S. Army Aeromedical Research Laboratory	W.A. Ahroon
U.S. Army CERL	D.K. Delaney
.....	M.J. White (Alt.)
U.S. Navy Marine Mammal Program	J.J. Finneran
.....	D.S. Houser (Alt.)
University of Cincinnati Animal Audiology Clinic/Bioacoustics Lab	P.M. Scheifele
.....	D.K. Brown (Alt.)

Individual Experts of Accredited Standards Committee S3/SC 1, Animal Bioacoustics, were:

A.E. Bowles
D.K. Delaney

J.J. Finneran
K. Fristrup

D. Ketten

Working Group S3/SC 1/WG 6, Evoked Potential Testing of Toothed Whale Hearing, which assisted Accredited Standards Committee S3/SC 1, Animal Bioacoustics, in the development of this standard, had the following membership.

D.S. Houser, Chair

R.F. Burkard
J.J. Finneran
R.L. Gentry
R. Gisiner
J. Kassewitz

A. Kumar
K. Lucke
T.A. Mooney
J. Mulsow
P.E. Nachtigall

A. Pacini
T.K. Rowles
P. Scheifele
A. Scholik-Schlomer
A. Supin

Suggestions for improvements to this standard will be welcomed. They should be sent to Accredited Standards Committee S3/SC 1, Animal Bioacoustics, in care of the Standards Secretariat of the Acoustical Society of America, 1305 Walt Whitman Road, Suite 300, Melville, New York 11747. Telephone: 631-390-0215; FAX: 631-923-2875; E-mail: asastds@acousticalsociety.org.

Introduction

This standard establishes procedures for estimating frequency-specific hearing thresholds in odontocetes (toothed whales) through the use of auditory evoked potential (AEP) methods. The objective of the standard is to provide consistent guidelines for the collection of audiograms. The rapid proliferation of AEP hearing tests in odontocetes has been accompanied by varied ways of calibrating test stimuli and calculating hearing thresholds with resulting wide variances in threshold estimates across laboratories for the same species and frequencies tested. The variability has introduced confusion into stakeholder communities that utilize marine mammal hearing thresholds both in academic contexts, and to predict, mitigate, and regulate the potential impact of sound on marine mammals. This standard establishes consistent test methods and quantities to report so better comparability in odontocete AEP threshold estimates can be achieved.

The use of the auditory steady-state response (ASSR) is recommended for obtaining frequency-specific thresholds due to the high amplitude modulation rates that are available for odontocetes, its ease of analysis in the frequency domain, its common usage, and its amenability to objective statistical response detection methods.

This is a preview of "ANSI/ASA S3/SC1.6-20...". [Click here to purchase the full version from the ANSI store.](#)

American National Standard

Procedure for Determining Audiograms in Toothed Whales through Evoked Potential Methods

1 Scope

The use of AEPs to obtain audiograms from odontocetes (toothed whales) has become increasingly common. The use of sinusoidally amplitude-modulated (SAM) tones to elicit the ASSR is the most typical of the AEP approaches used in determining frequency-specific hearing thresholds in odontocetes. Trains of tone bursts provide an alternative means for eliciting the ASSR, and both approaches are amenable to objective analysis in the frequency domain. This standard establishes methods for the measurement of the ASSR generated by SAM tones and tone-burst trains in odontocetes, including instructions for appropriate stimulus waveforms and stimulus calibration. The standard further establishes configurations for electrode placement and stimulus delivery, and minimum requirements for reporting electrophysiological and acoustical noise.

Data collected according to this standard is to be used in the creation of audiograms for individually tested odontocetes. The data is anticipated for use in interspecies comparisons of hearing abilities and to improve the ability to predict and mitigate the potential impact of underwater sound on odontocetes. It is expected that users of the standard will include scientists interested in marine mammal hearing; users of the data collected according to the standard will include academia, regulators, and government and private agencies required to address the potential impact of human-caused sound on marine mammals. Data collected according to the standard will increase comparability of frequency-specific threshold estimates made by different individuals and laboratories under varying constraints on test conditions. This standard is limited to the determination of frequency-specific hearing thresholds in odontocetes via ASSR evoked potential audiometry; it does not preclude the use of different AEP techniques for studying other aspects of odontocete hearing. None of the procedures described in this standard can be used for monaural hearing tests; all methods described result in binaural stimulation to some degree.

2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ANSI/ASA S1.1-2013 *American National Standard Acoustical Terminology*

ANSI/ASA S1.11-2014/Part 1/IEC 61260-1:2014 *American National Standard Electroacoustics – Octave-band and Fractional-octave-band Filters – Part 1: Specifications (a nationally adopted international standard)*

ANSI/ASA S3.6-2010 *American National Standard Specification for Audiometers*

ANSI/ASA S3.20-2015 *American National Standard Bioacoustical Terminology*

ANSI/ASA S3.21-2004 *American National Standard Methods for Manual Pure-Tone Threshold Audiometry*

IEC 60645-3:2007 *Electroacoustics – Audiometric equipment – Part 3: Test signals of short duration*

ISO 389-6-2007 *Acoustics – Reference zero for the calibration of audiometric equipment – Part 6: Reference threshold of hearing for test signals of short duration*