

ANSI/ASA S3.2-2009
(Revision of ANSI S3.2-1999)

AMERICAN NATIONAL STANDARD

Method for Measuring the Intelligibility of Speech over Communication Systems

ANSI/ASA S3.2-2009

Accredited Standards Committee S3, Bioacoustics

Standards Secretariat
Acoustical Society of America
35 Pinelawn Road, Suite 114 E
Melville, NY 11747-3177

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



ANSI/ASA S3.2-2009
(Revision of ANSI S3.2-1989 (R 1999))

AMERICAN NATIONAL STANDARD

**Method for Measuring the Intelligibility of
Speech over Communication Systems**

Secretariat:

Acoustical Society of America

Approved May 13, 2009 by:

American National Standards Institute, Inc.

Abstract

This standard is a revision of ANSI S3.2-1989 (R 1999) American National Standard Method for Measuring the Intelligibility of Speech over Communication Systems. The standard provides three alternative sets of lists of English words to be spoken by trained talkers over the speech communication system to be evaluated. The selection of the particular set of word lists depends upon the purpose and constraints of the test situation. Trained listeners record the words they hear. The fraction of the words they identify correctly is the measure of the intelligibility of speech over the system. The system may consist of the air and the room or outdoors in face-to-face communications; the equipment and environments used in telephony, public address systems, or ordinary radio; or complex systems of environment, equipment, and air, wire, fiber, radio, and water paths used in some military, space, remote, or emergency communications. The standard specifies test materials that have been thoroughly validated. The standard also specifies methods for selecting and training the talkers and listeners; for designing, controlling, and reporting the test conditions; and for analyzing and reporting the test results.

AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).


These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the Accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America
ASA Secretariat
35 Pinelawn Road, Suite 114E
Melville, New York 11747-3177
Telephone: 1 (631) 390-0215
Fax: 1 (631) 390-0217
E-mail: asastds@aip.org

© 2009 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

Contents

1	Scope	1
1.1	Scope and limitations	1
1.2	Purpose	1
1.3	Applications	2
2	Normative references	2
3	Terms and definitions	2
4	General guidance for testing	3
5	Selection and training of talkers and listeners	4
5.1	Selecting talkers and listeners	4
5.2	Training of talkers	4
5.3	Training of listeners	4
6	Selection of test materials	5
6.1	Criteria for test materials	5
6.2	Phonetically balanced word lists	6
6.3	Modified rhyme test	6
6.4	Diagnostic rhyme test	6
7	Conduct of the intelligibility tests	13
8	Measurements and analysis of results	17
8.1	Reducing extraneous variability	17
8.2	Evaluation of results	17
8.3	Comparing listeners' responses with talkers' speech	18
9	Reporting results	18
Annex A	(informative) Test materials	20
Bibliography	22

Tables

Table 1 — The 1000 Stimulus Words Used in the Phonetically Balanced (PB) Monosyllabic Word Test (Users should present the words in each list in a new random order each time the list is used. Randomization of presentation can only be done within the 50 word lists not between lists and not random selection from the 300 words.) (From Egan, 1948)	7
--	---

Table 2 — The 300 Stimulus Words Used in the Modified Rhyme Test (MRT) Arranged According to Response Ensembles (Each of the six words in a response ensemble can serve as the stimulus word for that ensemble. The 50 response ensembles can be randomized to provide different test lists, and various word arrangements within ensembles can be used to prevent possible spatial biases in response.) (From House et al., 1965)	12
--	----

Table 3 — The 192 stimulus words used in the Diagnostic Rhyme Test (DRT) (From Voiers, 1977) .	13
--	----

Figures

Figure 1 — Simplified block diagram of a speech communication system	3
Figure 2 — Block diagram of a speech communication system showing the location of many of the factors affecting the intelligibility of speech	14

Foreword

[This Foreword is for information only, and is not a part of the American National Standard ANSI/ASA S3.2-2009 American National Standard Method for Measuring the Intelligibility of Speech over Communication Systems.]

This standard comprises a part of a group of definitions, standards, and specifications for use in bioacoustics. It was developed and approved by Accredited Standards Committee S3, Bioacoustics, under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S3 is as follows:

Standards, specifications, methods of measurement and test, and terminology in the fields of psychological and physiological acoustics, including aspects of general acoustics which pertain to biological safety, tolerance and comfort.

This standard is a revision of ANSI S3.2-1989, which has been technically revised. The previous version cited the draft of an ANSI standard for the calibration of speech that was never approved or published. A section was added to Clause 7 that provides guidelines for calibration. The section on calibration discusses documentation of speaking levels, listening levels, and signal-to-noise ratios for field applications and for measurements obtained under laboratory conditions. This standard is not comparable to any existing International Standard Organization (ISO) Standard.

At the time this Standard was submitted to Accredited Standards Committee S3, Bioacoustics, for approval, the membership was as follows:

C.A. Champlin, *Chair*
D.A. Preves, *Vice-Chair*

S.B. Blaeser, *Secretary*

Acoustical Society of America C.A. Champlin
..... M.D. Burkhard (Alt.)

American Academy of Audiology Y. Szymko-Bennett
..... D. Ostergren (Alt.)

American Academy of Otolaryngology, Head and Neck Surgery, Inc. R.A. Dobie
..... L.A. Michael (Alt.)

American Industrial Hygiene Association T.K. Madison
..... D. Driscoll (Alt.)

American Speech-Hearing-Language Association L.A. Wilber
..... V. Gladstone (Alt.)

Beltone/GN Resound S. Petrovic

Council for Accreditation in Occupational Hearing Conservation L.D. Hager
..... J.A. Mann (Alt.)

ETS – Lindgren Acoustic Systems B. Hill
..... S. Dunlap (Alt.)

Etymotic Research, Inc.	M.C. Killion
.....	R. Scicluna (Alt.)
Food and Drug Administration	J.K. Kane
Frye Electronics, Inc.	G.J. Frye
.....	K.E. Frye (Alt.)
G.R.A.S. Sound & Vibration	B. Schustrich
.....	V. Terrell (Alt.)
Greeneridge Sciences, Inc.	C.R. Greene
.....	W. Burgess (Alt.)
Hearing Industries Association	T.A. Victorian
.....	C.M. Rogin (Alt.)
JASCO Research Ltd.	R. Racca
.....	D. Hannay (Alt.)
National Hearing Conservation Association	T. Schulz
National Institute for Occupational Safety and Health (NIOSH)	M. Stephenson
.....	W.J. Murphy (Alt.)
National Institute of Standards and Technology	V. Nedzelniisky
.....	R. Wagner (Alt.)
National Park Service	K. Fristrup
.....	G.R. Stanley (Alt.)
Ocean Conservation Research	M. Stocker
Quest Technologies, Inc.	M. Wurm
.....	P. Battenberg (Alt.)
Starkey Laboratories	D.A. Preves
.....	T. Burns (Alt.)
U.S. Air Force	R. McKinley
.....	B. Simpson (Alt.)
U.S. Army Aeromedical Research Lab	W. Ahroon
U.S. Army CERL	L. Pater
.....	D. Delaney (Alt.)
U.S. Army Research Laboratory Human Research and Engineering Directorate	T.R. Letowski
.....	P. Henry (Alt.)
University of Cincinnati Animal Audiology Clinic/Bioacoustics Lab	P. Scheifele
.....	D. Brown (Alt.)

Individual Experts of the Accredited Standards Committee S3, Bioacoustics, were:

J.R. Bareham
A.J. Brammer
A.J. Campanella

K.D. Kryter
R.L. McKinley

P.D. Schomer
L.A. Wilber
W.A. Yost

Working Group S3/WG 36, Speech Intelligibility, which assisted Accredited Standards Committee S3, Bioacoustics, in the development of this standard, had the following membership:

R.S. Schlauch, Chair

R.D. Godfrey
R.W. Harris
K. Hoberg-Arehart
R.L. McKinley

P. Nelson
R.J. Peppin
D.A. Preves
B. Rakerd

A. Scharine
B. Simpson
C.W. Turner

Suggestions for improvements to this standard will be welcomed. They should be sent to Accredited Standards Committee S3, Bioacoustics, in care of the Standards Secretariat of the Acoustical Society of America, 35 Pinelawn Road, Suite 114E, Melville, New York 11747-3177. Telephone: 631-390-0215; FAX: 631-390-0217; E-mail: asastds@aip.org.

This is a preview of "ANSI/ASA S3.2-2009". [Click here to purchase the full version from the ANSI store.](#)

American National Standard

Method for Measuring the Intelligibility of Speech over Communication Systems

1 Scope

1.1 Scope and limitations

The scope of this standard includes the measurement of the intelligibility of speech over entire communication systems and the evaluation of the contributions of elements of speech communication systems. The scope also includes evaluation of the factors that affect the intelligibility of speech.

In this standard the intelligibility of speech over a speech communication system is measured by comparing the monosyllabic words trained listeners receive and identify with the words trained talkers or speech coders speak into a communication system that connects the talkers (or speech coders) with the listeners. The standard requires the intelligibility measurements to be made with talkers and listeners who are native speakers of English and who have no speech or hearing defects.

Limitations. This standard specifies what should be measured and reported to assess a communication system, but it does not specify the test conditions. This limitation prohibits comparisons between evaluations done under different test conditions.

This standard is not intended for use in evaluating automatic speech recognition devices; the sets of speech materials specified in this standard have not been shown to be appropriate or valid for testing systems that include such devices.

This standard is not intended for use in evaluating the intelligibility of text-to-speech systems; the sets of speech materials specified in this standard have not been shown to be appropriate or valid for testing such systems.

This standard is not intended for use in evaluating the articulatory abilities of talkers with speech disorders or for use in evaluating the speech discrimination abilities of listeners with hearing deficiencies.

This standard is not intended for use in evaluating listeners' abilities to identify talkers or their emotional state. Neither is the standard intended for use in evaluating the overall quality of a speech communication system.

1.2 Purpose

The purpose of this standard is to establish uniform methods for measuring the intelligibility of speech over communication systems. The measurement process involves *talkers*, in their environment, who speak test words into a *transmission path* to *listeners*, who receive and identify the speech in their environment. Figure 1 shows a simple block diagram of such a measurement system.

This standard is intended to be particularly useful to the following groups:

- Preparers of specifications for the performance of speech communication systems, equipment, and facilities;
- Architects and consulting engineers who design spaces and equipment for speech communication;