

ANSI S3.21-2004

Reaffirmed by ANSI
April 16, 2009

AMERICAN NATIONAL STANDARD

Methods for Manual Pure-Tone Threshold Audiometry


ANSI S3.21-2004

Accredited Standards Committee S3, Bioacoustics

Standards Secretariat
Acoustical Society of America
35 Pinelawn Road, Suite 114 E
Melville, NY 11747-3177

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



ANSI S3.21- 2004
(Revision of ANSI S3.21-1978)

AMERICAN NATIONAL STANDARD

**Methods for Manual Pure-Tone Threshold
Audiometry**

Secretariat

Acoustical Society of America

Approval date: April 8, 2004
American National Standards Institute, Inc.

Abstract

This Standard is a revision of the American National Standard ANSI S3.21-1978 Methods for Manual Pure-Tone Threshold Audiometry.

This Standard provides a procedure for pure-tone audiometry that will serve the needs of persons conducting threshold measurements in industry, schools, medical settings, and other areas where valid audiometric threshold measurements are needed.

AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute.


These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the accredited Standards Committees, operating in accordance with procedures approved by American National Standards Institute (ANSI), is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America
ASA Secretariat
35 Pinelawn Road, Suite 114E
Melville, New York 11747-3177
Telephone: 1 (631) 390-0215
Fax: 1 (631) 390-0217
E-mail: asastds@aip.org

© 2004 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

Contents

1	Scope	1
1.1	Purpose of standard	1
1.2	Limit of standard.....	1
1.3	Modifications of standard procedures	1
1.4	Source.....	1
2	Normative References	1
3	Definitions	2
4	General Requirements	4
4.1	Ear canal	4
4.2	Earphone placement	4
4.3	Instructions	4
4.4	Response task	4
4.5	Interpretation of response	4
4.5.1	On response and off response.....	5
4.5.2	Latency of response.....	5
4.5.3	False responses	5
5	Determination of threshold	5
5.1	Familiarization procedure.....	5
5.2	Determination of threshold	5
5.2.1	Tone duration	5
5.2.2	Interval between tones	5
5.2.3	Level of first presentation	6
5.2.4	Levels of succeeding presentations.....	6
5.2.5	Threshold of hearing	6
6	Standard Procedures for Air-Conduction Measures	6
6.1	Test environment	6
6.2	Instrumentation and calibration	6
6.3	Frequency.....	6
6.4	Order	6
6.5	Masking in air-conduction audiometry	6
6.6	Recording of result	7
6.6.1	Audiogram form	7
6.6.2	Audiogram Symbols.....	7
6.6.3	Other information	7

7	Standard Procedures for Bone-Conduction Measures in Diagnostic Audiometry	7
7.1	Instrumentation	7
7.2	Calibration	7
7.3	Vibrator placement	7
7.4	Covering of ear	7
7.5	Frequencies	8
7.6	Order	8
7.7	Masking	8
7.8	Recording of results	8
Annex A	9
A.1	Air-conduction symbols	9
A.2	Bone-conduction symbols	9
A.3	Symbols representation	9
A.4	Multiple notation	9
A.5	No response	9
A.6	Separate forms	10
A.7	Lines connecting symbols	10
A.8	Color coding	10
Annex B	12
B.1	General information	12

Figures

Figure A.1 – Recommended form of audiogram and audiogram symbols	11
--	----

Foreword

[This foreword is for information only and is not an integral part of ANSI S3.21-2004 American National Standard Methods for Manual Pure-Tone Threshold Audiometry.]

This American National Standard was developed and approved by Accredited Standards Committee S3, under operating procedures approved by the American National Standards Institute (ANSI). Accredited Standards Committee S3, Bioacoustics has the following scope:

Standards, specifications, methods of measurement and test, and terminology in the fields of psychological and physiological acoustics, including aspects of general acoustics, shock, and vibration which pertain to biological safety, tolerance and comfort.

This second edition replaces ANSI S3.21-1978 American National Standard Methods for Manual Pure-Tone Threshold Audiometry. It has been revised to include current standard references which appear in the text and other types of earphones (insert and circumaural) to be used to elevate collapsing ear canals (see clause 4.1 note). All other changes are purely formative or editorial and do not change the technical intent of this standard.

This American National Standard presents procedures for accomplishing manual hearing-threshold measurement with pure tones that are applicable in a wide variety of settings.

Although the standard has been written to aid in the accomplishment of a measurement, it is appropriate to point out that it differs from other measurement techniques in that it deals with human behavior. Rigid adherence to the procedure in every circumstance will not necessarily produce effective results. See Clause 1.3 for more detail.

At the time this Standard was submitted to Accredited Standards Committee S3, Bioacoustics, for final approval, the membership was as follows:

R.F. Burkard, *Chair*
C.A. Champlin, *Vice Chair*
S. Blaeser, *Secretary*

Acoustical Society of America	R.F. Burkard
.....	C.A. Champlin (<i>Alt.</i>)
American Academy of Audiology	L. Shotland
.....	D.A. Fabry (<i>Alt.</i>)
American Academy of Otolaryngology, Head and Neck Surgery, Inc.	R.A. Dobie
.....	L.A. Michael (<i>Alt.</i>)
American Industrial Hygiene Association	J. Banach
.....	D. Driscoll (<i>Alt.</i>)
American Speech-Hearing-Language Association (ASHA)	G. Linn
.....	R. Levinson (<i>Alt.</i>)
Audio Engineering Society, Inc.	R.H. Campbell
.....	M.R. Chial (<i>Alt.</i>)
Caterpillar, Inc.	D. Roley
.....	K.G. Meitl (<i>Alt.</i>)
Chase Ergonomics, Inc.	G. Shumate
.....	D. Chase (<i>Alt.</i>)
Council for Accreditation in Occupational Hearing Conservation (CAOHC)	R.D. Bruce
.....	E.H. Berger (<i>Alt.</i>)
Hearing Industries Association	T.A. Victorian
.....	C.M. Rogin (<i>Alt.</i>)
Howard Leight Industries	V. Larson
.....	E. Woo (<i>Alt.</i>)
International Hearing Society	K. LaFerle
John Deere	L. DeVries
National Institute of Standards and Technology	V. Nedzelnitsky
.....	R. Wagner (<i>Alt.</i>)
Power Tool Institute	VACANT
	J. Nosko (<i>Alt.</i>)

U.S. Army Aeromedical Research Lab	W. Ahroon
.....	N. Alem (<i>Alt.</i>)
U.S. Army CERL	L. Pater
.....	D. Delaney (<i>Alt.</i>)
U.S. Army Human Research & Engineering Directorate	T.R. Letowski
.....	J. Kalb (<i>Alt.</i>)
U.S. Department of the Air Force	R. McKinley
.....	S.D. Smith (<i>Alt.</i>)
U.S. Department of Transportation	E.D. Sussman
.....	T. Raslear (<i>Alt.</i>)

Individual Experts of Accredited Standards Committee S3, Bioacoustics, were:

J.R. Bareham	K.D. Kryter	P.D. Schomer
R.W. Benson	R. McKinley	H.E. von Gierke
A.J. Brammer	C.W. Nixon	D.E. Wasserman
A.J. Campanella	D.D. Reynolds	L.A. Wilber
J.L. Fletcher	J.D. Royster	W.A. Yost
T.A. Frank	L.H. Royster	

Working Group S3/WG35, Audiometers, which assisted Accredited Standards Committee S3, Bioacoustics, in the preparation of this Standard, had the following membership at the time of final approval:

R.L. Grason, *Chair*

S. Benson	T. Frank	R. Veillette
J. Foreman	R. Grason	L. Wilber
S. Fournier	T. Letowski	

Suggestions for improvement will be welcomed. Send suggestions for improvement to Accredited Standards Committee S3, Bioacoustics, in care of the ASA Standards Secretariat, 35 Pinelawn Road, Suite 114E, Melville, New York 11747-3177. Telephone: +1 631-390-0215; FAX: +1 631-390-0217. E-mail: asastds@aip.org

American National Standard

Methods for Manual Pure-Tone Threshold Audiometry

1 Scope

1.1 Purpose of standard

Pure-tone threshold audiometry is the procedure used in the assessment of an individual's threshold of hearing for pure tones. Pure-tone threshold audiometry includes manual air-conduction measurements at octave intervals from 250 through 8000 Hz and at intermediate frequencies as needed. When abrupt differences of 20 dB or more occur between adjacent octave frequencies, additional frequencies may be included at the discretion of the tester. Bone-conduction measurements may be carried out if indicated by the test requirements at octave intervals from 250 through 4000 Hz. Also, when required, masking is to be used. The purpose of this standard is to present procedures for conducting manual pure-tone threshold audiometry whose use will minimize intertest differences based on test method.

1.2 Limit of standard

This standard is limited to a description of the measurement method of manual pure-tone threshold audiometry. Hearing screening techniques are outside its purview.

1.3 Modifications of standard procedures

The procedures described in this standard are usable in a wide variety of circumstances. However, certain individuals, such as young children, developmentally delayed persons, uncooperative persons, or neurologically handicapped persons may require modifications of the procedures. In any instance where response behavior is apt to veer from the usual, the procedure should be modified; however, the modification shall be readily identified and specified by the user, the modifications shall be noted in the reporting of results. Another kind of modification is exemplified as follows: The user of the standard who functions in a work setting which requires monitoring audiometry or diagnostic audiometry will use instrumentation which pertains to that particular setting and the frequencies at which threshold is measured will be dictated by that situation. The choice of frequencies will depend on the purpose for which the procedure is being used.

1.4 Source

The procedures detailed in this standard are adapted from those described in the Draft Guidelines for Manual Pure-Tone Audiometry (Wilson *et al.* 1974) and the Guidelines for a Training Program for Audiometric Technicians (NASNRC, 1973).

2 Normative References

The following Standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.