This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

STANDARD

**ANSI/ASHRAE Standard 135-2020**
(Supersedes ANSI/ASHRAE Standard 135-2016)

ASHRAE BACnet™

# A Data Communication Protocol for Building Automation and Control Networks

See the History of Revisions at the end of this standard for approval dates by the ASHRAE Standards Committee, the ASHRAE Board of Directors, and the American National Standards Institute.

This Standard is under continuous maintenance by a Standing Standard Project Committee (SSPC) for which the Standards Committee has established a documented program for regular publication of addenda or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the Standard. Instructions for how to submit a change can be found on the ASHRAE® website (https://www.ashrae.org/continuous-maintenance).

The latest edition of an ASHRAE Standard may be purchased from the ASHRAE website (www.ashrae.org) or from ASHRAE Customer Service, 180 Technology Parkway NW, Peachtree Corners, GA 30092. E-mail: orders@ashrae.org. Fax: 678-539-2129. Telephone: 404-636-8400 (worldwide), or toll free 1-800-527-4723 (for orders in US and Canada). For reprint permission, go to www.ashrae.org/permissions.

© 2020 ASHRAE ISSN 1041-2336

Approved American National Standard
ANSI
www.ansi.org

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

**Cognizant TC: 1.4, Control Theory and Applications**
**SPLS Liaison: Charles S. Barnaby**

Michael Osborne, *Chair**
Coleman L. Brumley, Jr., *Vice-Chair*
Scott Ziegenfus, *Secretary**
Sunil Barot
Nate Benes*
Stephen T. Bushby*
Salvatore Cataldi
Clifford H. Copass
Brandon M. Duprey*
Siddharth Goyal
Bernhard Isler
Daniel Kollodge
Jake Kopocis*
Thomas Kurowski*
Andrew McMillan
Shahid Naeem
Frank V. Nehar*
Carl Neilson*
H. Michael Newman
Duffy O'Craven*
Scott Reed
Marcelo Richter da Silva
Jonathan Rigsby
David Robin*
Frank Schubert
Matthew Schwartz*
Ted Sunderland
Takeji Toyoda, Jr.
Lori Tribble
Klaus B. Waechter
Grant N. Wichenko*

** Denotes members of voting status when the document was approved for publication*

**ASHRAE STANDARDS COMMITTEE 2020–2021**

Drury B. Crawley, *Chair*
Rick M. Heiden, *Vice Chair*
Els Baert
Charles S. Barnaby
Robert B. Burkhead
Thomas E. Cappellin
Douglas D. Fick
Walter T. Grondzik
Susanna S. Hanson
Jonathan Humble
Srinivas Katipamula
Gerald J. Kettler
Essam E. Khalil
Malcolm D. Knight
Jay A. Kohler
Larry Kouma
Cesar L. Lim
James D. Lutz
Karl L. Peterman
Erick A. Phelps
David Robin
Lawrence J. Schoen
Steven C. Sill
Richard T. Swierczyna
Christian R. Taber
Russell C. Tharp
Theresa A. Weston
Craig P. Wray
Jaap Hogeling, *BOD ExO*
William F. McQuade, *CO*

Connor Barbaree, *Senior Manager of Standards*

**SPECIAL NOTE**

This American National Standard (ANS) is a national voluntary consensus Standard developed under the auspices of ASHRAE. *Consensus* is defined by the American National Standards Institute (ANSI), of which ASHRAE is a member and which has approved this Standard as an ANS, as "substantial agreement reached by directly and materially affected interest categories. This signifies the concurrence of more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that an effort be made toward their resolution." Compliance with this Standard is voluntary until and unless a legal jurisdiction makes compliance mandatory through legislation.

ASHRAE obtains consensus through participation of its national and international members, associated societies, and public review.

ASHRAE Standards are prepared by a Project Committee appointed specifically for the purpose of writing the Standard. The Project Committee Chair and Vice-Chair must be members of ASHRAE; while other committee members may or may not be ASHRAE members, all must be technically qualified in the subject area of the Standard. Every effort is made to balance the concerned interests on all Project Committees.

The Senior Manager of Standards of ASHRAE should be contacted for

a. interpretation of the contents of this Standard,
b. participation in the next review of the Standard,
c. offering constructive criticism for improving the Standard, or
d. permission to reprint portions of the Standard.

**DISCLAIMER**

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

**ASHRAE INDUSTRIAL ADVERTISING POLICY ON STANDARDS**

ASHRAE Standards and Guidelines are established to assist industry and the public by offering a uniform method of testing for rating purposes, by suggesting safe practices in designing and installing equipment, by providing proper definitions of this equipment, and by providing other information that may serve to guide the industry. The creation of ASHRAE Standards and Guidelines is determined by the need for them, and conformance to them is completely voluntary.

In referring to this Standard or Guideline and in marking of equipment and in advertising, no claim shall be made, either stated or implied, that the product has been approved by ASHRAE.

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

**CONTENTS**

FOREWORD ..... 9
1 PURPOSE ..... 11
2 SCOPE ..... 11
3 DEFINITIONS ..... 11
3.1 Terms Adopted from International Standards ..... 11
3.2 Terms Defined for this Standard ..... 12
3.3 Abbreviations and Acronyms Used in this Standard ..... 17
4 BACnet PROTOCOL ARCHITECTURE ..... 21
4.1 The BACnet Collapsed Architecture ..... 22
4.2 BACnet Network Topology ..... 24
4.3 Security ..... 24
5 THE APPLICATION LAYER ..... 26
5.1 The Application Layer Model ..... 26
5.2 Segmentation of BACnet Messages ..... 30
5.3 Transmission of BACnet APDUs ..... 31
5.4 Application Protocol State Machines ..... 35
5.5 Application Protocol Time Sequence Diagrams ..... 52
5.6 Application Layer Service Conventions ..... 60
6 THE NETWORK LAYER ..... 61
6.1 Network Layer Service Specification ..... 61
6.2 Network Layer PDU Structure ..... 63
6.3 Messages for Multiple Recipients ..... 69
6.4 Network Layer Protocol Messages ..... 69
6.5 Network Layer Procedures ..... 72
6.6 BACnet Routers ..... 75
6.7 Point-To-Point Half-Routers ..... 80
7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN ..... 84
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) ..... 84
7.2 Parameters Required by the LLC Primitives ..... 84
7.3 Parameters Required by the MAC Primitives ..... 84
7.4 Physical Media ..... 84
8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN ..... 85
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) ..... 85
8.2 Parameters Required by the LLC Primitives ..... 85
8.3 Mapping the LLC Services to the ARCNET MAC Layer ..... 85
8.4 Parameters Required by the MAC Primitives ..... 85
8.5 Physical Media ..... 85
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN-PASSING (MS/TP) LAN ..... 87
9.1 Service Specification ..... 87
9.2 Physical Layer ..... 89
9.3 MS/TP Frame Format ..... 100
9.4 Overview of the MS/TP Network ..... 102
9.5 MS/TP Medium Access Control ..... 102
9.6 Cyclic Redundancy Check (CRC) ..... 121
9.7 Interfacing MS/TP LANs with Other BACnet LANs ..... 123
9.8 Responding BACnet User Processing of Messages from MS/TP ..... 123
9.9 Repeaters ..... 123
9.10 COBS (Consistent Overhead Byte Stuffing) Encoding ..... 125
9.11 Documenting MS/TP Device Design Choices ..... 128
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) ..... 130
10.1 Overview ..... 130
10.2 Service Specification ..... 130
10.3 Point-to-Point Frame Format ..... 134
10.4 PTP Medium Access Control Protocol ..... 137
11 DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN ..... 158

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

11.1 The Use of ISO 8802-2 Logical Link Control (LLC) ..... 158
11.2 Parameters Required by the LLC Primitives ..... 158
11.3 Mapping the LLC Services to the LonTalk Application Layer ..... 158
11.4 Parameters Required by the Application Layer Primitives ..... 158
11.5 Physical Media ..... 159
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS ..... 160
12.1 Object Characteristics and Requirements ..... 160
12.2 Analog Input Object Type ..... 166
12.3 Analog Output Object Type ..... 172
12.4 Analog Value Object Type ..... 179
12.5 Averaging Object Type ..... 186
12.6 Binary Input Object Type ..... 190
12.7 Binary Output Object Type ..... 197
12.8 Binary Value Object Type ..... 205
12.9 Calendar Object Type ..... 213
12.10 Command Object Type ..... 215
12.11 Device Object Type ..... 221
12.12 Event Enrollment Object Type ..... 232
12.13 File Object Type ..... 240
12.14 Group Object Type ..... 243
12.15 Life Safety Point Object Type ..... 245
12.16 Life Safety Zone Object Type ..... 252
12.17 Loop Object Type ..... 259
12.18 Multi-state Input Object Type ..... 268
12.19 Multi-state Output Object Type ..... 274
12.20 Multi-state Value Object Type ..... 281
12.21 Notification Class Object Type ..... 288
12.22 Program Object Type ..... 294
12.23 Pulse Converter Object Type ..... 301
12.24 Schedule Object Type ..... 308
12.25 Trend Log Object Type ..... 315
12.26 Access Door Object Type ..... 325
12.27 Event Log Object Type ..... 334
12.28 Load Control Object Type ..... 341
12.29 Structured View Object Type ..... 351
12.30 Trend Log Multiple Object Type ..... 356
12.31 Access Point Object Type ..... 365
12.32 Access Zone Object Type ..... 382
12.33 Access User Object Type ..... 390
12.34 Access Rights Object Type ..... 394
12.35 Access Credential Object Type ..... 400
12.36 Credential Data Input Object Type ..... 409
12.37 CharacterString Value Object Type ..... 415
12.38 DateTime Value Object Type ..... 422
12.39 Large Analog Value Object Type ..... 428
12.40 BitString Value Object Type ..... 435
12.41 OctetString Value Object Type ..... 441
12.42 Time Value Object Type ..... 445
12.43 Integer Value Object Type ..... 451
12.44 Positive Integer Value Object Type ..... 458
12.45 Date Value Object Type ..... 465
12.46 DateTime Pattern Value Object Type ..... 471
12.47 Time Pattern Value Object Type ..... 477
12.48 Date Pattern Value Object Type ..... 483
12.49 Deleted Clause ..... 489
12.50 Global Group Object Type ..... 490

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

12.51 Notification Forwarder Object Type ..... 497
12.52 Alert Enrollment Object Type ..... 504
12.53 Channel Object Type ..... 508
12.54 Lighting Output Object Type ..... 518
12.55 Binary Lighting Output Object Type ..... 532
12.56 Network Port Object Type ..... 542
12.57 Timer Object Type ..... 566
12.58 Elevator Group Object Type ..... 578
12.59 Lift Object Type ..... 582
12.60 Escalator Object Type ..... 594
12.61 Accumulator Object Type ..... 601
12.62 Staging Object Type ..... 610
12.63 Audit Reporter Object Type ..... 619
12.64 Audit Log Object Type ..... 624
13 ALARM AND EVENT SERVICES ..... 631
13.1 Change of Value Reporting ..... 631
13.2 Event Reporting ..... 636
13.3 Event Algorithms ..... 647
13.4 Fault Algorithms ..... 676
13.5 AcknowledgeAlarm Service ..... 683
13.6 ConfirmedCOVNotification Service ..... 685
13.7 UnconfirmedCOVNotification Service ..... 687
13.8 ConfirmedEventNotification Service ..... 688
13.9 UnconfirmedEventNotification Service ..... 691
13.10 GetAlarmSummary Service ..... 694
13.11 GetEnrollmentSummary Service ..... 696
13.12 GetEventInformation Service ..... 699
13.13 LifeSafetyOperation Service ..... 701
13.14 SubscribeCOV Service ..... 703
13.15 SubscribeCOVProperty Service ..... 706
13.16 SubscribeCOVPropertyMultiple Service ..... 709
13.17 ConfirmedCOVNotificationMultiple Service ..... 714
13.18 UnconfirmedCOVNotificationMultiple Service ..... 717
13.19 AuditLogQuery ..... 719
13.20 ConfirmedAuditNotification ..... 723
13.21 UnconfirmedAuditNotification ..... 724
14 FILE ACCESS SERVICES ..... 725
14.1 AtomicReadFile Service ..... 725
14.2 AtomicWriteFile Service ..... 728
15 OBJECT ACCESS SERVICES ..... 731
15.1 AddListElement Service ..... 731
15.2 RemoveListElement Service ..... 733
15.3 CreateObject Service ..... 735
15.4 DeleteObject Service ..... 738
15.5 ReadProperty Service ..... 739
15.6 Deleted Clause ..... 741
15.7 ReadPropertyMultiple Service ..... 742
15.8 ReadRange Service ..... 745
15.9 WriteProperty Service ..... 752
15.10 WritePropertyMultiple Service ..... 754
15.11 WriteGroup Service ..... 757
16 REMOTE DEVICE MANAGEMENT SERVICES ..... 759
16.1 DeviceCommunicationControl Service ..... 759
16.2 ConfirmedPrivateTransfer Service ..... 761
16.3 UnconfirmedPrivateTransfer Service ..... 763
16.4 ReinitializeDevice Service ..... 764

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

16.5 ConfirmedTextMessage Service ..... 766
16.6 UnconfirmedTextMessage Service ..... 768
16.7 TimeSynchronization Service ..... 769
16.8 UTCTimeSynchronization Service ..... 770
16.9 Who-Has and I-Have Services ..... 771
16.10 Who-Is and I-Am Services ..... 773
16.11 Who-Am-I and You-Are Services ..... 775
17 VIRTUAL TERMINAL SERVICES ..... 777
17.1 Virtual Terminal Model ..... 777
17.2 VT-Open Service ..... 781
17.3 VT-Close Service ..... 783
17.4 VT-Data Service ..... 784
17.5 Default Terminal Characteristics ..... 786
18 ERROR, REJECT, and ABORT CODES ..... 790
18.1 Error Class - DEVICE ..... 790
18.2 Error Class - OBJECT ..... 790
18.3 Error Class - PROPERTY ..... 791
18.4 Error Class - RESOURCES ..... 792
18.5 Error Class - SECURITY ..... 793
18.6 Error Class - SERVICES ..... 794
18.7 Error Class - COMMUNICATION ..... 795
18.8 Error Class - VT ..... 799
18.9 Reject Reason ..... 800
18.10 Abort Reason ..... 800
18.11 Confirmed Service Common Errors ..... 801
19 BACnet PROCEDURES ..... 802
19.1 Backup and Restore ..... 802
19.2 Command Prioritization ..... 807
19.3 Device Restart Procedure ..... 812
19.4 Determining Maximum Conveyable APDU ..... 813
19.5 Value Source Mechanism ..... 815
19.6 Audit Logging ..... 817
19.7 Unconfigured Device Discovery and Address Assignment ..... 827
20 ENCODING BACnet PROTOCOL DATA UNITS ..... 828
20.1 Encoding the Fixed Part of BACnet APDUs ..... 829
20.2 Encoding the Variable Part of BACnet APDUs ..... 840
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS ..... 855
21.1 APDU Definitions ..... 855
21.2 Confirmed Service Productions ..... 857
21.3 Unconfirmed Service Productions ..... 867
21.4 Error Productions ..... 871
21.5 Application Types ..... 881
21.6 Base Types ..... 882
22 CONFORMANCE AND INTEROPERABILITY ..... 952
22.1 Conformance to BACnet ..... 952
22.2 BACnet Interoperability ..... 953
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION ..... 955
23.1 Extending Enumeration Values ..... 955
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services ..... 956
23.3 Adding Proprietary Properties to a Standardized Object ..... 956
23.4 Adding Proprietary Object Types to BACnet ..... 957
23.5 Restrictions on Extending BACnet ..... 957
24 DELETED CLAUSE ..... 958
25 REFERENCES ..... 959
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) ..... 964
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) ..... 967

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

ANNEX C - Removed ..... 968
ANNEX D - Removed ..... 969
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) ..... 970
E.1 Alarm and Event Services ..... 970
E.2 File Access Services ..... 974
E.3 Object Access Services ..... 976
E.4 Remote Device Management Services ..... 982
E.5 Virtual Terminal Services ..... 986
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) ..... 988
F.1 Example Encodings for Alarm and Event Services ..... 988
F.2 Example Encodings for File Access Services ..... 999
F.3 Example Encodings for Object Access Services ..... 1001
F.4 Example Encodings for Remote Device Management Services ..... 1011
F.5 Example Encodings for Virtual Terminal Services ..... 1017
ANNEX G - CALCULATION OF CRC (INFORMATIVE) ..... 1020
G.1 Calculation of the Header CRC ..... 1020
G.2 Calculation of the Data CRC ..... 1026
G.3 Calculation of the Encoded CRC-32K ..... 1030
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) ..... 1034
H.1 BACnet Gateways ..... 1034
H.2 Requirements and Best Practices for BACnet Gateway Implementations ..... 1034
H.3 Using BACnet with the DARPA Internet Protocols ..... 1036
H.4 Using BACnet with the IPX Protocol ..... 1038
H.5 Using BACnet with EIB/KNX ..... 1039
H.6 Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N ..... 1048
H.7 Virtual MAC Addressing ..... 1050
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) ..... 1052
ANNEX J - BACnet/IP (NORMATIVE) ..... 1054
J.1 General ..... 1054
J.2 BACnet Virtual Link Layer ..... 1054
J.3 BACnet/IP Directed Messages ..... 1058
J.4 BACnet/IP Broadcast Messages ..... 1058
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network ..... 1060
J.6 Routing Between B/IP and non-B/IP BACnet Networks ..... 1061
J.7 Routing Between Two B/IP BACnet Networks ..... 1062
J.8 Use of IP Multicast within BACnet/IP ..... 1067
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) ..... 1069
K.1 Data Sharing BIBBs ..... 1069
K.2 Alarm and Event Management BIBBs ..... 1087
K.3 Scheduling BIBBs ..... 1099
K.4 Trending BIBBs ..... 1103
K.5 Device Management BIBBs ..... 1106
K.6 Network Management BIBBs ..... 1112
K.7 Gateway BIBBs ..... 1115
K.8 Audit Reporting BIBBs ..... 1115
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) ..... 1118
L.1 Operator Interface Profiles ..... 1118
L.2 Life Safety Operator Interface Profiles ..... 1120
L.3 Access Control Operator Interface Profiles ..... 1123
L.4 Controller Profiles ..... 1125
L.5 Life Safety Controller Profiles ..... 1128
L.6 Access Control Controller Profiles ..... 1129
L.7 Miscellaneous Profiles ..... 1131
L.8 BACnet General (B-GENERAL) Profile ..... 1134
L.9 Lighting Operator Interface Profiles ..... 1135
L.10 Lighting Control Station Profiles ..... 1136

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

L.11 Lighting Controller Profiles ..... 1137
L.12 Elevator Operator Interface Profiles ..... 1139
L.13 Elevator Controller Profiles ..... 1141
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) ..... 1144
M.1 Life Safety Message Group (0 - 31) ..... 1144
M.2 Property Safety Message Group (32 - 63) ..... 1145
M.3 Supervisory Message Group (64 - 95) ..... 1145
M.4 Trouble Message Group (96 - 127) ..... 1146
M.5 Miscellaneous Higher Priority Message Group (128 - 191) ..... 1146
M.6 Miscellaneous Lower Priority Message Group (192 - 255) ..... 1147
ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) ..... 1148
N.1 Data Model ..... 1148
N.2 Paths ..... 1149
N.3 Normalized Points ..... 1149
N.4 Reference Nodes ..... 1150
N.5 Localization ..... 1150
N.6 Security ..... 1150
N.7 Sessions ..... 1151
N.8 Attributes ..... 1151
N.9 Standard Nodes ..... 1156
N.10 Encodings ..... 1156
N.11 Service Options ..... 1157
N.12 Services ..... 1160
N.13 Errors ..... 1176
N.14 Extending BACnet/WS ..... 1177
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) ..... 1178
O.1 General ..... 1178
O.2 ZigBee Overview ..... 1178
O.3 Definitions ..... 1179
O.4 Unicast Addressing ..... 1179
O.5 Broadcast Addressing ..... 1179
O.6 BACnet/ZigBee Data Link Layer (BZLL) ..... 1179
O.7 Maximum Payload Size ..... 1182
O.8 Vendor Specific Commands ..... 1182
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) ..... 1183
ANNEX Q - XML DATA FORMATS (NORMATIVE) ..... 1188
Q.1 Introduction ..... 1188
Q.2 XML Document Structure ..... 1191
Q.3 Expressing Data ..... 1195
Q.5 Expressing Values ..... 1196
Q.6 Binary Encoding and Access Rules ..... 1197
Q.7 Extensibility ..... 1198
Q.8 BACnet URI Scheme ..... 1198
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) ..... 1200
ANNEX S - Removed ..... 1201
ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) ..... 1202
T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission ..... 1202
T.2 Decoding an Extended MS/TP Frame upon Reception ..... 1204
T.3 Example COBS-Encoded Frame - Who-Has Service ..... 1206
ANNEX U - BACnet/IPv6 (NORMATIVE) ..... 1208
U.1 General ..... 1208
U.2 BACnet/IPv6 BACnet Virtual Link Layer ..... 1209
U.3 BACnet/IPv6 Directed Messages ..... 1213
U.4 BACnet/IPv6 Broadcast Messages ..... 1213
U.5 BACnet /IPv6 VMAC Table Management ..... 1218
ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) ..... 1219

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

V.1 Services ..... 1219
V.2 Service Options ..... 1221
ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) ..... 1222
W.1 Data Model ..... 1222
W.2 Paths ..... 1222
W.3 Security ..... 1223
W.4 Sessions ..... 1232
W.5 Standard Data Items ..... 1232
W.6 Metadata ..... 1236
W.7 Functions ..... 1236
W.8 Query Parameters ..... 1238
W.9 Representation of Data ..... 1240
W.10 Representation of Metadata ..... 1241
W.11 Representation of Logs ..... 1241
W.12 Filtering Items ..... 1246
W.13 Limiting Number of Items ..... 1248
W.14 Selecting Children ..... 1248
W.15 Controlling Content of Data Representations ..... 1249
W.16 Specifying Ranges ..... 1252
W.17 Localized Values ..... 1254
W.18 Accessing Individual Tags and Bits ..... 1254
W.19 Semantics ..... 1255
W.20 Links and Relationships ..... 1255
W.21 Foreign XML and Other Media Types ..... 1255
W.22 Logical Modeling ..... 1256
W.23 Mapped Modeling ..... 1256
W.24 Commandability ..... 1256
W.25 Writability and Visibility ..... 1257
W.26 Working with Optional Data ..... 1258
W.27 Working with Optional Metadata ..... 1259
W.28 Creating Data ..... 1259
W.29 Setting Data ..... 1260
W.30 Deleting Data ..... 1262
W.31 Parentally Inherited Values ..... 1262
W.32 Concurrency Control ..... 1262
W.33 Server Support for Data Definitions ..... 1263
W.34 Server Support for Metadata ..... 1263
W.35 Client Implementation Guidelines ..... 1264
W.36 Subscriptions ..... 1264
W.37 Reading Multiple Resources ..... 1266
W.38 Writing Multiple Resources ..... 1267
W.39 Mapping of BACnet Systems ..... 1268
W.40 Errors ..... 1271
W.41 Examples ..... 1273
ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE) ..... 1301
X.1 Profiles ..... 1301
X.2 xdd Files ..... 1302
X.3 Example of Definition of Objects, Properties, and Datatypes ..... 1303
X.4 Views ..... 1305
X.5 PICS Declarations ..... 1310
ANNEX Y - ABSTRACT DATA MODEL (NORMATIVE) ..... 1311
Y.1 Model Components ..... 1311
Y.2 Trees ..... 1313
Y.3 Base Types ..... 1315
Y.4 Common Metadata ..... 1315
Y.5 Named Values ..... 1328

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

Y.6 Named Bits ..... 1331
Y.7 Primitive Values ..... 1332
Y.8 Range Restrictions ..... 1334
Y.9 Engineering Units ..... 1336
Y.10 Length Restrictions ..... 1337
Y.11 Collections ..... 1338
Y.12 Primitive Data ..... 1341
Y.13 Constructed Data ..... 1344
Y.14 Data of Undefined Type ..... 1348
Y.15 Logical Modeling ..... 1348
Y.16 Links ..... 1348
Y.17 Change Indications ..... 1350
Y.18 Definitions, Types, Instances, and Inheritance ..... 1350
Y.19 Data Revisions ..... 1356
Y.20 BACnet-Specific Base Types ..... 1359
Y.21 BACnet-Specific Metadata ..... 1360
ANNEX Z - JSON DATA FORMATS (NORMATIVE) ..... 1363
Z.1 Introduction ..... 1363
Z.2 JSON Document Structure ..... 1366
Z.3 Expressing Data ..... 1369
Z.4 Expressing Metadata ..... 1369
Z.5 Expressing Values ..... 1370
Z.6 Extensibility ..... 1372
ANNEX AA – TIME SERIES DATA EXCHANGE FILE FORMAT (NORMATIVE) ..... 1374
AA.1 File Format ..... 1374
AA.2 Representation of Data ..... 1374
AA.3 File Generation ..... 1375
AA.4 Example Files ..... 1375
ANNEX AB – BACnet Secure Connect (NORMATIVE) ..... 1377
AB.1 BACnet Secure Connect Data link ..... 1377
AB.2 BACnet/SC Virtual Link Layer Messages ..... 1383
AB.3 BACnet/SC Node Operation ..... 1393
AB.4 Node Switch and Direct Connections ..... 1395
AB.5 Hub Function and Hub Connector ..... 1397
AB.6 BACnet/SC Connections ..... 1401
AB.7 Application of WebSockets in BACnet/SC ..... 1405
HISTORY OF REVISIONS ..... 1411

**NOTE**

**Approved addenda, errata, or interpretations for this standard can be downloaded free of charge from the ASHRAE website at www.ashrae.org/technology.**

**© 2020 ASHRAE**
180 Technology Parkway NW · Peachtree Corners, GA 30092 · www.ashrae.org · All rights reserved.

ASHRAE is a registered trademark of the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.

ANSI is a registered trademark of the American National Standards Institute.

BACnet is a registered trademark in the U.S. Patent & Trademark Office, owned by the American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc.

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

## FOREWORD

*BACnet, the ASHRAE building automation and control networking protocol, has been designed specifically to meet the communication needs of building automation and control systems for applications such as heating, ventilating, and air-conditioning control, lighting control, access control, and fire detection systems. The BACnet protocol provides mechanisms by which computerized equipment of arbitrary function may exchange information, regardless of the particular building service it performs. As a result, the BACnet protocol may be used by head-end computers, general-purpose direct digital controllers, and application specific or unitary controllers with equal effect.*

*The motivation for this Standard was the widespread desire of building owners and operators for "interoperability," the ability to integrate equipment from different vendors into a coherent automation and control system - and to do so competitively. To accomplish this, the Standard Project Committee (SPC) solicited and received input from dozens of interested firms and individuals; reviewed all relevant national and international data communications standards, whether de facto or the result of committee activity; and spent countless hours in debate and discussion of the pros and cons of each element of the protocol.*

*What has emerged from the committee deliberations is a network protocol model with these principal characteristics:*

*(a) All network devices (except MS/TP slaves) are peers, but certain peers may have greater privileges and responsibilities than others.*

*(b) Each network device is modeled as a collection of network-accessible, named entities called "objects." Each object is characterized by a set of attributes or "properties." While this Standard prescribes the most widely applicable object types and their properties, implementors are free to create additional object types if desired. Because the object model can be easily extended, it provides a way for BACnet to evolve in a backward compatible manner as the technology and building needs change.*

*(c) Communication is accomplished by reading and writing the properties of particular objects and by the mutually acceptable execution of other protocol "services." While this Standard prescribes a comprehensive set of services, mechanisms are also provided for implementors to create additional services if desired.*

*(d) Because of this Standard's adherence to the ISO concept of a "layered" communication architecture, the same messages may be exchanged using various network access methods and physical media. This means that BACnet networks may be configured to meet a range of speed and throughput requirements with commensurately varying cost. Multiple BACnet networks can be interconnected within the same system forming an internetwork of arbitrarily large size. This flexibility also provides a way for BACnet to embrace new networking technologies as they are developed.*

*BACnet was designed to gracefully improve and evolve as both computer technology and demands of building automation systems change. Upon its original publication in 1995, a Standing Standards Project Committee was formed to deliberate enhancements to the protocol under ASHRAE rules for "continuous maintenance." Much has happened since the BACnet standard was first promulgated. BACnet has been translated into Chinese, Japanese, and Korean, and embraced across the globe. BACnet devices have been designed, built and deployed on all seven continents. Suggestions for enhancements and improvements have been continually received, deliberated, and, ultimately, subjected to the same consensus process that produced the original standard. This publication is the result of those deliberations and brings together all of the corrections, refinements, and improvements that have been adopted.*

*Among the features that have been added to BACnet are: increased capabilities to interconnect systems across wide area networks using Internet Protocols, new objects and services to support fire detection, other life safety applications, lighting, physical access control, and elevator monitoring, capabilities to backup and restore devices, standard ways to collect trend data, new tools to make specifying BACnet systems easier, a mechanism for making interoperable extensions to the standard visible, and many others. The successful addition of these features demonstrates that the concept of a protocol deliberately crafted to permit extension of its capabilities over time as technology and needs change is viable and sound.*

*The latest update to this standard includes many new capabilities and several clarifications. These new capabilities include lighting and elevator device profiles that provide a standardized description for these types of devices along with audit reporting and logging to capture auditable actions. BACnet Secure Connect, a BACnet datalink layer, was also added. This datalink is fully compatible with all existing BACnet datalinks and provides an interoperable secure path for BACnet communications.*

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

*All communication protocols are, in the end, a collection of arbitrary solutions to the problems of information exchange and all are subject to change as time and technology advance. BACnet is no exception. Still, it is the hope of those who have contributed their time, energies, and talents to this work that BACnet will help to fulfill, in the area of building automation and control, the promise of the information age for the public good!*

This is a preview of "ANSI/ASHRAE 135-2020". Click here to purchase the full version from the ANSI store.

# 1 PURPOSE

The purpose of this standard is to define data communication services and protocols for computer equipment used for monitoring and control of HVAC&R and other building systems and to define, in addition, an abstract, object-oriented representation of information communicated between such equipment, thereby facilitating the application and use of digital control technology in buildings.

# 2 SCOPE

**2.1** This protocol provides a comprehensive set of messages for conveying encoded binary, analog, and alphanumeric data between devices including, but not limited to:

(a) hardware binary input and output values,
(b) hardware analog input and output values,
(c) software binary and analog values,
(d) text string values,
(e) schedule information,
(f) alarm and event information,
(g) files, and
(h) control logic.

**2.2** This protocol models each building automation and control computer as a collection of data structures called "objects," the properties of which represent various aspects of the hardware, software, and operation of the device. These objects provide a means of identifying and accessing information without requiring knowledge of the details of the device's internal design or configuration.

# 3 DEFINITIONS

## 3.1 Terms Adopted from International Standards

The following terms used in this standard are defined by international standards or draft standards for open system interconnection (OSI). The definitions are repeated here and a reference to the appropriate standard is provided. Clause 25 contains the titles of all national and international standards referenced in this clause and elsewhere in this standard. Words or phrases in italics refer to terms defined elsewhere in this clause.

**abstract syntax:** the specification of application layer data or application-protocol-control-information by using notation rules which are independent of the encoding technique used to represent them (ISO 8822).

**application:** a set of a USER's information processing requirements (ISO 8649).

**application-entity:** the aspects of an application-process pertinent to OSI (ISO 7498).

**application-process:** an element within a real open system which performs the information processing for a particular application (ISO 7498).

**application-protocol-control-information:** information exchanged between application-entities, using presentation services, to coordinate their joint operation (ISO 9545).

**application-protocol-data-unit:** a unit of data specified in an application protocol and consisting of application-protocol-control-information and possibly application-user-data (ISO 9545).

**application-service-element:** that part of an application-entity which provides an OSI environment capability, using underlying services when appropriate (ISO 7498).

**concrete syntax:** those aspects of the rules used in the formal specification of data which embody a specific representation of that data (ISO 7498).