



ASHRAE STANDARD

Air Quality within Commercial Aircraft

Approved by the ASHRAE Standards Committee on June 23, 2007; by the ASHRAE Board of Directors on June 27, 2007; and by the American National Standards Institute on April 2, 2008.

This standard is under continuous maintenance by a Standing Standard Project Committee (SSPC) for which the Standards Committee has established a documented program for regular publication of addenda or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the standard. The change submittal form, instructions, and deadlines may be obtained in electronic form from the ASHRAE Web site, <http://www.ashrae.org>, or in paper form from the Manager of Standards. The latest edition of an ASHRAE Standard may be purchased from ASHRAE Customer Service, 1791 Tullie Circle, NE, Atlanta, GA 30329-2305. E-mail: orders@ashrae.org. Fax: 404-321-5478. Telephone: 404-636-8400 (worldwide), or toll free 1-800-527-4723 (for orders in US and Canada).

© Copyright 2007 ASHRAE, Inc.

ISSN 1041-2336



www.ansi.org

**American Society of Heating, Refrigerating
and Air-Conditioning Engineers, Inc.**

1791 Tullie Circle NE, Atlanta, GA 30329

www.ashrae.org

**Cognizant TC: TC 9.3, Transportation Air Conditioning
SPLS Liaison: Mark P. Modera**

Byron W. Jones, <i>Chair*</i>	John T. James	Lowell Nelson
G. Scott Earnest, <i>Vice Chair*</i>	Richard A. Johnson	Claire A. H. Nurcombe*
Olney P. Anthony*	Benjamin Kalom*	Jean-Luc Paillet
Michael Bagshaw	Hans Krakauer	Jayanti R. Patel
Charlie Bautz	Erik Kuiper*	France Pelletier*
William C. Bowen	Gary H. Kumagai	Earle S. Perera*
Deanne C. Clarke*	William J. Landman	Finn O. Poulsen
Waller S. Clements*	H. James Leach*	Robert C. Rebsamen*
James E. Cone	Tristan Loraine*	Brian E. Reilly*
Martin Dechow	Ivo Martinac	James F. Russell
Steven J. Emmerich	Terri P. McIvor	Clayton Satterlee
Franklin D. Farrington	Jaimie M. McNeice	David R. Space*
Raynard M. Fenster	Don MacMillan*	Johanna Stewart
Richard B. Fox*	Christopher S. McDaniel	Steven J. Tochilin*
Randal A. Gaseor	Shelly L. Miller*	Craig P. Waitt
Martin B. Hocking	Judith Murawski*	Kenneth L. Waters
Larry C. Holcomb	Niren L. Nagda*	Bruce R. Weir
Sally A. Hooks	Thomas Nagle	Duane L. Willse*
Paul S. Hudson	William Needelman*	Christopher Witkowski

**Denotes members of voting status when the document was approved for publication*

ASHRAE STANDARDS COMMITTEE 2006–2007

David E. Knebel, <i>Chair</i>	James D. Lutz
Stephen D. Kennedy, <i>Vice-Chair</i>	Carol E. Marriott
Michael F. Beda	Merle F. McBride
Donald L. Brandt	Mark P. Modera
Steven T. Bushby	Ross D. Montgomery
Paul W. Cabot	H. Michael Newman
Hugh F. Crowther	Stephen V. Santoro
Samuel D. Cummings, Jr.	Lawrence J. Schoen
Robert G. Doerr	Stephen V. Skalko
Roger L. Hedrick	Bodh R. Subherwal
John F. Hogan	Jerry W. White, Jr.
Eli P. Howard, III	James E. Woods
Frank E. Jakob	Richard D. Hermans, <i>BOD ExO</i>
Jay A. Kohler	Hugh D. McMillan, III, <i>CO</i>

Claire B. Ramspeck, *Assistant Director of Technology for Standards and Special Projects*

SPECIAL NOTE

This American National Standard (ANS) is a national voluntary consensus standard developed under the auspices of the American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE). *Consensus* is defined by the American National Standards Institute (ANSI), of which ASHRAE is a member and which has approved this standard as an ANS, as "substantial agreement reached by directly and materially affected interest categories. This signifies the concurrence of more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that an effort be made toward their resolution." Compliance with this standard is voluntary until and unless a legal jurisdiction makes compliance mandatory through legislation.

ASHRAE obtains consensus through participation of its national and international members, associated societies, and public review.

ASHRAE Standards are prepared by a Project Committee appointed specifically for the purpose of writing the Standard. The Project Committee Chair and Vice-Chair must be members of ASHRAE; while other committee members may or may not be ASHRAE members, all must be technically qualified in the subject area of the Standard. Every effort is made to balance the concerned interests on all Project Committees.

The Assistant Director of Technology for Standards and Special Projects of ASHRAE should be contacted for:

- interpretation of the contents of this Standard,
- participation in the next review of the Standard,
- offering constructive criticism for improving the Standard, or
- permission to reprint portions of the Standard.

DISCLAIMER

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

ASHRAE INDUSTRIAL ADVERTISING POLICY ON STANDARDS

ASHRAE Standards and Guidelines are established to assist industry and the public by offering a uniform method of testing for rating purposes, by suggesting safe practices in designing and installing equipment, by providing proper definitions of this equipment, and by providing other information that may serve to guide the industry. The creation of ASHRAE Standards and Guidelines is determined by the need for them, and conformance to them is completely voluntary.

In referring to this Standard or Guideline and in marking of equipment and in advertising, no claim shall be made, either stated or implied, that the product has been approved by ASHRAE.

CONTENTS

ANSI/ASHRAE Standard 161-2007 Air Quality within Commercial Aircraft

SECTION	PAGE
Foreword.....	2
1 Purpose	2
2 Scope	2
3 Definitions.....	2
4 Compliance.....	3
5 General Requirements	3
6 Ventilation Requirements.....	4
7 Contaminants	6
8 Measures to Address Contamination of the Cabin and Flight Deck Air During Episodic and Non-Episodic Events	7
9 Measurements.....	13
10 References	13
Informative Appendix A: Additional Information on Measures to Address Contamination of the Cabin and Flight Deck During Episodic or Non-Episodic Events	14

NOTE

When addenda, interpretations, or errata to this standard have been approved, they can be downloaded free of charge from the ASHRAE Web site at <http://www.ashrae.org>.

(This foreword is not a part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)

FOREWORD

The environment aboard commercial aircraft is different than that found in other spaces commonly occupied by people. Occupant density is typically high, and occupant activity levels range from almost completely sedentary (passengers) to very active (flight attendants). Aircraft passengers and crew make up a wide cross section of the general population, ranging from the very young to the very old, from the healthy to infirm, and from frequent flyers to inexperienced flyers. In addition, the aircraft must be regarded as both a public place (passengers) and a workplace (crew). A unique aspect of the aircraft environment is that, unlike many other indoor environments, including those for some other modes of transportation, occupants do not have the ability to remove themselves from the environment. The controlled atmosphere aboard the aircraft in flight is at a lower pressure and relative humidity than that found in many other environments. The environment outside the aircraft in flight is hostile to human life and, while aircraft are operated with the comfort of passengers and crew in mind, their safety and health must always be paramount.

This standard addresses these unique characteristics of aircraft cabin environments as well as characteristics that are common to many other indoor environments. The scope of this standard references 14CFR25 to define the category of aircraft to which the standard applies. It is not intended to exclude aircraft of the same category certified in other jurisdictions. The term "commercial aircraft" as used in this standard refers to aircraft engaged in common carriage as defined in the Airworthiness Inspector's Handbook, Order 8300.10, Volume 2, Chapter 60, Section 5 (US Federal Aviation Administration, Department of Transportation, US Government Printing Office, Washington, DC, October 2006).

1. PURPOSE

This standard defines the requirements for air quality in air-carrier aircraft and specifies methods for measurement and testing in order to establish compliance with the standard.

2. SCOPE

2.1 This standard applies to commercial passenger air-carrier aircraft carrying 20 or more passengers and certified under Title 14 CFR Part 25.¹

2.2 This standard considers chemical, physical, and biological contaminants as well as moisture, temperature, pressure, and other factors that may affect air quality.

2.3 Because this standard cannot take into account every variable, especially those relating to safe operation of the aircraft, the diversity of sources and types of contaminants in aircraft cabin air, and the range of susceptibility in the population, compliance with this standard will not necessarily ensure acceptable aircraft cabin air quality for everyone.

3. DEFINITIONS

air, ambient: the outside air surrounding the aircraft.

air, engine bleed: air extracted from the compressor stages of gas turbine propulsion engines and auxiliary power units.

air, outside: as used in this standard, this term always refers to ambient air supplied to the aircraft cabin by the environmental control system.

air, recirculated: air from the aircraft passenger cabin that is reused as part of the supply air.

air, supply: air delivered to the aircraft cabin and used for pressurization, ventilation, temperature control, and humidity control.

air-conditioning system (packs): a part of the environmental control system, typically pneumatically powered, that provides cooling and heating for aircraft cabin temperature control.

auxiliary power unit (APU): a gas-turbine powered unit that provides electrical power and compressed air to operate aircraft systems independent of the aircraft propulsion engines.

cabin: a term applied to any spaces in the aircraft occupied by passengers or crew members.

cabin altitude: the effective altitude to which the aircraft cabin is pressurized.

cabin pressure control system (CPCS): part of the environmental control system that regulates cabin altitude.

contaminant: an airborne constituent that may reduce acceptability of the air.

cockpit: see *flight deck*.

environmental control system (ECS): the equipment in an aircraft used to pressurize, ventilate, air condition, dehumidify, or humidify the aircraft cabin. It includes cabin-supply airflow control, temperature control, distribution, recirculation, and filtration.

flight: a term used in this standard to describe the status of the aircraft anytime it is not in contact with the ground. **Note:** This definition is not necessarily consistent with the FAA definition of flight operations.

flight deck: the portion of the aircraft occupied by the pilots for the purpose of aircraft operation. Also referred to as the cockpit.

ground operations: a term used in this standard to describe the status of the aircraft anytime it is in contact with the ground and is occupied by any passengers or at least one crew member.

occupiable space: space that is within the pressurized cabin and intended for human activities. Spaces with equipment that is periodically maintained but not normally attended are not considered occupiable.

ozone converter: a part of the environmental control system or air-conditioning system used to reduce the ozone present in