



GUIDELINE

ASHRAE Guideline 32-2018
(Supersedes ASHRAE Guideline 32-2012)

Management for Sustainable High-Performance Operations and Maintenance

Approved by ASHRAE on August 15, 2018.

ASHRAE® Guidelines are scheduled to be updated on a five-year cycle; the date following the Guideline number is the year of ASHRAE approval. The latest edition of an ASHRAE Guideline may be purchased on the ASHRAE website (www.ashrae.org) or from ASHRAE Customer Service, 1791 Tullie Circle, NE, Atlanta, GA 30329-2305. E-mail: orders@ashrae.org. Fax: 678-539-2129. Telephone: 404-636-8400 (worldwide) or toll free 1-800-527-4723 (for orders in US and Canada). For reprint permission, go to www.ashrae.org/permissions.

© 2018 ASHRAE

ISSN 1049-894X

ASHRAE Guideline Project Committee 32
Cognizant TC: 7.3, Operation and Maintenance Management
SPLS Liaison: Susanna S. Hanson

Charles E. Dorgan*, *Chair*
Tom M. Javins*, *Vice-Chair*

Thomas E. Cappellin*, *Secretary*
Michael F. Bobker*

Michael W. Gallagher*
Shawn P. Masterson, Sr.*

* Denotes members of voting status when the document was approved for publication

ASHRAE STANDARDS COMMITTEE 2017–2018

Steven J. Emmerich, *Chair*
Donald M. Brundage, *Vice-Chair*
Niels Bidstrup
Michael D. Corbat
Drury B. Crawley
Julie M. Ferguson
Michael W. Gallagher
Walter T. Grondzik
Vinod P. Gupta
Susanna S. Hanson

Roger L. Hedrick
Rick M. Heiden
Jonathan Humble
Srinivas Katipamula
Kwang Woo Kim
Larry Kouma
Arsen K. Melikov
R. Lee Millies, Jr.
Karl L. Peterman
Erick A. Phelps

David Robin
Peter Simmonds
Dennis A. Stanke
Wayne H. Stoppelmoor, Jr.
Richard T. Swierczynia
Jack H. Zarour
Lawrence C. Markel, *BOD ExO*
M. Ginger Scoggins, *CO*

Steven C. Ferguson, *Senior Manager of Standards*

SPECIAL NOTE

This Guideline was developed under the auspices of ASHRAE. ASHRAE Guidelines are developed under a review process, identifying a Guideline for the design, testing, application, or evaluation of a specific product, concept, or practice. As a Guideline it is not definitive but encompasses areas where there may be a variety of approaches, none of which must be precisely correct. ASHRAE Guidelines are written to assist professionals in the area of concern and expertise of ASHRAE's Technical Committees and Task Groups.

ASHRAE Guidelines are prepared by Project Committees appointed specifically for the purpose of writing Guidelines. The Project Committee Chair and Vice-Chair must be members of ASHRAE; while other committee members may or may not be ASHRAE members, all must be technically qualified in the subject area of the Guideline.

Development of ASHRAE Guidelines follows procedures similar to those for ASHRAE Standards except that (a) committee balance is desired but not required, (b) an effort is made to achieve consensus but consensus is not required, (c) Guidelines are not appealable, and (d) Guidelines are not submitted to ANSI for approval.

The Senior Manager of Standards of ASHRAE should be contacted for

- a. interpretation of the contents of this Guideline,
- b. participation in the next review of the Guideline,
- c. offering constructive criticism for improving the Guideline, or
- d. permission to reprint portions of the Guideline.

DISCLAIMER

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

ASHRAE INDUSTRIAL ADVERTISING POLICY ON STANDARDS

ASHRAE Standards and Guidelines are established to assist industry and the public by offering a uniform method of testing for rating purposes, by suggesting safe practices in designing and installing equipment, by providing proper definitions of this equipment, and by providing other information that may serve to guide the industry. The creation of ASHRAE Standards and Guidelines is determined by the need for them, and conformance to them is completely voluntary.

In referring to this Standard or Guideline and in marking of equipment and in advertising, no claim shall be made, either stated or implied, that the product has been approved by ASHRAE.

CONTENTS

ASHRAE Guideline 32-2018

Management for Sustainable High-Performance Operations and Maintenance

SECTION	PAGE
Foreword	2
1 Purpose.....	2
2 Scope.....	2
3 Definitions, Abbreviations, and Acronyms.....	2
4 Intended Users of the Guideline.....	4
5 Level I: Senior Management Steps	4
6 Level II: Action Areas for Facility Managers—Implementing the Change	7
7 Level III: Actions and Tools for Technicians—Carrying Out Best Practices.....	15
8 References.....	18
9 Bibliography	20
Informative Appendix A—Additional Resources.....	21
Informative Appendix B—Benchmarking and Building Rating Systems.....	22
Informative Appendix C—Maintaining Indoor Air Quality (IAQ).....	25
Informative Appendix D—Measurement and Occupant Surveys for Comfort and Indoor Environmental Quality (IEQ).....	26
Informative Appendix E—Training Needs Assessment.....	27
Informational Appendix F—Building Information Modeling (BIM).....	29
Informative Appendix G—Predictive Maintenance Techniques	30
Informative Appendix H—Guidance for HVAC Energy Savings.....	31
Informative Appendix I—Energy Performance Diagnostic Procedure.....	33
Informative Appendix J—High-Performance Systems Sample Checklists.....	34

NOTE

Approved addenda, errata, or interpretations for this guideline can be downloaded free of charge from the ASHRAE website at www.ashrae.org/technology.

© 2018 ASHRAE

1791 Tullie Circle NE · Atlanta, GA 30329 · www.ashrae.org · All rights reserved.

ASHRAE is a registered trademark of the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.

(This foreword is not part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)

FOREWORD

The concept of sustainability has had a major impact on what we expect from our buildings and the built environment. It has brought new focus on energy, water, health, and productivity dimensions of how our buildings perform and how that performance is measured. This has been a significant and continuing change in the buildings industry.

ASHRAE Guideline 32 is intended to assist those who operate and maintain buildings to achieve sustainable, high performance (SHP): safe, productive indoor environments; low economic life-cycle cost; low energy, water, and resource use; and low impacts on the environment. It applies to the systems and assemblies of commercial, institutional, industrial, multistory residential, and government buildings as they affect occupant comfort, indoor air quality, health and safety, and energy and water use. These systems include the building enclosure, HVAC&R, plumbing, electrical, and complementary and renewable energy systems. Many Owners will also include exterior landscaping, surface parking, and sidewalks. These have not been addressed in this guideline but can be easily added to an organization's existing SHP program. The guideline is intended to provide guidance and action steps to support sustainability requirements of ANSI/ASHRAE/ACCA Standard 180, Standard Practice for Inspection and Maintenance of Commercial Building HVAC Systems, and to provide concepts, methods, and details that meet the intent of the minimum standards of care for compliance under ANSI/ASHRAE/USGBC/IES Standard 189.1, Standard for the Design of High-Performance Green Buildings.

Guideline 32 recognizes that many new buildings are designed to be sustainable and high performance and that other new facilities—and existing older facilities—will be upgraded and enhanced to achieve such designations. Both new and upgraded SHP buildings and systems require performance-monitored operations and maintenance (O&M) to maintain their intended performance and to continuously enhance their SHP. This guideline is intended to make all buildings more sustainable and high performance in their O&M practice and methods, not only those newly labeled “sustainable,” “green,” or “high performance.”

The purpose of the guideline is to provide an initial format for organization management, facilities managers, and building operators to implement current best practices and to shape, develop, and evolve this document through future revisions based on users' experience and successful SHP practice.

This guideline is not written in code-intended language. It is intended to be a reference guideline document only, and, as such, its content has not been developed for implementation within building codes. However, it can be used as a reference document to support standards and codes.

1. PURPOSE

The purpose of this guideline is to provide guidance to achieve, maintain, and continuously enhance sustainable, high-performance (SHP) buildings and building systems and assemblies through operations and maintenance (O&M) practices at the lowest economic and environmental life-cycle cost while maintaining safety, indoor air quality (IAQ), and functionality, including productivity.

2. SCOPE

This guideline applies to the ongoing operational practices for building assemblies and systems, particularly with respect to energy efficiency, water consumption, productivity, occupant comfort, IAQ, health, and safety.

3. DEFINITIONS, ABBREVIATIONS, AND ACRONYMS

3.1 General. This section contains definitions for certain terms, abbreviations, and acronyms used in this guideline. These definitions are applicable to all sections. Terms that are not defined herein but that are defined in ASHRAE/USGBC/IES Standard 189.1¹, ASHRAE/ACCA Standard 180², and ASHRAE *Terminology of Heating, Ventilation, Air-Conditioning, and Refrigeration* shall have the meanings defined in those documents.

3.2 Definitions

change management: a process for directed organizational change.

commissioning: see *Commissioning Process (Cx)*; can also apply to the initiation or reinitiation of a building component or system(s) to meet current facilities requirements.

Commissioning Process (Cx): a quality-focused process for enhancing the delivery of a project and enhancing existing facilities. For new facilities, the process focuses on verifying and documenting that the facility and all its systems and assemblies are planned, designed, installed, tested, operated, and maintained to meet the Owner's Project Requirements (OPR). For existing facilities, the process includes an assessment and investigation to determine the Current Facilities Requirements (CFR), implementation, and planning ongoing activities to achieve the CFR. There are several ASHRAE guidelines and one standard to assist in implementing the Cx for both new and existing facilities.

competencies: skills, behaviors, or knowledge identified as performance standards for a task, job, or project. Competencies are applied to a specific requirement rather than an individual employee. They are typically validated by employees who are performing the competency at an acceptable level; this may be the “journeyman” level to distinguish between entry and mastery levels of a skill. In developing competency requirements, include how each will be evaluated.

Current Facility Requirements (CFR): the requirements for a facility or building to meet the current needs of users, Owners, occupants, visitors, and customers, usually in a formal document that is updated periodically or as required by the changing needs of the Owner and occupants.