

ASME PTC 19.11-2008
(Revision of ASME PTC 19.11-1997)

Steam and Water Sampling, Conditioning, and Analysis in the Power Cycle

Performance Test Codes

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



CONTENTS

Notice	v
Foreword	vi
Committee Roster	viii
Correspondence With the PTC 19.11 Committee	ix
Section 1 Object, Scope, and Application	1
1-1 Object	1
1-2 Scope	1
1-3 Application	1
1-4 Uncertainty	1
Section 2 Sample Point and Analysis Selection Criteria	2
2-1 Introduction	2
2-2 Thermal Power Generation Cycles	2
2-3 Water Treatment Schemes	2
2-4 Makeup	4
2-5 Condensate	4
2-6 Polisher Effluent	5
2-7 Deaerator Inlet	5
2-8 Deaerator Outlet	5
2-9 Final Feedwater or Economizer Inlet	5
2-10 Steam Generator Water	6
2-11 Saturated Steam	6
2-12 Superheated Steam (Including Reheat)	6
2-13 Feedwater Heater Drains	6
2-14 Moisture Separator Reheater Drains	6
2-15 Rotor Air Coolers	6
2-16 Bibliography	7
Section 3 Obtaining the Sample	8
3-1 Introduction	8
3-2 Water Sampling	8
3-3 Isokinetic Sampling	8
3-4 Saturated Steam	8
3-5 Superheated Steam	10
3-6 Bibliography	10
3-7 Further Reading	10
Section 4 Transporting the Sample	11
4-1 Introduction	11
4-2 Sample Line Construction	11
4-3 Deposition	12
4-4 Saturated Steam	12
4-5 Superheated Steam	13
4-6 Liquid Samples	15
4-7 Bibliography	15
Section 5 Sample Conditioning	18
5-1 Introduction	18
5-2 Definitions	18
5-3 Materials	18
5-4 Valves and Fittings	18

5-5	Sample Coolers	19
5-6	Flow Meters	20
5-7	Sample Filters	20
5-8	Pressure and Temperature Gages	20
5-9	Pumps	20
5-10	Sample Conditioning Methodology	20
5-11	Bibliography	23
Section 6	Sample Analysis and Instrumentation	24
6-1	Introduction	24
6-2	Definitions	24
6-3	Analysis, Definitions, and Applications	26
6-4	Other Methods	34
6-5	Bibliography	36
Section 7	Data Acquisition and Data Analysis	37
7-1	Introduction	37
7-2	Purpose of Data and Data Storage	37
7-3	Data Quality	37
7-4	Data Storage Issues	37
Figures		
2-2-1	Generalized Fossil Cycle	3
2-2-2	Heat Recovery Steam Generator System	4
3-2.1	Typical Nozzles for Sampling Water	9
3-3	Effects of Nonisokinetic Sampling	9
3-4.1	Typical Single-Port Nozzle	9
5-10.1	Typical Sample Line for High-Pressure Service	21
Tables		
2-2	Sample Points and Analyses Location	5
4-4.3-1	Recommended Sample Tube Sizes for Pressures ≥ 500 psia	14
4-4.3-2	Recommended Sample Tube Sizes for Pressures ≤ 400 psia	16
6-3.1	Alkalinity	27
6-3.2	Amines (Neutralizing)	27
6-3.3	Ammonia	27
6-3.4	Carbon Dioxide	27
6-3.5	Chloride	28
6-3.6.1	Specific Conductivity	28
6-3.6.2	Cation Conductivity	29
6-3.6.3	Degassed Cation Conductivity	29
6-3.7	Copper	29
6-3.8	Dissolved Oxygen	29
6-3.9	Hydrazine	30
6-3.10	Hydrogen	30
6-3.11	Ion Chromatography	31
6-3.12	Iron	31
6-3.14	Organic Anions	31
6-3.15	Oxidation-Reduction Potential (ORP)	32
6-3.16	Oxygen Scavengers (Reducing Agents)	32
6-3.17	pH	32
6-3.18	Phosphate	33
6-3.20	Silica	33
6-3.21	Sodium	34
6-3.22	Sulfate	34
6-3.23	Total Organic Carbon (TOC)	34
6-3.25	Turbidity	34
Nonmandatory Appendices		
A	Leakage Detection and Measurement	39
B	Throttling Calorimeter	45