

AMERICAN NATIONAL STANDARD

Dryseal Pipe Threads (Inch)

ANSI B1.20.3 - 1976

(REVISION AND REDESIGNATION OF B2.2-1968)

REAFFIRMED 1998

FOR CURRENT COMMITTEE PERSONNEL
PLEASE SEE ASME MANUAL AS-11

SECRETARIAT

SOCIETY OF AUTOMOTIVE ENGINEERS
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

PUBLISHED BY

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

United Engineering Center 345 East 47th Street New York, N. Y. 10017

CONTENTS

	Page
Section 1	1
1.1	1
1.2	2
1.3	3
1.3.1	3
1.3.2	3
1.4	3
1.4.1	3
1.4.1.1	3
1.4.1.2	3
1.4.1.3	4
1.4.1.4	4
1.4.2	4
1.4.2.1	4
1.4.2.2	4
1.5	4
1.6	4
1.7	7
1.7.1	7
1.7.2	8
1.7.3	9
1.7.4	10
1.7.5	10
Appendix A	11
A.1	11
A.2	11
Appendix B	14
Appendix C	15
C.1	15
C.2	15
C.3	15
C.4	16
C.5	16
C.6	16
C.7	16
Table 1	5
2	5
3	7
4	8

	Page
Table 5 Basic Dimensions for PTF-SAE SHORT, Internal Threads	9
6 Dimensional Data for NPSF Threads	10
7 Dimensional Data for NPSI Threads	10
A1 Pipe Thread Symbols	12
B1 Suggested Tap Drill Sizes for Internal Dryseal Pipe Threads	14
C1 Basic Dimensions of Dryseal Fine Taper Pipe Thread, F-PTF	18
C2 Basic Dimensions of Dryseal Special Taper Pipe Thread, SPL-PTF (For Thin Wall Nominal Size OD Tubing)	19
Figure 1 Extreme Mating Conditions for Dryseal Pipe Threads	2
2 Thread Form and Limits on Root and Crest Tuncation of Product Threads	6
A1 Application of Pipe Thread Symbols	13
C1 Comparison of Special Dryseal Threads with Standard Length Dryseal Threads	17