**ASME PCC-1–2013** 

(Revision of ASME PCC-1-2010)

## Guidelines for Pressure Boundary Bolted Flange Joint Assembly

AN AMERICAN NATIONAL STANDARD



**ASME PCC-1–2013** 

(Revision of ASME PCC-1-2010)

## Guidelines for Pressure Boundary Bolted Flange Joint Assembly

AN AMERICAN NATIONAL STANDARD



Date of Issuance: November 12, 2013

This Standard will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this document. Interpretations are published on the ASME Web site under the Committee Pages at http://cstools.asme.org/ as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at http://cstools.asme.org/. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in U.S.A.

## **CONTENTS**

Foreword ..... Committee Roster 1 Scope..... 2 1 Training and Qualification of Bolted Joint Assembly Personnel..... Cleaning and Examination of Flange and Fastener Contact Surfaces..... 1 4 5 Alignment of Flanged Joints ..... 2 Installation of Gasket ..... Lubrication of "Working" Surfaces..... 5 7 8 Installation of Bolts..... 5 9 Numbering of Bolts ..... 6 10 Tightening of Bolts ..... 6 11 Tightening Sequence ..... 13 12 Target Torque Determination..... 16 Joint Pressure and Tightness Testing..... 13 16 Records 14 16 Joint Disassembly ..... 15 17 16 References ..... 20 **Figures** Indicator-Type Bolting for Through-Bolted Joints ..... 1 11 2 Indicator-Type Bolting for Studded Joints ..... 3 Example Legacy and Alternative to Legacy Numbering Sequences for 12-Bolt Joint ..... 14 48-Bolt Flange Bolt-Grouping Example ..... 4 15 17 5 Example Short Assembly Record ..... Example Medium-Length Assembly Record ..... 6 18 7 Example Long Assembly Record ..... **Tables** 1M Reference Values for Calculating Target Torque Values for Low-Alloy Steel Bolting Based on Target Prestress of 345 MPa (Root Area) (SI Units) ....... 3 Reference Values for Calculating Target Torque Values for Low-Alloy Steel 1 Bolting Based on Target Prestress of 50 ksi (Root Area) (U.S. Customary Units) ..... 2 Torque Increments for Legacy Cross-Pattern Tightening Using a Single Tool .... 3 Recommended Tool, Tightening Method, and Load-Control Technique Selection Based on Service Applications ..... 7 Legacy Cross-Pattern Tightening Sequence and Bolt-Numbering System When Using a Single Tool ..... 4.1 Alternative to Legacy Cross-Pattern Tightening Sequence and Bolt-Numbering System When Using a Single Tool .....

## **Appendices** Training and Qualification of Bolted Joint Assembly Personnel ..... 23 В Description of Common Terms ..... 39 C Recommended Gasket Contact Surface Finish for Various Gasket Types ...... 41 Guidelines for Allowable Gasket Contact Surface Flatness and Defect D Depth ..... 42 Ε Flange Joint Alignment Guidelines ..... 48 F Alternatives to Legacy Tightening Sequence/Pattern ..... 51 G Use of Contractors Specializing in Bolting Services ..... 65 Η Bolt Root and Tensile Stress Areas ..... 66 Interaction During Tightening ..... Ι 67 J Calculation of Target Torque ..... 68 Nut Factor Calculation of Target Torque ..... K 69 ASME B16.5 Flange Bolting Information ..... L 70 M Washer Usage Guidance and Purchase Specification for Through-Hardened Washers ..... 71 Ν Definitions, Commentary, and Guidelines on the Reuse of Bolts ..... 76 O Assembly Bolt Stress Determination ..... 78 Р Guidance on Troubleshooting Flanged Joint Leakage Incidents ..... 90