

American National Standard

ANSI/ASSE A10.18-1996 Safety Requirements for Temporary Floor Holes, Wall Openings, Stairways and Other Unprotected Edges –

American National Standard for Construction and Demolition Operations



AMERICAN SOCIETY OF SAFETY ENGINEERS This is a preview of "ANSI/ASSE A10.18-199...". Click here to purchase the full version from the ANSI store.

ANSI[®] A10.18-1996

Safety Requirements for Temporary Floor Holes, Wall Openings, Stairways and Other Protected Edges –

American National Standard for Construction and Demolition Operations

Secretariat

American Society of Safety Engineers

1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Approved February 16, 1996

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary: their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standard Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

American Society of Safety Engineers 1800 East Oakton Street

Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Copyright ©1997 by American Society of Safety Engineers All rights reserved

No part of this publication my be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed the United States of America

Contents

		Page	
Fore	word	iii	
1	General	1	
2	Definitions	1	
3	Guarding Unprotected Edges on Walking/Working Surfaces	2	
4	Guardrail Systems	2	
5	Guarding Stairways	2	
6	Handrail Construction	4	
7	Guarding Holes, Openings, and Ladderways	4	
8	Stacked and Loose Material	4	
9	Other Standards of Interest	4	
Арр	endix		
A	Securing Hole Covers	5	
Figure			
1	Doorways to Temporary Stairway Platforms	3	

i

This is a preview of "ANSI/ASSE A10.18-199...". Click here to purchase the full version from the ANSI store.

Foreword [This Foreword is not part of American National Standard for Safety Requirements for Temporary Floor Holes, Wall Openings, Stairways and Other Unprotected Edges, A10.18-1996.]

This standard identifies rules and safety requirements for the protection of employees and the public related to temporary floor holes and wall openings, stairs, and other unprotected edges.

This standard is one in a series of safety standards formulated by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. It is expected that the standards will find a major application in industry, serving as a guide to contractors, labor, and equipment manufacturers. For the convenience of the users, existing and proposed standards in the A10 series are listed below:

- A10.3 Powder Actuated Fastening Systems
- A10.4 Personnel Hoists and Employee Elevators for Construction and Demolition Operations
- A10.5 Material Hoists
- A10.6 Demolition Operations
- A10.7 Transportation, Storage, Handling and Use of Commercial Explosives and Blasting Agents
- A10.8 Scaffolding
- A10.9 Concrete and Masonry Construction
- A10.10 Temporary and Portable Space Heating Devices
- A10.11 Safety Nets
- A10.12 Excavation (under development)
- A10.13 Steel Erection
- A10.14 Requirements for Safety Belts, Harnesses, Lanyards, and Lifelines
- A10.15 Dredging
- A10.16 Tunnels, Shafts and Caissons
- A10.17 Hot Mix Construction
- A10.18 Temporary Floor Holes, Wall Openings, Stairways and Other
- Unprotected Edges
- A10.19 Pile Installation and Extraction Operations (under development)
- A10.20 Ceramic Tile, Terrazzo and Marble Work
- A10.22 Rope-Guided and Nonguided Worker's Hoists
- A10.24 Roofing (under development)
- A10.27 Asphalt Mixing Plants (under development)
- A10.28 Work-Platforms Suspended from Cranes or Derricks
- A10.31 Digger-Derricks
- A10.32 Fall Protection System for Construction Industry Users (under development)
- A10.33 Safety and Health Program Requirements for Multi-Employer Projects
- A10.34 Public Protection (under development)
- A10.35 High Pressure Hydro Blasting (under development)
- A10.37 Debris Nets
- A10.38 Basic Elements of a Program to Provide a Safe and Healthful Work Environment
- A10.39 Safety and Health Audit Program
- A10.41 Equipment Operator and Supervisor Qualifications and Responsibilities (under development)
- A10.42 Rigging Supervisor, Riggers, Signalmen Qualifications and Responsibilities (under development)

One purpose of these standards is to serve as guides to governmental authorities having jurisdiction over subjects within the scope of the A10 Committee standards. If these standards are adopted for governmental use, the reference of other national codes or standards in individual volumes may be changed to refer to the corresponding regulations.

Revisions: The A10 Committee welcomes proposals for revisions to this standard. Revisions are made periodically (usually 5 years from date of the standard) to the standard to incorporate changes which appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant paragraph number(s), the proposed wording, and a description of the reason for the proposal. Pertinent documentation would enable the A10 Committee to process the changes in a more timely manner.

Interpretations: Upon a request in writing to the Secretariat, the A10 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant paragraph number(s) and phrased as a request for clarification of a specific requirement. Oral interpretations are not provided.

No one but the A10 Committee (through the A10 Secretariat) is authorized to provide any interpretation of this standard.

Approval: Neither the A10 Committee nor American National Standards Institute (ANSI) "approves," "certifies," "rates," or "endorses" any item, construction, proprietary device, or activity.

Appendixes: Appendixes are included in most standards to provide the user with additional information related to the subject of the standard. Appendixes are not part of the approved standard.

Committee Meetings: The A10 Committee meets twice a year. Persons wishing to attend a meeting should contact the Secretariat for information.

Standard Approval: This standard was processed and approved for submittal to ANSI by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. Approval of the standard does not necessarily imply (nor is it required) that all committee members voted for its approval. At the time it approved this standard, the A10 Committee had the following members:

Matthew J. Burkart, Chairman Jim E. Lapping, Vice Chairman Timothy P. Kennedy, Secretary Secretariat: A10 Committee American Society of Safety Engineers 1800 East Oakton Street Des Plaines, IL 60018-2187

Organization Represented ABB - Combustion Engineering Services Inc Aegis Corp Allegheny Power System Alliance of American Insurers Aluminum Company of America American Concrete Institute American Federation of Labor and	Matthew J. Burkart Philip L. Stewart Robert S. Gosnell Daniel F. DeBoalt
American Federation of Labor and Congress of Industrial Organizations American Institute of Architects American Insuitute of Steel Construction American Insurance Service Group Inc. American Society of Safety Engineers American Subcontractors Assn Asbestos Workers Int'l Union Associated Builders and Contractors Barton-Malow Co Black and Veatch Building and Construction Trades Dept Philip L. Colleran	H.W. Eisenberg Ron Davis John A. Mineo Ernest B. Jorgensen, Jr. Wayne Ruth John Keane John Canuel John Gleichman Richard F. King Leslie Murphy
Consolidation Edison Co Construction Industry Mfg. Assn Edison Electric Institute	George Ferrado Martin Drott

E.I. duPont de Nemours & Co	BS Krzywicki (alt)
Engineering Contractors Assn.	Bill Skillern
Fischbach and Moore Inc.	Frank Burg
Richard D. Hislop	Bichard D. Histon
Human Factors Society	Lewis C Barbo
Industrial Safety Equipment Assn	Depoid L Cour
	Denold Letterais
Ispeco Inc.	Ronalo Lattanzio
Institute of Makers of Explosives	Roger N. Prescott
Int'l Association of Bridge, Structural and	
Ornamental Iron Workers	Stephen D. Cooper
Int'l Brotherhood of Boilermakers	Perry Day
Int'l Brotherhood of Electrical Workers	James M. Ozzello
Int'l Brotherhood of Painters and Allied Trades	
Int'l Union of Operating Engineers	William Smith
Joint Trade Board Laborers Int'l Union of North America	Frank D. Tooze
Laborers Int'l Union of North America	John B. Moran
Loss Prevention Management Inc	.Oscar F. Smith, IV
William F. Maloney	William F. Malonev
Maryland Occupational Safety and Health	Boy F Blades
Mechanical Contractors Assn. of America	Jack Hansmann
Jack Mickle	lack Micklo
Miller Equipment	Robert A Taylor
Morley Brickman and Associates Ltd.	Morley Brickman
National Asphalt Pavement Assn.	
National Asphalt Pavement Assn.	
National Assn. of Dredging Contractors	Don Mackie
National Assn. of Governmental Labor Officials	Nathan Powell
National Assn. of Home Builders	Regina CB Solomon
National Constructors Assn.	Stewart C. Burkhammer
National Electrical Contractors Assn. Inc.	
National Erectors Assn.	William Treharne
National Roofing Contractors Assn.	Tom Shanahan
Onsite Health Services Inc.	Judith A. Paul
Operative Plasterers and Cement Masons, Int'l Assn	Richard Gonzalez
Pitt-Des Moines Inc.	Thurman E. Yost, Sr.
Power Consultants Inc.	
Professional Safety Consultants Inc	Timothy T Palmer
PSI Energy	Bon G Prichard
Ryland	Bob Mastersen
Scaffolding, Shoring and Forming Institute	Bichard C. Mocny
Sheet Metal Workers Int'I Assn.	Lynn MacDonald
Sigma Associates Ltd.	
Sinco Inc.	
SPA Inc Swanson Nunn Electric Co	Look Dutterre
Swanson Nunn Electric Co	
The Associated General Contractors of America	
The Business Roundtable	
The Center to Protect Workers' Rights	Pete Statford
The George Hyman Construction Co	James D. Sprague
The L.E. Myers Co.	Charles Popke
The People's Gas, Light and Coke Co	Glen Armstrong
The Taylor Co.	.Martin Hanson
Turner Construction Co.	.Patrick J. Brennan
United Assn.	.William Rhoten
United Brotherhood of Carpenters and Joiners	.Joseph L. Durst, Jr.
United Union of Roofers, Waterproofers	
and Allied Workers	.Robert J. Krul
U.S. Department of Energy	Pat Finn
U.S. Department of the Army	James T Patton
U.S. Department of Labor-OSHA	Gerald P Beidy
U.S. Department of Commerce National Institute	
of Standards and Technology	HSLOW
U.S. Environmental Protection Agency	James Mokris
Weshington State Dept. of Labor and Industries	James Wakis
Washington State Dept. of Labor and Industries	Doub Booker
West Virginia University - Extension Service	.raul becker
Wire Rope Technical Board	
Young Insulation	.MIKE Herrell
Z Con	
Zurn Industries	Jettrey D. Meddin

۷

Subgroup A10.18 R.S. Krzywicki (Chairman)

Barbara Bielaski H.W. Eisenberg J.P. O'Donovan Ingo Zeise Morley Brickman Richard F. King Wayne R. Rice

American National Standard

ANSI A10.18-1996

American National Standard for

Safety Requirements for Temporary Floor Holes, Wall Openings, Stairways and Other Unprotected Edges

1 General

1.1 Scope. This standard prescribes rules and establishes minimum safety requirements for the protection of employees and the public from hazards arising out of or associated with temporary floor holes, wall openings, stair and other unprotected edges including low-slope roofs during construction and demolition activities.

1.1.1 This standard does not apply to scaffolds or scaffold stairs used as temporary access. (See ANSI A10.8 - Scaffolding.)

1.1.2 This standard does not apply to steel erection. (See ANSI A10.13 - Steel Erection.)

1.1.3 This standard does not apply to the application of roofing materials.

1.2 Purpose. This standard has been formulated to provide direction to those responsible for its application and to act as a guide to federal, state, and municipal or other regulatory bodies in the formation of laws and regulations.

1.3 Exceptions and Interpretations. In case of practical difficulties, new developments, or unnecessary hardship, the administrative or regulatory authority may grant exceptions from the literal requirements or may permit the use of alternate designs or methods that will provide and ensure that an equivalent degree of protection is thereby secured.

1.3.1 This standard requires the guarding of unprotected floor holes, wall openings, and other unprotected edges or the use of safety nets or personal fall arrest systems when guardrail systems are not in place.

2 Definitions

2.1 competent person: Competent person means one whom is capable of identifying existing

and predictable hazards in the surroundings or working conditions which are unsanitary, hazardous, or dangerous to employees, and who has authority to take prompt corrective measures to eliminate them.

2.2 deck plates: A metal plate used for decking or flooring having sufficient structural strength to support the design load.

2.3 grating: A grating with holes of not more than one inch (2.5 cm) in their smallest dimension used for decking or flooring and having sufficient structural strength to support the design load.

2.4 guardrail system: A rail system erected along the open sides and ends of platforms. The rail system consists of a toprail, midrail, toeboards, and their supports.

2.5 handrail: A rail used to provide a hand-hold for support.

2.6 hole: A void or gap more than two inches (5.1 cm) in its least dimension any horizontal walk-ing/working surface through which persons or materials may fall.

2.7 opening: A void or gap 30 inches (76.2 cm) or more high and 18 inches (45.7 cm) or more wide in a vertical surface such as a wall or partition through which persons may fall.

2.8 platform: An elevated floor or horizontal surface raised above the level of the adjacent area.

2.9 roof, low-slope: A roof with a maximum slope of 4 inches (10.2 cm) in 12 inches (30.5 cm).

2.10 runway: A passageway above the surrounding floor or ground level.

2.11 shall: Denotes a mandatory requirement.

2.12 stairways: One or more flights of stairs, and the necessary landings and platforms connecting them to form a continuous and uninterrupted passage from one floor to another.