

## **American National Standard**

ANSI/ASSE A10.22-1990 (R1998) Safety Requirements for Rope-Guided and Nonguided Workers' Hoists—American National Standard for Construction and Demolition Operations



AMERICAN SOCIETY OF SAFETY ENGINEERS This is a preview of "ANSI/ASSE A10.22-199...". Click here to purchase the full version from the ANSI store.

ANSI® A10.22-1990 (R1998) Revision of ANSI A10.22-1977

### Safety Requirements for Rope-Guided and Nonguided Workers' Hoists—

American National Standard for Construction and Demolition Operations

Secretariat

### **American Society of Safety Engineers**

1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Approved December 14, 1989 Reaffirmation Date May 12, 1998

American National Standards Institute, Inc.

### American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

**CAUTION NOTICE:** This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute requires that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

### American Society of Safety Engineers 1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Copyright ©1999 by the American Society of Safety Engineers All rights reserved

No part of this publication my be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

### Contents

		Page	
Fore	word		
1 General			
•	1.1	Scope1	
	1.2	Purpose1	
	1.3	Exceptions1	
	1.4	Design Qualifications1	
	1.5	Training1	
	1.5		
2 Referenced and Related Standards and Publication		enced and Related Standards and Publications1	
-	2.1	Referenced American National Standards1	
	2.2	Referenced Publications1	
	2.3	Related American National Standards2	
	2.4	Related Publications	
3	Definitions		
4	Hoiet	Machine	
-	4.1	Application	
	4.2	Power Up/Power Down	
	4.3	Source of Power	
	4.4	Deadman Control Switch	
	4.5	Line Speed Indicator	
	4.6	Braking System	
	4.7	Limit Switches	
	4.8	Location and Arrangement4	
	4.9	Diameter of Drum	
	4.10	Minimum Rope Turns on Drum	
	4.11	Stability	
	4.12	Electrical System Protection4	
	4.13	Grounding	
	4.14	Overspeed4	
		'	
5	Oper	ation of Hoist4	
	5.1	Operator4	
	5.2	Speed Limitation4	
	5.3	Communication4	
	5.4	Operation4	
	5.5	Overhead Protection4	
	5.6	Exhaust Pipe and Muffler4	
	5.7	Noise4	
_			
6		Rope4	
	6.1	Rope Specification4	
	6.2	Rope Design Factor5	
	6.3	Rope Attachment5	
	6.4	Rotation Resistant Ropes and Swivels5	
	6.5	Avoiding Line Run	
	6.6	Rope Protection5	
	6.7	Splicing of Hoisting Rope5	
	6.8	Removal Criteria5	
	6.9	Used Hoisting Rope	
	6.10	Records6	

7	7 Footblocks		
	7.1	Type of Blocks	
	7.2	Footblock Diameter6	
	7.3	Direction Change6	
	7.4	Footblock Anchorage6	
	7.5	Substitute for Footblock	
8	Cathe	ead and Sheaves6	
	8.1	Sheave Supports6	
	8.2	Sheave Diameter	
	8.3	Design Basis7	
	8.4	Clearance	
9	Guide	e Ropes7	
	9.1	Number and Loading7	
	9.2	Alignment Tension	
	9.3	Application of Tension	
	9.4	Guide Rope Specifications	
	9.5	Rope Design Factor	
10			
		Rated Loading7	
		Frame	
		Construction7	
		Mesh Covering7	
	10.5	Floor	
	10.6	Overhead Protection	
	10.7	Gate8	
	10.8	Safety Clamps (Cage)8	
	10.9	Platform Guides	
11	Emerç	gency Escape Provisions8	
40	<b>N</b> 1 <b>a a a a</b>		
12		uided Hoists	
		Hoisting	
		Speed Limitation	
		Working Platform	
		Lifeline	
		Rope Grabs (Lifeline)	
	12.6	Size of Hoist Rope	
		Prevention of Line Run	
		Protection of Rope End	
	12.9	Wire Rope Removal Criteria9	
13	Inenor	ction and Tests9	
10	13.1	Initial Inspection and Test	
		Initial Inspection and Test	
		Quarterly Inspections	
		Repairs and Replacements	
	13.5	Records	
Ann	endix		
		y of Job Site10	
		,	

**Foreword** [This Foreword is not part of American National Standard A10.22-1990 (R1998).]

This standard applies to temporary rope-guided and nonguided worker's hoists for use on construction or maintenance projects in special situations, as defined in the scope. It describes a type of worker's hoist that has been used on chimney silos, towers, stacks, and similar projects. It is not applicable to temporary or permanently installed personnel hoists having rigid guides.

This edition is a reaffirmation of A10.22-1990. This standard is one of a series of safety standards that have been formulated by Accredited Standards Committee on Safety in Construction and Demolition Operations, A10.

It is expected that the standards in the A10 series will find a major application in industry, serving as a guide to contractors, labor, and equipment manufacturers. For the convenience of users, existing and proposed standards in the A10 series for safety requirements in construction and demolition operations are as follows.

- A10.2 Safety, Health, and Environmental Training
- A10.3 Powder-Actuated Fastening Systems
- A10.4 Personnel Hoists and Employee Elevators
- A10.5 Material Hoists
- A10.6 Demolition Operations
- A10.7 Transportation, Storage, Handling, and Use of Commercial Explosives and Blasting Agents
- A10.8 Scaffolding
- A10.9 Concrete and Masonry Construction
- A10.10 Temporary and Portable Space Heating Devices
- A10.11 Personnel and Debris Nets
- A10.12 Excavation
- A10.13 Steel Erection
- A10.14 Safety Belts, Harnesses, Lanyards, and Lifelines
- A10.15 Dredging
- A10.16 Tunnels, Shafts, and Caissons
- A10.17 Safe Operating Practices for Hot Mix Asphalt (HMA) Construction
- A10.18 Temporary Floor Holes, Wall Openings, Stairways, and Other Unprotected Edges
- A10.19 Pile Installation and Extraction Operations (under development)
- A10.20 Ceramic Tile, Terrazzo, and Marble Work
- A10.21 Proper Cleaning and Disposal of Contaminated Work Clothing
- A10.22 Rope-Guided and Nonguided Workers' Hoists
- A10.23 Back Injury Prevention Programs
- A10.24 Roofing (under development)
- A10.27 Safety Requirements for Hot Mix Asphalt Facilities
- A10.28 Work Platforms Suspended from Cranes or Derricks
- A10.31 Digger Derricks
- A10.32 Fail-Protection Systems for Construction Industry Users (under development)
- A10.33 Safety and Health Program Requirements for Multi-Employer Projects
- A10.34 Public Protection (under development)
- A10.35 High Pressure Hydro Blasting (under development)
- A10.37 Debris Nets (under development)
- A10.38 Basic Elements of a Program to Provide a Safe and Healthful Work Environment
- A10.39 Safety and Health Audit Program
- A10.41 Equipment Operator and Supervisor Qualifications and Responsibilities (under development)
- A10.42 Rigging Supervisor, Riggers, and Signalmen Qualifications and Responsibilities (under development)

One purpose of these standards is to serve as guides to governmental authorities having jurisdiction over subjects within the scope of the A10 Committee standards. If these standards are adopted for governmental use, the reference of other national codes or standards in the individual volumes may be changed to refer to the corresponding regulations.

*Revisions:* The A10 Committee welcomes proposals for revisions to this standard. Revisions are made periodically (usually 5 years from the date of the standard) to the standard to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant paragraph number(s), the proposed wording, and the reason for the proposal. Pertinent documentation would enable the A10 Committee to process the changes in a more timely manner.

*Interpretations:* Upon a request in writing to the Secretariat, the A10 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant paragraph number(s) and phrased as a request for clarification of a specific requirement. Oral interpretations are not provided.

### No one but the A10 Committee (through the Secretariat) is authorized to provide any interpretation of this standard.

*Approval:* Neither the A10 Committee nor American National Standards Institute (ANSI) "approves," "certifies," "rates," or "endorses" any item, construction, proprietary device, or activity.

Appendixes: Appendixes are included in most standards to provide the user with additional information related to the subject of the standard. Appendixes are not part of the approved standard.

*Committee Meetings:* The A10 Committee meets twice a year. Persons wishing to attend a meeting should contact the Secretariat for information.

*Standard Approval:* This standard was processed and approved for submittal to ANSI by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. Approval of the standard does not necessarily imply (nor is it required) that all committee members voted for its approval. At the time it approved this standard, the A10 Committee had the following members:

Matthew J. Burkart, Chairman Jim E. Lapping, Vice Chairman Timothy P. Kennedy, Secretary	Secretariat: A10 Committee American Society of Safety Engineers 1800 East Oakton Street Des Plaines, IL 60018-2187
Organization Represented	Richard E. Peterson Frank Burg Matthew J. Burkart Philip L. Stewart Robert S. Gosnell Ronald Lattanzio s of Jim E. Lapping Jim Dinegar Thomas Schlafly John A. Mineo 
Asbestos Workers International Union Associated Builders and Contractors Associated General Contractors of America,	Ralph D. Riley

Astec Industries, Inc.	Malcolm Swanson
Barton-Malow Company	John Gleichman
Black & Veatch	Richard F. King
Building and Construction Trades Dept	Bradley Sant
Business Roundtable, The	Ronald M. Howard
Center to Protect workers' Rights, The	Pete Stafford
Clark Construction Group	Harry W. Galer
Cole, Dossev & Assoc	Barry Cole
Philip L. Colleran	Philip L. Colleran
Consolidated Edison Co	Michael Reilly
ECI Safety Services	Anthony J. Merisola
Edison Electric Institute	R. Lee Reed
E. I. duPont de Nemours & Company	
Engineering Contractors Association	Bill Skillern
Gilbane Building Co	John P. O'Donovan
Henkels & McCoy, Inc.	Steven T. Theis
Richard D. Hislop	Richard D. Hislop
Human Factors Society	Lewis C. Barbe
Industrial Safety Equipment Association	Janice Bradley
Institute of Makers of Explosives	Boger N. Prescott
Institute of Makers of Explosives International Association of Bridge, Structural	
and Ornamental Iron Workers	Stephen D. Cooper
International Brotherhood of Boilermakers	Perry Day
International Brotherhood of Boilermakers International Brotherhood of Electrical Workers	Manuel A Mederos
International Brotherhood of Painters and Allied Trades	Dennis W Bond
International Union of Operating Engineers	
Jack L. Mickle & Assoc	lack Mickle
Joint Trade Board	Erank D Tooze
Laborers International Union of North America	
Maryland Occupational Safety and Health	Boy E Blades
Mechanical Contractors Association of America	Botor C Chopoy
Mechanical Contractors Association of America	Tom Brumogin
National Asphalt Pavement Association National Association of Home Builders	Dovid D. Dol oronzo
National Constructors Association	Loss H Hinmon
National Electrical Contractors Association	
National Electrical Contractors Association	Milliam Trabarna
National Erectors Association National Roofing Contractors Association	Tom Shanahan
National Robinny Contractors Association	IUIII Silalialiali Niek Wright
National Society of Professional Engineers Operative Plasterers & Cement Masons, Int'l. Assn	William L Saball
Operative Plasterers & Cement Masons, Intl. Assn	Deniel M. Deine
Daniel M. Paine.	
People's Gas, Light & Coke Co., The	Glen Annstrong
Pitt-Des Moines, Inc.	Inumian E. Tost, Sr.
Power Consultants, Inc.	David Goldsmith
Professional Safety Consultants, Inc Ryland Group, The	Imothy I. Paimer
Ryland Group, The	Bod Masterson
Scaffolding, Shoring and Forming Institute	
Sheet Metal Workers Int'l. Assn.	Gary Batyketer
Sigma Associates, Ltd.	A. J. Scardino, Jr.
Sinco, Inc	
SPA Inc.	Stanley D. Pulz
State Group, Swanson-Nunn Division	Jack Buttrum
TIC-The Industrial Company	Stephen H. Gale
Turner Construction Co.	Patrick J. Brennan
United Association	William Rhoten
United Brotherhood of Carpenters & Joiners	Joseph L. Durst, Jr.
United Union of Roofers, Waterproofers and	
Allied Workers	Robert J. Krul
U.S. Department of the Army	James T. Patton
U.S. Department of Energy	Pat Finn
U.S. Department of Labor-OSHA	Camille Villanova
West Virginia University - Extension Service	Paul Becker
Z Con	Ingo Zeise
Zurn Industries	Jeffrey D. Meddin

Subcommittee A10.22, which reaffirmed this revision, had the following members:

Jeffrey D. Meddin (Chairman)	Bob Duncan	Ed Smith
•	Larry Means	Mike Terensinski
	Giancarlo (John) Micacchi	Chuck Williams

This is a preview of "ANSI/ASSE A10.22-199...". Click here to purchase the full version from the ANSI store.

ANSI A10.22-1990 (R1998)

#### American National Standard

American National Standard for Construction and Demolition Operations—

# Safety Requirements for Rope-Guided and Nonguided Workers' Hoists

### 1 General

### 1.1 Scope

This standard establishes minimum safety requirements for temporary personnel hoisting systems used for the transportation of persons to and from working elevations during normal construction and demolition operations, including maintenance, and is restricted to use in special situations, such as:

1) Work in chimneys, chimney linings, silos, towers, stacks, shafts, and similar projects

2) When it is necessary to hoist or lower a person in a boatswain's chair or equivalent, and the height is too great for practical use of a block and falls (see Section 12)

3) For transportation of materials, but not concurrently with hoisting of personnel

The requirements of this standard are in addition to, or in lieu of, applicable provisions specified by American National Standard Safety Requirements for Material Hoists, ANSI A10.5-1992.

### 1.2 Purpose

This standard is intended to provide safety for those requiring the use of rope-guided and nonguided workers' hoists in special situations as set forth in 1.1.

### 1.3 Exceptions

In cases of practical difficulties, unnecessary hardships, or new development, exceptions to the literal requirements shall be permitted by the enforcing authority to allow the use of other devices or methods, but only when it is clearly established that equivalent protection is thereby obtained.

### 1.4 Design Qualifications

Rope-guided worker's hoists shall be designed by a qualified engineer competent in this field and

shall be constructed and rated in accordance with such design and the limitations of this standard.

### 1.5 Training

Prior to using the hoisting system described herein, both supervisory and operating personnel shall be instructed in the provisions of this standard and in the operational characteristics relating to the particular worker's hoisting system in use. Recommendations of the equipment manufacturer, if provided, and system designer(s) shall be followed. Records of training shall be maintained.

### 2 Referenced and Related Standard and Publications

### 2.1 Referenced American National Standards

This standard is intended to be used with the following American National Standards. When these referenced standards are superseded by a revision approved by the American National Standards Institute, Inc., the revision shall apply.

ANSI/AWS D1.1-1990, Structural Welding Code - Steel

ANSI/NFPA 70-1990, National Electrical Code

### 2.2 Referenced Publications

This standard is also intended to be used with the following publications:

AISC Manual of Steel Construction (8th Edition). (Available from the American Institute of Steel Construction, 400 North Michigan Avenue, Chicago, IL 60611-4185.)

OSHA 29 CFR, Part 1926.52, Occupational Noise Exposure (Available from U.S. Government Printing Office, Washington, DC 20402.)