

AMERICAN NATIONAL STANDARD

ANSI/ASSE A10.28-1998 (R2004) Safety Requirements for Work Platforms Suspended from Cranes or Derricks— American National Standard for Construction and Demolition Operations



American Society of Safety Engineers This is a preview of "ANSI/ASSE A10.28-199...". Click here to purchase the full version from the ANSI store.

The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Engineers (ASSE) as secretariat of the ANSI accredited A10 Committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSE or the A10 Committee does not ensure that adherence to these recommendations will protect the safety or health of any persons, or preserve property. This is a preview of "ANSI/ASSE A10.28-199...". Click here to purchase the full version from the ANSI store.

ANSI® A10.28-1998 (R2004)

American National Standard for Construction and Demolition Operations

Safety Requirements for Work Platforms Suspended from Cranes or Derricks

Secretariat

American Society of Safety Engineers 1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Approved June 23, 2004

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he/she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute requires that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published July 2004 by

American Society of Safety Engineers

1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Copyright ©2004 by the American Society of Safety Engineers All rights reserved

No part of this publication my be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword (This Foreword is not a part of American National Standard A10.28-1998 (R2004)).

This standard is one of a series of safety standards that have been formulated by the Accredited Standards Committee on Safety in Construction and Demolition Operations, A10. It is expected that the standards in the A10 series will find a major application in industry, serving as a guide to contractors, labor, and equipment manufacturers. For the convenience of users, a list of existing and proposed standards in the A10 series for Safety Requirements in Construction and Demolition Operations follows. Safety, Health, and Environmental Training (under development) A10.2 A10.3 Powder-Actuated Fastening Systems A10.4 Personnel Hoists and Employee Elevators A10.5 Material Hoists (under development) A10.6 **Demolition Operations** A10.7 Transportation, Storage, Handling, and Use of Commercial Explosives and Blasting Agents A10.8 Scaffolding A10.9 Concrete and Masonry Construction A10.10 Temporary and Portable Space Heating Devices A10.11 Personnel and Debris Nets A10.12 Excavation A10.13 Steel Erection A10.15 Dredging A10.16 Tunnels, Shafts, and Caissons A10.17 Safe Operating Practices for Hot Mix Asphalt (HMA) Construction A10.18 Temporary Floor Holes, Wall Openings, Stairways, and Other Unprotected Edges A10.19 Pile Installation and Extraction Operations (under development) A10.20 Ceramic Tile, Terrazzo, and Marble Work A10.21 Proper Cleaning and Disposal of Contaminated Work Clothing A10.22 Rope-Guided and Nonguided Workers' Hoists A10.23 Back Injury Prevention Programs (under development) A10.24 Roofing (under development) A10.25 Sanitation in Construction (under development) A10.26 Emergency Procedures for Construction Sites (under development) A10.27 Hot Mix Asphalt Facilities A10.28 Work Platforms Suspended from Cranes or Derricks A10.29 Aerial Lifts in Construction (under development) A10.30 Workplace Security A10.31 Digger-Derricks A10.32 Fall Protection Systems for Construction Industry Users A10.33 Safety and Health Program Requirements for Multi-Employer Projects A10.34 Public Protection A10.35 High Pressure Hydro Blasting (under development) A10.36 Railroad Construction Safety (under development) A10.37 Debris Nets A10.38 Basic Elements of a Program to Provide a Safe and Healthful Work Environment A10.39 Construction Safety and Health Audit Program A10.40 Ergonomics in Construction (under development)

A10.41 Equipment Operator and Supervisor Qualifications and Responsibilities (under development)

A10.42 Rigging Qualifications and Responsibilities in the Construction Industry

A10.43 Confined Spaces in Construction (under development)

A10.44 Lockout/Tagout in Construction (under development)

A10.45 Disaster Response Preparedness for Construction Workers (under development)

A10.46 Hearing Loss Prevention (under development)

A10.47 Highway Construction Safety (under development)

A10.48 Communication Tower Erection (under development)

One purpose of these standards is to serve as guides to governmental authorities having jurisdiction over subjects within the scope of the A10 Committee standards. If these standards are adopted for governmental use, the reference of other national codes or standards in individual volumes may be changed to refer to the corresponding regulations.

Revisions: The A10 Committee welcomes proposals for revisions to this standard. Revisions are made to the standard periodically (usually five years from the date of the standard) to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant paragraph number(s), the proposed wording, and the reason for the proposal. Pertinent documentation would enable the A10 Committee to process the changes in a more timely manner.

Interpretations: Upon a request in writing to the Secretariat, the A10 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant paragraph number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

No one but the A10 Committee (through the A10 Secretariat) is authorized to provide any interpretation of this standard.

Approval: Neither the A10 Committee nor American National Standards Institute (ANSI) "approves," "certifies," "rates," or "endorses" any item, construction, proprietary device, or activity.

Appendixes: Appendixes are included in most standards to provide the user with additional information related to the subject of the standard. Appendices are not part of the approved standard.

Committee Meetings: The A10 Committee meets twice a year. Persons wishing to attend a meeting should contact the Secretariat for information.

Standard Approval: This standard was processed and approved for submittal to ANSI by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. Approval of the standard does not necessarily imply (nor is it required) that all Committee members voted for its approval. At the time this standard was published, the A10 Committee had the following members:

Richard King, Chairman James Tomaseski, Vice Chairman Timothy R. Fisher, Secretary CSP, ARM, CPEA Patrick J. Arkins, Assistant Secretary

Organization Represented

Accident Prevention Corp.

Aegis Corporation Allegheny Power System Alstrom Power, Integrated Services American Federation of Labor and Congress of Industrial Organizations American Insurance Services Group American Society of Safety Engineers American Subcontractors Association Asbestos Workers International Union

Associated Builders and Contractors

Associated General Contractors of America, The

Barton-Malow Company Black & Veatch

Center to Protect Workers' Rights, The

Chicago Bridge & Iron Company

Clark Construction Group Cole-Miller Safety Consulting, Inc.

Philip L. Colleran Construction Users Roundtable, The ECI Safety Services Co.

Edison Electric Institute

E. I. duPont de Nemours & Company

Elevator Industry Preservation Fund Gilbane Building Co.

Richard D. Hislop Institute of Makers of Explosives

International Association of Bridge, Structural, Ornamental and Reinforcing Iron Workers

Name of Representative

Frank Burg Michael Serpe Matthew J. Burkart, P.E. Judith Burkhart David Szuch Richard Sanner Robert Renney Ted P. Sharp

Jim E. Lapping, MS, P.E., CSP Edward Campbell James G. Borchardt, CSP, CPE Allen Macenski, CSP, J.D. A. David Brayton Luke McFadden Dante Pulignani, ASP Terry Lynch Jim E. Lapping, MS, P.E., CSP Michael W. Hayslip, P.E. Anita Drummond James Brown Ron Prichard, Ph.D., P.E. John Gleichman Richard F. King, CSP Paul Weida, CSP Mike McCann Pete Stafford James Rhudy Wallace K. Melvin Jack Duley Barry Cole Steve Miller Philip L. Colleran, CSP Ron G. Prichard, Ph.D., P.E. Anthony Merisola Patrick Brennan R. Lee Reed, Jr. Charles Kelly Jane Schindewolf Robert Krzywicki John Quackenbush John P. O'Donovan Carol Murkland **Richard Hislop** Lon D. Santis J. Christopher Ronay

Frank Migliaccio, Jr.

International Brotherhood of Boilermakers

International Brotherhood of Electrical Workers

International Safety Equipment Association

International Union of Operating Engineers

International Union of Painters & Allied Trades Jack L. Mickle & Associates Laborers International Union of North America

Maryland Occupational Safety & Health

Mechanical Contractors Association of America

National Association of Home Builders

National Association of Railroad Safety Consultants & Investigators National Roofing Contractors Association

National Society of Professional Engineers

NEA - The Association of Union Constructors

Operative Plasterers and Cement Masons, International Association Daniel M. Paine

Power Consultants, Incorporated

Professional Safety Consultants, Inc. Property Casualty Insurers Association of America Ryland Group, Inc., The Safety and Quality Plus Scaffolding, Shoring & Forming Institute

Sheet Metal Workers International Association

Sigma Associates, Ltd.

SINCO / SALA

SPA, Incorporated

TIC-The Industrial Company

Turner Construction Company United Association of Plumbers and Pipefitters United Brotherhood of Carpenters and Joiners of America United Union of Roofers, Waterproofers and Allied Workers David Haggerty Bridget Conner James Tomaseski Jerry Westerholm Janice Bradley, CSP Cristine Fargo Emmett Russell Steve Brown Jim Williams Jack Mickle, Ph.D. Scott Schneider George Macaluso Roy E. Blades Mischelle Vanreusel Peter Chaney Dennis Langley Robert Matuga George Middleton

Lewis Barbe, P.E., CSP, CRSP Tom Shanahan Harry Dietz C.E. Jackson, Jr., P.E. E. Ross Curtis, P.E., NSPE William Treharne, P.E. Wayne Rice

Gerald Ryan Daniel M. Paine Barbara Paine David Goldsmith S. Jecker Timothy Palmer, Ph.D., P.E. John Neil Bob Masterson, CSP Ron Lattanzio Chris Johnson Jerry Meadors Gary Batykefer Charles Austin A. J. Scardino, Jr. Daniel Paine David Denny Brian Clarke Stanley D. Pulz Jessica Pulz Stephen Gale Brett Richardson Dennis Falvey William Rhoten

vacant

Robert J. Krul John Barnhard U.S. Department of the Army – Corps of Engineers

U.S. Department of Energy

U.S. Department of Labor – OSHA

West Virginia University - Extension Service

Z Con Safety Consultants ZBD Constructors (Zurn Industries) Samuel Testerman Brian Becker Patrick Finn Leslie Bermudez Camille Villanova H. Berrien Zettler Mark Fullen Brandon Takacs Ingo Zeise Greg Thompson Jeffrey D. Meddin, CSP, CHCM

Subgroup A10.28 had the following members:

Frank Burg (Chairman) Ingo Zeise (Liaison) Lewis Barbe Barry Cole Philip Colleran Larry Edginton Patrick Finn Richard Hislop Steve Miller Anthony Merisola

Contents	SE	CTIONPAGE
	1	Scope 10
	1.	1 1 Application 10
		1.1 Application
		1.2 Scherar requirements 10
	2	Definitions 10
	2.	Crane and Derrick Criteria 11
	5.	31 Live Booms 11
		3.1 Live Dooms
		3.2 Evalu Line
		3.4 Talescoping Boom Cranes 11
		3.5 Weight Limitations
		2.6 Room Angle Indigator 11
		3.0 Doolil Aligie Indicator
		5.7 Load Moline Indicator 11
		2.0 Loval Crada 11
		3.9 Level Olduc
	4	5.10 Two-Diocking rievention 11
	4.	Crane and Derrick Inspection
		4.1 Components
		4.2 Frequency
	5	4.5 Kepair Kequirements
	э.	Suspended Work Platform Design
		5.1 Approval
		5.2 Minimum Design Factor
		5.3 Capacity Identification
		5.4 Access Gale
		5.5 Overnead Protection 12
		5.6 Perimeter Protection
		5.7 Fall Protection
		5.8 Grad Kall
		5.9 Stability
	(5.10 Access Height
	6.	Suspended Work Platform Construction
		6.1 Edges
		6.2 Weld Inspection
	7	6.3 Welding Competence
	1.	Suspended Work Platform Testing and Inspection
		7.1 Frequency of Inspection
		7.2 Proof Testing
	0	7.3 Trial Run
	8.	Suspended Work Platform Loading
		8.1 Distribution of Loads
	0	8.2 Limitations
	9.	Rigging
		9.1 Use
		9.2 Attachment
		9.3 Capacity
		9.4 Positive Connection
		9.5 Wire Rope
	10.	Personal Protective Equipment
		10.1 General
		10.2 Personal Fall Arrest Equipment

11.	Signaling and Communications	13
	11.1 Positioning	13
	11.2 Positive Means	13
12.	Safe Work Practices	13
	12.1 Working from Suspended Platforms	13
	12.2 Number of Personnel	13
	12.3 Operating Ability	13
	12.4 Setting Brakes and Locks	13
	12.5 Operator Positioning	13
	12.6 Outriggers	13
	12.7 Personnel Positioning	13
	12.8 Securing Suspended Platform	13
	12.9 Tag Lines	13
	12.10 Travel	14
	12.11 Weather	14
	12.12 Training	14
	-	

ANSI A10.28-1998 (R2004)

AMERICAN NATIONAL STANDARD A10.28 SAFETY REQUIREMENTS FOR WORK PLATFORMS SUSPENDED FROM CRANES OR DERRICKS

1. SCOPE

This standard applies to platforms suspended from the load lines of cranes or derricks in order to (1) perform work at elevations that cannot normally be reached by other types of scaffolds or aerial work platforms or (2) transport personnel to elevations where other means of access are unsafe or impractical because of design or worksite conditions.

1.1 Application. This standard shall apply to platforms suspended from the load lines of cranes or derricks in order to:

1) perform work at elevations that cannot normally be reached by other types of scaffolds or aerial work platforms, or

2) transport personnel to elevations where other means of access are unsafe or impractical because of design or worksite conditions. Safe use of such equipment is dependent upon the user following all provisions contained herein.

1.2 General Requirements. The use of a crane or derrick to hoist employees on a personnel platform is prohibited, except when the erection, use, and dismantling by conventional means, of reaching the worksite would be more hazardous or is not possible because of structural design or worksite conditions. Conventional means are considered to be such means as a personnel hoist, ladder, stairway, aerial lift, elevating work platform, or scaffold. A competent person shall perform a job safety analysis (JSA) on all equipment to be used to suspend platforms from cranes and derricks including the platforms. A copy of the JSA shall be maintained at the jobsite.

1.3 Exclusion. This standard shall not apply to platforms that are welded, bolted, pinned, or otherwise directly attached to a crane boom.

2. **DEFINITIONS**

2.1 competent person: One who is capable of identifying existing and predictable hazards in the surroundings or working conditions that are unsanitary, hazardous, or dangerous to employees, and who has the authorization to take prompt corrective measures to eliminate them.

2.2 controlled load lowering: System or device on the power train, other than the load hoist brake, that can regulate the rate of speed of the hoist mechanism during lowering.

2.3 live boom: Boom in which lowering is controlled by a brake without aid from other lowering-retarding devices.

2.4 manufacturer: Crane or derrick manufacturer.

2.5 rated capacity: Maximum live load the object has been designed to carry.

2.6 rotation resistant wire rope: Wire rope consisting of a left lay inner rope covered by regular lay strands laid in the direction opposite to the inner rope.

2.7 shall: Denotes a mandatory requirement.

2.8 should: Denotes a recommendation.

2.9 two-blocking: Condition in which the load block or hook assembly is drawn tightly to the boom point.

2.10 two-blocking damage prevention: System that will stall when two-blocking occurs without causing damage to the hoist rope or crane machinery components.

2.11 qualified engineer: One who has a professional engineering registration from any state and who has successfully demonstrated the ability to design mechanical or structural objects.