

American National Standard

ANSI/ASSE A10.42-2000 Safety Requirements for Rigging Qualifications and Responsibilities –

American National Standard for Construction and Demolition Operations



American Society of Safety Engineers This is a preview of "ANSI/ASSE A10.42-200...". Click here to purchase the full version from the ANSI store.

ANSI® A10.42-2000

Safety Requirements for Rigging Qualifications and Responsibilities –

American National Standard for Construction and Demolition Operations

Secretariat

American Society of Safety Engineers

1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Approved September 21, 2000

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute requires that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

American Society of Safety Engineers

1800 East Oakton Street Des Plaines, Illinois 60018-2187 (847) 699-2929 • www.asse.org

Copyright ©2000 by American Society of Safety Engineers All rights reserved

No part of this publication my be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed the United States of America

Copyright,
Waiver of
First Sale
Doctrine
Materials from the American Society of Safety Engineers (ASSE) are fully protected by the United States copyright laws and are solely for the non-commercial, internal use of the purchaser. Without the prior written consent of ASSE, purchaser agrees that such materials shall not be rented, leased, loaned, sold, transferred, assigned, broadcast in any media form, publicly exhibited or used outside the organization of the purchaser or reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopy, recording or otherwise.

Although the information and recommendations contained in this publication have been compiled from sources believed to be reliable, ASSE makes no guarantee as to, and assumes no responsibility for, the correctness, sufficiency or completeness or such information or recommendations. Other or additional safety measures may be required under particular circumstances.

Copies of this standard may be purchased by contacting:

American Society of Safety Engineers 1800 East Oakton Street Des Plaines, Illinois 60018-2187 This is a preview of "ANSI/ASSE A10.42-200...". Click here to purchase the full version from the ANSI store.

Contents

00.		Page		
Fore	word .			
1	Gene	ral1		
	1.1	Scope1		
	1.2	Purpose1		
	1.3	Modifications and Exemptions1		
	1.4	Limitations1		
	1.5	Mandatory and Advisory Rules1		
	1.6	Equivalent1		
2	Defin	itions1		
3	Perfo	rmance Requirements2		
	3.1	General		
	3.2	Potentially Critical Operations		
	3.3	Critical Operations		
	3.4	Requirement for a Qualified Rigger4		
4	Oper	ational Requirements4		
	4.1	General Requirements4		
	4.2	Signaling4		
	4.3	Suspended Loads4		
5	Personnel Qualification and Training			
•	5.1	General4		
	5.2	Qualifications4		
	54.3	Training4		
	5.4	Retraining6		
	5.5	Recordkeeping6		
Apr	oendix	es		
A	Stan	dard Hand Signals For Cranes7		
В	Suggested Guidelines for Developing a Job-Specific			
	Proc	edure for a Critical Load Movement9		

Suggested Forklift Signals11 С

Foreword (This Foreword is not part of American National Standard A10.42.)

This standard establishes minimum criteria of knowledge and performance requirements for a qualified rigger in the construction industry.

This standard is one of a series of safety standards that have been formulated by the Accredited Standards Committee on Safety in Construction and Demolition Operations, A10. It is expected that the standards in the A10 series will find a major application in industry, serving as a guide to contractors, labor, and equipment manufacturers. For the convenience of users, a list of existing and proposed standards in the A10 series for safety requirements in construction and demolition operations follows.

- A10.2 Safety, Health, and Environmental Training
- A10.3 Powder-Actuated Fastening Systems
- A10.4 Personnel Hoists and Employee Elevators
- A10.5 Material Hoists
- A10.6 Demolition Operations
- A10.7 Transportation, Storage, Handling, and Use of Commercial Explosives and Blasting Agents
- A10.8 Scaffolding
- A10.9 Concrete and Masonry Construction
- A10.10 Temporary and Portable Space Heating Devices
- A10.11 Personnel and Debris Nets
- A10.12 Excavation
- A10.13 Steel Erection
- A10.14 Safety Belts, Harnesses, Lanyards, and Lifelines
- A10.15 Dredging
- A10.16 Tunnels, Shafts, and Caissons
- A10.17 Safe Operating Practices for Hot Mix Asphalt (HMA) Construction
- A10.18 Temporary Floor Holes, Wall Openings, Stairways, and Other Unprotected Edges
- A10.19 Pile Installation and Extraction Operations (under development)
- A10.20 Ceramic Tile, Terrazzo, and Marble Work
- A10.21 Proper Cleaning and Disposal of Contaminated Work Clothing
- A10.22 Rope-Guided and Nonguided Workers' Hoists
- A10.23 Back Injury Prevention Programs
- A10.24 Roofing (under development)
- A10.27 Hot Mix Asphalt Facilities
- A10.28 Work Platforms Suspended from Cranes or Derricks
- A10.31 Digger-Derricks
- A10.32 Fall Protection Systems for Construction Industry Users (under development)
- A10.33 Safety and Health Program Requirements for Multi-Employer Projects (under development)
- A10.34 Public Protection (under development)
- A10.35 High Pressure Hydro Blasting (under development)
- A10.37 Debris Nets
- A10.38 Basic Elements of a Program to Provide a Safe and Healthful Work Environment
- A10.39 Safety and Health Audit Program
- A10.41 Equipment Operator and Supervisor Qualifications and Responsibilities (under development)
- A10.42 Rigging Qualifications and Responsibilities

One purpose of these standards is to serve as guides to governmental authorities having jurisdiction over subjects within the scope of the A10 Committee standards. If these standards are adopted for governmental use, the reference of other national codes or standards in individual volumes may be changed to refer to the corresponding regulations.

Revisions: The A10 Committee welcomes proposals for revisions to this standard. Revisions are made periodically (usually 5 years from the date of the standard) to the standard to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant paragraph number(s), the proposed wording, and the reason for the proposal. Pertinent documentation would enable the A10 Committee to process the changes in a more timely manner.

Interpretations: Upon a request in writing to the Secretariat, the A10 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant paragraph number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

No one but the A10 Committee(through the A10 Secretariat) is authorized to provide any interpretation of this standard.

Approval: Neither the A10 Committee nor American National Standards Institute (ANSI) "approves," "certifies," "rates," or "endorses" any item, construction, proprietary device, or activity.

Appendixes: Appendixes are included in most standards to provide the user with additional information related to the subject of the standard. Appendices are not part of the approved standard.

Committee Meetings: The A10 Committee meets twice a year. Persons wishing to attend a meeting should contact the Secretariat for information.

Standard Approval: This standard was processed and approved for submittal to ANSI by the American National Standards Committee on Safety in Construction and Demolition Operations, A10. Approval of the standard does not necessarily imply (nor is it required) that all Committee members voted for its approval. At the time it revised this standard, the A10 Committee had the following members:

Matthew J. Burkart, Chair	Secretariat: A10 Committee
Jim E. Lapping, Vice-Chair	American Society of Safety Engineers
Timothy P. Kennedy, Secretary	1800 East Oakton Street
······································	Des Plaines, IL 60018-2187

Organization Represented	Richard E. Peterson Frank Burg Matthew J. Burkart Philip L. Stewart Robert S. Gosnell
Allsafe Consultants	Ronald Lattanzio
American Federation of Labor and Congress of Industrial Organizations American Institute of Architects American Insuitate of Steel Construction American Society of Safety Engineers American Subcontractors Association Asbestos Workers Int'I. Union Associated Builders and Contractors Associated General Contractors of America, The Astec Industries, Inc Barton-Malow Co Black & Veatch Building and Construction Trades Dept Business Roundtable, The Center to Protect Workers' Rights, The Clark Construction Group Cole, Dossey & Assoc	Jim Dinegar Thomas Schlafly John A. Mineo Ernest B. Jorgenson, Jr. Dante Pulignani John Keane Ralph D. Riley Ron Prichard Malcolm Swanson John Gleichman Richard F. King Bradley Sant Ronald M. Howard Pete Stafford Marry W. Galer

Philip L. Colleran	Philip L. Colleran
Commonwealth Edison Co	Michael Reilly
ECI Safety Services	Anthony J. Merisola
Edison Electric Institute	.R. Lee Reed
E. I. duPont de Nemours & Company	.R.S. Krzywicki (alt.)
Engineering Contractors Association	.Bill Skillern
Gilbane Building Co	John P. O'Donovan
Henkels & McCoy, Inc.	Steven T. Theis
Richard D. Hislop	Bichard D Hislon
Human Factors Society	Lewis C Barbe
Industrial Safety Equipment Association	Janice C Bradley
Institute of Makers of Explosives	Bogor N. Brossett
Institute of Makers of Explosives	.noger N. Frescoll
International Association of Bridge, Structural	
and Ornamental Iron Workers	Stephen D. Cooper
International Brotherhood of Boilermakers	
International Brotherhood of Electrical Workers	
International Brotherhood of Painters & Allied Trades	Dennis W. Bond
International Union of Operating Engineers	William Smith
Jack L. Mickle & Assoc.	Jack Mickle
Joint Trade Board	Frank D. Tooze
Laborers International Union of North America	Kelly E. Lapping
Marvland Occupational Safety & Health	Rov E. Blades
Mechanical Contractors Association of America	.Peter G. Chanev
Mechanical Contractors Association of America National Asphalt Pavement Association	Tom Brumagin
National Association of Home Builders	David D. DeLorenzo
National Constructors Association	
National Electrical Contractors Association	David L. Potts
National Erectors Association	
National Roofing Contractors Association	Tom Shanahan
National Society of Professional Engineers.	Nick Wright
Operative Plasterers & Cement Masons, Int'l. Assn	William I Schell
Daniel M. Paine	Daniel M. Paine
People's Light, Gas & Coke Co	Glen Armstrong
Pitt-Des Moines, Inc.	Thurman E Vost Sr
Power Consultants, Inc.	
Professional Safety Consultants, Inc.	Timothy T Palmor
Puland Crown The	Bob Mostoroon
Ryland Group, The	
Scaffolding, Shoring and Forming Institute	
Sheet Metal Workers Int'l Assn	
Sigma Associates, Ltd.	A. J. Scarolno, Jr.
Sinco, Inc	David Denny
SPA, Inc.	Stanley D. Pulz
State Group, Swanson Nunn Division	Jack Buttrum
TIC-The Industrial Company	Stephen H. Gale
Turner Construction Co.	Patrick J. Brennan
United Association	
United Brotherhood of Carpenters & Joiners	Joseph L. Durst, Jr.
United Union of Roofers, Waterproofers and	
Allied Workers	Robert J. Krul
U.S. Department of the Army	James T. Patton
U.S. Department of Energy	Pat Finn
U.S. Department of Labor OSHA	Camille Villanova
West Virginia University - Extension Service	Paul Becker
Z Con	Ingo Zeise
Zurn Industries	Jeffrey D. Meddin

Subgroup A10.42

Stephen D. Cooper (Chairman)

Barry A. Cole Frank Cusma Larry Edginton Harry Galer Ray Medlin J. P. Moery Daniel Paine

Charles Perkins A. J. Scardino Alan (Bud) Simmons William Treharne Eric Waterman George Young

AMERICAN NATIONAL STANDARD

ANSI A10.42-2000

American National Standard for Construction and Demolition Operations—

Safety Requirements for Rigging Qualifications and Responsibilities

1 General

1.1 Scope

This standard establishes minimum criteria of knowledge and performance requirements for a qualified rigger in the construction industry.

1.2 Purpose

This standard is designed to assist in achieving reasonable safety of all persons and materials during the process of, or as the result of, rigging, lifting, or moving of loads.

1.3 Modifications and Exemptions

In cases of practical difficulties, unnecessary hardships, or new developments, exceptions to the literal requirements may be granted by the enforcing authority to permit the use of other devices or methods, but only when it is clearly indicated that the equivalent protection is thereby secured.

1.4 Limitations

This standard does not apply to the training required to be qualified as an operator of powered equipment. This standard does not apply to transportation of loads or maintenance or repair of powered or manual hoists, cranes, winches, or other hoisting equipment.

Commentary: While the qualified rigger is required to know the basic principles and limits of lifting and hoisting equipment, he or she is expected to rely on qualified operators, mechanics, suppliers, engineers, managers, and others involved for valid information, and for competent performance by these other persons in their respective roles. For instance, a rigger may be responsible to determine loads and the farthest radius of a pick, but then must rely on a crane operator to know the safe crane capacity for the configuration and setup of that crane. This principle also applies to operators of hoists, winches, helicopters, etc. Similarly, if a rigger determines that a 5-ton picking beam is

needed, he or she can rely on a manager, an engineer who provides specifications, or a supplier who provides a product for the rigger's use.

1.5 Mandatory and Advisory Rules

Mandatory rules of this standard are characterized by the word "shall." If a rule is of an advisory nature, it is indicated by the word "should," or is stated as a recommendation or commentary. The Appendixes are advisory.

1.6 Equivalent

The word "equivalent" in this standard shall mean alternative materials, designs, or features that will provide an equal degree of strength and safety.

2 Definitions

2.1 ANSI: American National Standards Institute

2.2 attachment: A device other than conventional forks or load backrest extension, mounted permanently or removably on the elevating mechanism of a fork truck for handling the load. Popular types are fork extension clamps, rotating devices, side shifters, load stabilizers, rams, and booms.

2.3 cable: A term loosely applied to wire ropes, wire strands, manila ropes, and electrical conductors.

2.4 clip: A fitting used to clamp two parts of wire rope (also known as wire rope clip, wire rope clamp).

2.5 competent person: One who is capable of identifying existing and predictable hazards in the surroundings or working conditions that are unsanitary, hazardous, or dangerous to employees, and who has authorization to take prompt corrective measures to eliminate them.

2.6 crane: A machine used for lifting and lowering a load vertically and moving it horizontally