AWS C2.16/C2.16M:2017
An American National Standard

Guide for Thermal Spray Operator Qualification Programs





AWS C2.16/C2.16M:2017
An American National Standard

Approved by the American National Standards Institute March 10, 2017

Guide for Thermal Spray Operator Qualification Programs

4th Edition

Supersedes AWS C2.16/C2.16M:2002

Prepared by the American Welding Society (AWS) C2 Committee on Thermal Spraying

Under the Direction of the AWS Technical Activities Committee

Approved by the AWS Board of Directors

Abstract

This guide contains recommendations for establishing a thermal spray operator qualification program. Information related to training, knowledge and skill testing, and coating system inspection methods is provided. Example thermal spray operator qualification tests (TSOQT) parameters and forms are provided, to address common engineering and corrosion control applications using arc, flame, atmospheric plasma, and high velocity oxygen fuel (HVOF) spray processes.



This is a preview of "AWS C2.16/C2.16M:201...". Click here to purchase the full version from the ANSI store.

ISBN: 978-0-87171-911-9 © 2017 by American Welding Society All rights reserved Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be superseded by new editions. This standard may also be corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex D). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS C2 Committee on Thermal Spraying. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are requested and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS C2 Committee on Thermal Spraying and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS C2 Committee on Thermal Spraying to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

This is a preview of "AWS C2.16/C2.16M:201". Click here to purchase the full version from the ANSI store.			
This page is intentionally blank.			

Personnel

AWS C2 Committee on Thermal Spraying

K. L. Sender, Chair Oerlikon Metco (US), Incorporated

W. J. Arata Jr., Vice Chair Matheson Gas

J. M. Rosario, Secretary American Welding Society

D. M. Beneteau Centerline Ltd.

C. C. Berndt Swinburne University of Technology
M. M. Blasingame Superior Shot Peening, Incorporated

T. J. Connelly Green Belting Industries Ltd.

A. Duminie HC Starck North American Trading LLC

M. Froning The Boeing Company

D. T. Haegele Select Arc

D. Hayden Hayden Corporation
J. O. Hayden Hayden Corporation

I. R. Lasa Florida Department of Transportation

D. A. Lee Kennametal Stellite
W. M. Medford INSPEC, Incorporated

J. J. Medrano Oerlikon Metco (US), Incorporated D. R. Moody Plasma Powders and Systems

B. Mosier Polymet Corporation

J. Ryan Oerlikon Metco (US), Incorporated

K. Sampath *Chart Industries*

C. Sauer NAVAIR In-Service Support Center

A. P. Yanski Praxair TAFA

Advisors to the AWS C2 Committee on Thermal Spraying

R. Ahmed RasGas Co Ltd.

B. T. Costello NAVSEA

L. F. Grimenstein Nation Coating Systems Incorporated

A. J. Grubowski DDL OMNI

D. Grubowski DDL OMINI
D. Guillen Idaho National Laboratory
J. A. Kapur Bay State Surface Technologies
A. Roy Quality Calibration & Consulting
C. Tudor International MetalFusion Corporation

T. H. Via Via Technologies

M. Weinstein Wall Colmonoy Corporation

AWS C2F Subcommittee on Thermal Spray Operator Qualification Programs

D. R. Moody, Chair Plasma Powders and Systems
J. M. Rosario, Secretary American Welding Society

M. M. Blasingame
J. O. Hayden

Superior Shot Peening, Incorporated
Hayden Corporation

D. A. Lee Kennametal Stellite
W. M. Medford INSPEC, Incorporated

K. L. Sender Oerlikon Metco (US), Incorporated

A. P. Yanski Praxair TAFA

This is a preview of "AWS C2.16/C2.16M:201...". Click here to purchase the full version from the ANSI store.

Advisors to the AWS C2F Subcommittee on Thermal Spray Operator Qualification Programs

L. F. Grimenstein Nation Coating Systems Incorporated

A. J. Grubowski DDL OMNI

J. A. Kapur Bay State Surface Technologies

J. R. Reid Reid Consulting

S. Rice KTA-Tator, Incorporated

A. Roy *Quality Calibration & Consulting*R. Sayman *Air Force Material Command*

T. Snyder Progressive Surface

S. Szapra Naval Surface Warfare Center
D. Wixson TMS Metalizing Systems Ltd.
R. J. Wong Naval Surface Warfare Center

D. W. Wright Accuwright Industries, Incorporated

Foreword

This foreword is not part of this standard but is included for information purposes only.

The purpose of this document is to provide a guide for companies, agencies, and institutions, to create a program for qualifying thermal spray operators. Such qualification programs are frequently employer or site specific, to address a unique set of thermal spray processes, procedures, equipment, coating systems, and customer or contract requirements. The objective is to share common and best practices related to the structure, execution, and maintenance of qualification programs.

Previous editions of the document are as follows:

ANSI/AWS C2.16-78, Guide for Thermal Spray Operator and Equipment Qualification

ANSI/AWS C2.16-92, Guide for Thermal Spray Operator Qualification

AWS C2.16/C2.16M:2002, Guide for Thermal Spray Operator Qualification

This edition has been extensively revised and reformatted to clarify the intent and readability. Because of this, the vertical line in the margin or underlined text in clauses, tables, or figures common to AWS standard revisions has not been applied to indicate editorial or all technical changes from the previous edition.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS C2 Committee on Thermal Spraying, American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.




Table of Contents


Page No. Personnelv Foreword......vii List of Tables xi List of Figures xi List of Forms xi 1. 2. 3. 4. 5. 6. 7. Knowledge Testing9 8.

This is a preview of "AWS C2.16/C2.16M:201...". Click here to purchase the full version from the ANSI store.

8.5 Process Documentation	
8.6 Process Qualification	
Nonmandatory Annexes	
Annex A (Normative)—Thermal Spray Process Qualification Tests	
Annex B (Informative)—Example Forms	
Annex C (Informative)—Bibliography	
Annex D (Informative)—Requesting an Official Interpretation on an AWS Standard	
List of AWS Documents on Thermal Spraying	31

List of Tables

Table		Page No.
1 2 3 A.1 A.2	Example Thermal Spray Operator Qualification Designations Designated Example Coating Systems. Recommended Test Piece (TP) Quantities. Example Thermal Spray Process Acceptance Criteria. Tensile-Bond Qualification Requirements for Thermal Spray Operators.	7 12 16
	List of Figures	
Figure		Page No.
1 A.1 A.2 A.3 A.4 A.5 A.6	Example of a Test Rig for the Preparation of HVOF Coating Specimens. Test Piece for Atmospheric Plasma Spraying of Metals and Alloys Test Piece for Flame-Sprayed Self-Fluxing Alloy Coating Test Piece for Flame- and Arc-Sprayed Aluminum and Zinc Alloy Coating. Example of an Almen Gage Example of an Almen Gage with Specimen Thermal Spray Coating Bend Test: Pass/Fail Examples	13 14 15 15
	List of Forms	
Form		Page No.
B.1 B.2 B.3 B.4 B.5	Thermal Spray Process and Spray Parameters for Plasma Spraying Thermal Spray Process and Spray Parameters for Arc Spraying Thermal Spray Process and Spray Parameters for Flame Spraying Thermal Spray Process and Spray Parameters for HVOF Spraying Example Thermal Spray Operator Qualification Certificate	21



Guide for Thermal Spray Operator Qualification Programs

1. General Requirements

1.1 Scope. This guide contains recommendations for establishing, conducting, and maintaining a thermal spray operator qualification program. Such programs generally include training, knowledge and skill testing, and documentation requirements. The skill tests described in this guide relate to flame spraying, arc spraying, atmospheric plasma spraying, and high velocity oxygen fuel (HVOF) spraying.

While this guide does not preclude the possibility to establish a qualification program for operators of automatic thermal spray equipment, the examples in this guide assume the objective is to qualify operators who develop process parameters, apply the thermal spray process, and evaluate the effectiveness of the coating process.

This document is not to be used as a stand-alone document for operator qualification or certification. An operator would not be "qualified in accordance with AWS C2.16/C2.16M" as this document does not address relevant acceptance standards. However, a qualification program can state that it follows the guidelines of AWS C2.16/C2.16M.

Although this guide is not written with mandatory requirements, mandatory language, such as the use of "shall," will be found in those portions of the document where failure to follow the instructions or procedures could produce inferior, misleading, or unsafe results.

- **1.2 Exclusion.** AWS C2.16/C2.16M does not preclude an employer or contractor from continuing to qualify thermal spray operators in accordance with any established qualification program or the requirements of standards such as:
 - (1) AWS C2.19, Specification for the Application of Thermal Spray Coatings to Machine Elements for OEM and Repair.
 - (2) MIL-STD-1687, Thermal Spray Processes for Naval Ship Machinery Applications.
- (3) Various original equipment manufacturers' (OEM) or after-market repair, thermal spray process, and spray specifications.
 - (4) ISO 14918, Thermal spraying—Approval testing of thermal sprayers.
- **1.3 Units of Measurement.** This guide makes use of both U.S. Customary Units and the International System of Units [SI]. The latter are shown within brackets [] or in appropriate columns in tables and figures. The measurements may not be exact equivalents; therefore each system must be used independently.
- **1.4 Safety.** Safety and health issues and concerns are beyond the scope of this standard and therefore are not fully addressed herein. Safety and health information is available from the following sources:

American Welding Society:

- (1) ANSI Z49.1, Safety in Welding, Cutting, and Allied Processes
- (2) AWS Safety and Health Fact Sheets
- (3) Other safety and health information on the AWS website

Material or Equipment Manufacturers:

- (1) Safety Data Sheets supplied by materials manufacturers
- (2) Operating Manuals supplied by equipment manufacturers