

AWS D14.5/D14.5M:2009
An American National Standard



Specification for Welding of Presses and Press Components



American Welding Society



AWS D14.5/D14.5M:2009
An American National Standard

Approved by the
American National Standards Institute
April 16, 2009

Specification for Welding of Presses and Press Components

3rd Edition

Supersedes ANSI/AWS D14.5-97

Prepared by the
American Welding Society (AWS) D14 Committee on Machinery and Equipment

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

Requirements are presented for the design and fabrication of cyclically loaded press weldments, which includes the weld repair of new and existing components. Filler metals and weld procedure specifications are recommended for the applicable base metals that are limited to those consisting of carbon and low-alloy steels. Allowable unit stresses are provided for weld metal and base metal for various cyclically loaded joint designs. This specification does not address the fabrication or weld repair of pressure containing components such as hydraulic cylinders, air cylinders, or die cushions.



American Welding Society

550 N.W. LeJeune Road, Miami, FL 33126

Foreword

This foreword is not part of AWS D14.5/D14.5M:2009, *Specification for Welding of Presses and Press Components*, but is included for informational purposes only.

The specification AWS D14.5/D14.5M addresses a recognized need in the press manufacturing and press repair industries to continue the advance of welding and to increase product reliability. The specification provides manufacturers, fabricators, and repair companies with the minimum acceptable requirements for fabrication, modification, and repair of cyclical press components. The requirements for procedure and welder qualification, workmanship, and prequalified weld joints are emphasized.

This third edition has been edited to include both U.S. Customary and SI Units. Other revisions include updated tables and figures. Contributors who prepared this document and worked to provide a high quality, reliable working document represent manufacturers, users, repair companies, and insurance underwriters.

Underlined text in the subclauses, tables, or figures indicates an editorial or technical change from the 1997 edition. A vertical line in the margin indicates a revision from the 1997 edition.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS D14 Committee on Machinery and Equipment, American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.

Table of Contents

	Page No.
<i>Personnel</i>	v
<i>Foreword</i>	vii
<i>List of Tables</i>	xii
<i>List of Figures</i>	xiii
1. General Provisions	1
1.1 Scope	1
1.2 Normative References	1
1.3 Definitions	2
1.4 Manufacturer's Responsibility	2
2. Classification of Welded Joints and Materials	3
2.1 Classification of Welded Joints	3
2.2 Classification of Materials	3
3. Welding Processes and Consumables	6
3.1 Processes and Methods	6
3.2 Consumables	6
3.3 Practices in Consumable Storage	10
4. Weld Joint Design	10
4.1 Introduction	10
4.2 Weld Joint Nomenclature	10
4.3 Weld Joint Qualification	10
4.4 Groove Welds	11
4.5 Fillet Welds	12
4.6 Plug and Slot Welds	14
5. Design Stresses	14
5.1 General	14
5.2 Fatigue	14
6. Workmanship	15
6.1 General	15
6.2 Preparation of Materials	15
6.3 Assembly	15
6.4 Preheat	15
6.5 Tack Welds	17
6.6 Temporary Welds	17
6.7 Control of Distortion and Shrinkage Stresses	17
6.8 Dimensional Tolerance	17
6.9 Cleaning	17
6.10 Covering of Welds	17
6.11 Weld Quality Requirements	17
7. Qualification	17
7.1 Scope	17
Part A—Procedure Qualification	17
7.2 Qualification of Welding Procedures	17

	Page No.
7.3 Types of Tests and Purposes.....	24
7.4 Base Metal and Its Preparation.....	24
7.5 Position of Test Welds	24
7.6 Welding of Test Samples	30
7.7 Test Specimens—Number, Type, and Preparation	30
7.8 Methods of Testing Specimens	30
7.9 Test Results Required	30
7.10 Records	32
7.11 Retests	32
Part B—Welding Qualification	33
7.12 General.....	33
7.13 Qualification Tests Required.....	33
7.14 Limitation of Variables	35
7.15 Groove Weld Plate Qualification Test for Plate of Unlimited Thickness.....	38
7.16 Groove Weld Plate Qualification Test for Plate of Limited Thickness.....	38
7.17 Groove Weld Qualification Test for Butt Joints on Pipe and Square or Rectangular Tubing.....	38
7.18 Groove Weld Qualification Test for T-, Y-, or K- Connections on Pipe and Square or Rectangular Tubing..	43
7.19 Fillet Weld Qualification Test for Fillet Welds Only.....	43
7.20 Position of Test Welds.....	43
7.21 Base Metal	44
7.22 Test Specimens—Number, Type, and Preparation	44
7.23 Method of Testing Specimens.....	44
7.24 Test Results Required.....	47
7.25 Retests.....	47
7.26 Period of Effectiveness	47
7.27 Records	47
Part C—Welding Operator Qualification.....	48
7.28 General.....	48
7.29 Limitation of Variables	48
7.30 Qualification Tests Required	48
7.31 Base Metal	49
7.32 Test Specimens—Number, Type, and Preparation	49
7.33 Method of Testing Specimens	50
7.34 Test Results Required	50
7.35 Retests.....	50
7.36 Period of Effectiveness	50
7.37 Records	50
Part D—Tack Welder Qualification.....	50
7.38 General.....	50
7.39 Limitation of Variables	50
7.40 Qualification Tests Required.....	51
7.41 Base Metal.....	51
7.42 Test Specimens—Number, Type, and Preparation	51
7.43 Method of Testing Specimens.....	51
7.44 Test Results Required	51
7.45 Retest	51
7.46 Period of Effectiveness	51
7.47 Records	52
8. Inspection	52
8.1 Introduction	52
8.2 Visual Inspection.....	52

	Page No.
8.3 Radiographic Inspection	56
8.4 Ultrasonic Inspection	64
8.5 Magnetic-Particle Inspection.....	76
8.6 Liquid Penetrant Inspection.....	78
9. Modification or Repair	79
9.1 General.....	79
9.2 General Provisions for Modification or Repair	80
9.3 Defects	80
9.4 Repair of Weld-Related Defects	80
9.5 Repair of Defects in Base Metal	81
9.6 Correction of Distortion and Camber	82
9.7 Correction of Improperly Fitted and Welded Members.....	83
9.8 Repair Welding of Castings	83
9.9 Repair of Weldments After Machining.....	83
10. Postweld Treatments	83
10.1 Introduction	83
10.2 Thermal Residual Stress Reduction	83
10.3 Peening	84
10.4 Vibratory Conditioning.....	84
Annex A (Normative)—Storage and Treatment of Electrodes and Fluxes	85
Annex B (Normative)—Prequalified Welded Joints	87
Annex C (Normative)—Design Guide	107
Annex D (Informative)—Quality Control System	121
Annex E (Informative)—Suggested Qualification Record Forms	123
Annex F (Informative)—Press and Press Components.....	129
Annex G (Informative)—Informative References	139
Annex H (Informative)—Guidelines for the Preparation of Technical Inquiries.....	141
List of AWS Documents on Machinery and Equipment	143

List of Tables

Table	Page No.
1 Weld Quality Control Requirements.....	6
2 Material Classification of Qualified Steel.....	7
3 Allowed Chemical Composition Limits for Steels Prequalified for Welding	9
4 Minimum Weld Size for Fillet and Partial Joint Penetration Groove Welds	11
5 Cross-Sectional Tolerances for Groove Welds.....	16
6 Minimum Preheat and Interpass Temperatures.....	16
7a Matching Filler Metal Requirements (U.S. Customary Table)	19
7b Matching Filler Metal Requirements (SI Units Table)	20
8 Number and Type of Test Specimens and Range of Thickness Qualified—Procedure Qualification	31
9 Acceptance Criteria for Visual Inspection	37
10 Maximum Weld Reinforcement for Butt Joints in Pipe	38
11 SMAW Electrode Groups.....	43
12 Welder Qualification—Type and Position Limitations	44
13 Number and Type of Specimens and Range of Thickness Qualified—Welder Qualification	45
14 Standard Hole-Type and Wire Image Quality Indicator Requirements.....	57
15 Examples of Acceptable Indications	61
16 Limits on Acceptability and Repair of Cut Edge Discontinuities of Plate	82
A.1 Electrodes Covered by AWS A5.1/A5.1M, <i>Specification for Carbon Steel Electrodes for Shielded Metal Arc Welding</i>	86
A.2 Electrodes Covered by AWS A5.5/A5.5M, <i>Specification for Low-Alloy Steel Electrodes for Shielded Metal Arc Welding</i>	86
C.1 Allowable Static Load on Fillet and Partial Penetration Groove Welds.....	109
C.2 Allowable Stress in Weld Metal	110
C.3 Stress Categories to Determine Allowable Stress Range	116
C.4 Allowable Stress Range, ksi [MPa].....	119
C.5 Double Fillet Weld Size to Develop Full Static Strength of Plate	119

List of Figures

Figure	Page No.
1 Classification of Welded Joints	4
2 Details of Fillet Welds	13
3 Positions of Groove Welds.....	25
4 Positions of Fillet Welds	26
5 Positions of Test Plates for Groove Welds.....	27
6 Positions of Test Pipe or Tubing for Groove Welds	28
7 Positions of Test Plates for Fillet Welds	29
8 Location of Test Specimens on Welded Test Pipe—2 in or 3 in [50 mm or 75 mm] Diameter	32
9 Location of Test Specimens on Welded Test Pipe—6 in or 8 in [150 mm or 200 mm] Diameter	32
10 Location of Test Specimens on Welded Test Plate—Electroslag and Electrogas Welding—Procedure Qualification	33
11 Location of Test Specimens on Welded Test Plate Over 3/8 in [10 mm] Thick—Procedure Qualification	34
12 Location of Test Specimens on Welded Test Plate 3/8 in [10 mm] Thick and Under—Procedure Qualification.....	35
13 Fillet Weld Soundness Test for Procedure Qualification	36
14 Test Plate for Unlimited Thickness—Welder Qualification	38
15 Optional Test Plate for Unlimited Thickness—Horizontal Position—Welder Qualification.....	39
16 Test Plate for Limited Thickness, All Positions—Welder Qualification	39
17 Optional Test Plate for Limited Thickness, Horizontal Position—Welder Qualification	40
18 Fillet Weld Break and Macroetch Test Plate—Welder Qualification—Option 1.....	40
19 Fillet Weld Root Bend Test Plate—Welder Qualification—Option 2.....	41
20 Pipe Test Butt Joint without Backing—Welder Qualification	42
21 Pipe Test Butt Joint with Backing—Welder Qualification.....	42
22 Test Joint for T-, Y-, and K-Connections on Pipe or Tubing—Welder Qualification	42
23 Location of Test Specimens on Welded Test Pipe—Welder Qualification	46
24 Test Plate for Unlimited Thickness—Welding Operator Qualification.....	48
25 Butt Joint for Electroslag and Electrogas—Welding Operator Qualification.....	49
26 Fillet Weld Break Specimen—Tack Welder Qualification.....	51
27 Method of Fracturing Fillet Weld Break Specimen—Tack Welder Qualification.....	51
28 Cracks in Welded Joints.....	53
29 Acceptable and Unacceptable Weld Profiles	54
30 Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 10 in [250 mm] and Greater in Length.....	57
31 Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less Than 10 in [250 mm] in Length.....	58
32 Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 10 in [250 mm] and Greater in Length.....	59
33 Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less Than 10 in [250 mm] in Length.....	60
34 Aligned Rounded Indications	62
35 Groups of Aligned Rounded Indications	62
36 Charts for Thickness t Equal to 1/8 in to 1/4 in [3 mm to 6 mm], Inclusive	63
37 Charts for Thickness t Over 1/4 in to 3/8 in [6 mm to 10 mm], Inclusive.....	63
38 Charts for Thickness t Over 3/8 in to 3/4 in [10 mm to 20 mm], Inclusive.....	64

Figure	Page No.
39	Charts for Thickness t Over 3/4 in to 2 in [20 mm to 50 mm], Inclusive.....65
40	Charts for Thickness t Over 2 in to 4 in [50 mm to 100 mm], Inclusive.....66
41	Charts for Thickness t Over 4 in [100 mm].....67
42	70° Calibration Standard.....68
43	60° Calibration Standard.....69
44	45° Calibration Standard.....70
45	Typical Screen Calibration.....71
46	Test Procedure—Butt Joint Welds72
47	Method of Detecting Longitudinal Discontinuities in Butt Joint Welds Not Ground Flush73
48	Method of Detecting Longitudinal Discontinuities in Butt Joint Welds Ground Flush.....73
49	Method of Detecting Longitudinal Discontinuities in Corner Welds Not Ground Flush.....74
50	Procedure for Testing T-Joint Welds.....75
51	Method of Using Procedure for Testing T-Joint Welds.....75
52	Edge Discontinuities in Cut Material81
B.1	Prequalified Complete Joint Penetration Groove Welded Joints87
B.2	Prequalified Partial Joint Penetration Groove Welded Joints.....98
C.1	Typical Groove Welds108
C.2	Typical Fillet Welds.....109
C.3	Illustrative Examples for Table C.3.....111
C.4	Design Stress Range Curves for Categories A to F Redundant Structures.....114
C.5	Design Stress Range Curves for Categories A to F Nonredundant Structures114
C.6	Graphic Representation of Allowable and Working Stresses Under Cyclic Loading Conditions115
F.1	Typical Frame Press130
F.2	Typical Press Loading131
F.3	Typical Mechanical Press.....132
F.4	Typical Hydraulic Press133
F.5	Typical Injection Molding Press134
F.6	Typical Horizontal Hydraulic Extrusion Press.....134
F.7	Typical Welded Gear Drive Types135
F.8	Typical Drive Mechanism136
F.9	Styles of Presses137

List of Forms

Form	Page No.
E.1	Sample Welding Procedure Specification (WPS).....124
E.2	Sample Procedure Qualification Record (PQR)126
E.3	Sample Welder and Welding Operator Qualification Test Record127

Specification for Welding of Presses and Press Components

1. General Provisions

1.1 Scope. The purpose of this specification is to establish minimum acceptable requirements for weld joint design and the fabrication by welding of presses and press components, and is not intended to apply to material feed mechanisms and tooling. It shall also apply to the modification or repair by welding of new or existing presses or press components. Its intent is to promote the following:

- (1) High-quality construction and repair of presses;
- (2) Adequate initial and sustained performance of equipment;
- (3) Personnel and equipment safety;
- (4) Clear, concise fabrication practices that will be readily understood by the manufacturer, fabricator, buyer, and user;
- (5) The Manufacturer, Fabricator, and Repair Organization shall have and maintain a welding quality program that will establish that all requirements of this specification will be met. A recommended welding quality program is outlined in Annex D.

This specification establishes the minimum acceptable practice at the time of its publication. It is not intended to restrict new developments or in any way to inhibit advances in the art of welding.

This specification makes use of both U.S. Customary Units and the International System of Units (SI). The measurements may not be exact equivalents; therefore each system shall be used independently of the other without combining in any way. The specification with the designation D14.5 uses U.S. Customary Units. The specification D14.5M uses SI Units. The latter are shown in appropriate columns in tables and figures or within brackets []. Detailed dimensions on figures are in inches. A separate tabular form that relates the U.S. Customary Units with SI Units may be used in tables and figures.

Safety and health issues and concerns are beyond the scope of this standard, and therefore are not fully addressed herein. Safety and health information is available from other sources, including, but not limited to, ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*, and applicable federal and state regulations.

1.2 Normative References. The following standards contain provisions which, through reference in this text, constitute mandatory provisions of this AWS standard. For undated references, the latest edition of the referenced standard shall apply. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply.

Informative references (found in nonmandatory language or elements) are shown in Annex G.

AWS Standards¹

ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*;

AWS A2.4, *Standard Symbols for Welding, Brazing, and Nondestructive Examination*;

AWS A3.0, *Standard Welding Terms and Definitions*;

AWS A5.1/A5.1M, *Specification for Carbon Steel Electrodes for Shielded Metal Arc Welding*;

AWS A5.5/A5.5M, *Specification for Low-Alloy Steel Electrodes for Shielded Metal Arc Welding*;

AWS A5.01, *Filler Metal Procurement Guidelines*;

AWS A5.17/A5.17M, *Specification for Carbon Steel Electrodes and Fluxes for Submerged Arc Welding*;

AWS A5.18/A5.18M, *Specification for Carbon Steel Filler Metals for Gas Shielded Arc Welding*;

¹AWS standards are published by the American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.