

**AWS D14.6/D14.6M:2012**  
**An American National Standard**



# **Specification for Welding of Rotating Elements of Equipment**



**American Welding Society®**



**AWS D14.6/D14.6M:2012**  
**An American National Standard**

**Approved by the**  
**American National Standards Institute**  
**February 23, 2012**

# **Specification for Welding of Rotating Elements of Equipment**

**4th Edition**

**Supersedes AWS D14.6/D14.6M:2005**

Prepared by the  
American Welding Society (AWS) D14 Committee on Machinery and Equipment

Under the Direction of the  
AWS Technical Activities Committee

Approved by the  
AWS Board of Directors

## **Abstract**

This standard establishes material and workmanship standards for manufacturers, fabricators, repair organizations, purchasers, and owner/operators of rotating equipment which are fabricated or repaired by welding. Included are sections defining process qualifications, operator qualifications, quality control, inspection requirements, and repair requirements.



**American Welding Society®**

550 N.W. LeJeune Road, Miami, FL 33126

International Standard Book Number: 978-0-87171-806-8  
American Welding Society  
550 N.W. LeJeune Road, Miami, FL 33126  
© 2012 by American Welding Society  
All rights reserved  
Printed in the United States of America

**Photocopy Rights.** No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <[www.copyright.com](http://www.copyright.com)>.

## Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While the AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be superseded by the issuance of new editions. This standard may also be corrected through publication of amendments or errata. It may also be supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda are posted on the AWS web page ([www.aws.org](http://www.aws.org)). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

The AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

On occasion, text, tables, or figures are printed incorrectly, constituting errata. Such errata, when discovered, are posted on the AWS web page ([www.aws.org](http://www.aws.org)).

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Technical Services Division, 550 N.W. LeJeune Road, Miami, FL 33126 (see Annex A). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS D14 Committee on Machinery and Equipment. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are required and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS D14 Committee on Machinery and Equipment and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS D14 Committee on Machinery and Equipment to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.

## Dedication

### *In Memoriam*

### **Gordon Earle Cossaboom** 1925–2007

This edition of AWS D14.6 is dedicated in memory of Gordon Earle Cossaboom. Gordon was the chair of the D14.6 standard when it was first published in 1981, and the second edition in 1996. Gordon was a member of the AWS D14G Subcommittee for about 33 years.

Gordon Earle Cossaboom, an AWS Life Member, graduated from the Boston Latin School in 1943. He served in the U.S. Army in Europe during WWII, then returned to Boston where he graduated from Northeastern University with a BS in civil engineering. After receiving his BS degree, he studied at The Ohio State University where he earned a MS degree in welding engineering.

In 1954, Cossaboom started his career at General Electric Company where he worked for several years. Later, he worked with Westinghouse Electric Company, Syosset, New York, and with the Eutectic Corporation. With these welding equipment manufacturers, he focused on new product development and participated in the development of CO<sub>2</sub> welding. In 1967, he joined American Standards' Industrial Products Division in Dearborn, Michigan, as manager of engineering.

From 1978 to 1986, Cossaboom worked as a welding engineer for the Manufacturing and Quality Division of Gilbert Commonwealth, Jackson, Michigan. From 1986 to his retirement in 1988, he served on the faculty at Ferris State University as an associate professor in the Welding Technology Department. He was an AWS member for 54 years and an active member of the Central Michigan Section.

Gordon was awarded the Samuel Wylie Miller Memorial Medal (Posthumous Recognition) in 2007. Gordon died at age 82 on January 10, 2007.

## Personnel

### AWS D14 Committee on Machinery and Equipment

T. J. Landon, Chair	<i>Chicago Bridge &amp; Iron Company</i>
L. L. Schweinegruber, 1st Vice Chair	<i>Independent Inspector and Welding Consultant</i>
B. K. Banzhaf, 2nd Vice Chair	<i>CNH America LLC</i>
M. Rubin, Secretary	<i>American Welding Society</i>
D. B. Ashley	<i>Hartford Steam Boiler</i>
T. J. Bruno	<i>Link-Belt Construction Equipment Company</i>
J. E. Campbell	<i>WeldTech Solutions Corporation</i>
D. J. Landon	<i>Vermeer Manufacturing Company</i>
R. Larsen	<i>John Deere Des Moines Works</i>
A. P. Mortale	<i>Deere &amp; Company</i>
J. D. Slipke	<i>Rosenboom Machine &amp; Tool, Incorporated</i>
J. L. Warren	<i>CNH America LLC</i>
E. G. Yevick	<i>Weld-Met International Group</i>

### Advisors to the AWS D14 Committee on Machinery and Equipment

M. D. Bell	<i>Preventive Metallurgy</i>
P. Collins	<i>Weldcon Engineering</i>
R. T. Hemzacek	<i>Consultant</i>
B. D. Horn	<i>Consultant</i>
D. J. Malito	<i>Girard Machine Company, Incorporated</i>
M. R. Malito	<i>Girard Machine Company, Incorporated</i>
D. C. Martinez	<i>Consultant</i>
H. W. Mishler	<i>Consultant</i>
J. G. Nelson	<i>Northrop Grumman</i>
A. R. Olsen	<i>ARO Testing, Incorporated</i>
P. J. Palzkill	<i>Consultant</i>

### AWS D14G Subcommittee on Welding of Rotating Equipment

L. L. Schweinegruber, Chair	<i>Independent Inspector and Welding Consultant</i>
D. R. Wisner, 1st Vice Chair	<i>Duke Energy Corporation</i>
R. F. Rose, 2nd Vice Chair	<i>Howden Buffalo Aftermarket Division</i>
M. Rubin, Secretary	<i>American Welding Society</i>
E. Hartman	<i>Auren Inspection</i>
E. G. Yevick	<i>Weld-Met International Group</i>

### Advisors to the AWS D14G Subcommittee on Welding of Rotating Equipment

R. L. Holdren	<i>Applications Technologies Company LLC</i>
J. L. Warren	<i>CNH America LLC</i>

## Foreword

This foreword is not part of AWS D14.6/D14.6M:2012, *Specification for Welding of Rotating Elements of Equipment*, but is included for informational purposes only.

This is the fourth edition of the D14.6 specification. AWS first published the Specification for Welding of Rotating Elements of Equipment in 1981 to provide a welding specification that would apply to dynamic applications for new, modified, or the repair of welded rotating elements. Rotating elements can range from a few inches in diameter to over 200 in [5 m] in diameter. This specification is directed toward (but not limited to) crushers, fans, impellers, centrifugal impellers, kilns, pulpers, gears, sheaves, drive trains, crankshafts, flywheels, power transmission shafts, air moving devices, blowers, and rotating elements of hydro electric generating equipment. By definition, the types of equipment covered by the specification are numerous and varied. The specifications that were used prior to this specification were ASME *Boiler and Pressure Vessel Code* in part or in whole and AWS D1.1, *Structural Welding Code—Steel*. AWS D14.6/D14.6M:2012 utilizes information from these codes. The sections on design have been omitted. It is felt that a separate study of how practices do or should differ in design of welding rotating equipment from those published for stationary structures is needed. Such a study was beyond the scope of this subcommittee.

This edition has some revisions that require the use of AWS B2.1/B2.1M:2009, *Specification for Welding Procedure and Performance Qualification*, to supplement the information that has been removed from this edition. The following information has been removed and can be found in B2.1/B2.1M:2009:

- (1) F number grouping for filler metals
- (2) Permitted welding processes
- (3) Procedure qualification specimen for groove welds
- (4) Allowable base metals and filler metals for performance qualification
- (5) Grouping of base metals by M number and specification number
- (6) The following figures:
  - (a) Limits of Welding Positions for Groove Welds
  - (b) Welding Test Positions—Plate Groove Welds
  - (c) Welding Test Positions—Pipe Groove Welds
  - (d) Limits of Welding Positions for Fillet Welds
  - (e) Welding Test Positions for Plate Fillet Welds
  - (f) Welding Test Positions for Pipe Fillet Welds
  - (g) Tension Test Specimens—Test Plate
  - (h) Tension Test Specimens—Test Pipe 2 in [50 mm] and 3 in [75 mm] Diameters
  - (i) Tension Test Specimens—Test Pipe 6 in [150 mm] and 8 in [200 mm] Diameters
  - (j) Tension Test Specimens—Cylindrical Test Bar for All-Weld-Metal and Crossweld Tensile Specimens
  - (k) Tension Test Specimens—Typical Locations for Multiple Specimens
  - (l) Transverse Side Bend Specimens

- (m) Transverse Face and Root Bend Specimens
  - (n) Longitudinal Face and Root Bend Specimens
  - (o) Jigs for Guided Bend Test—Standard Test Fixture
  - (p) Jigs for Guided Bend Test—Alternate Wrap-Around Guided Bend Test Fixture
  - (q) Jigs for Guided Bend Test—Alternate Roller-Equipped Guided Bend Test Fixture for Bottom Ejection of Test Specimens
  - (r) Test Specimen Layout for Procedure Qualification
  - (s) Location of Cladding Test Specimens
  - (t) Weld Cladding Side Bend Test Specimens
  - (u) Weld Cladding and Hardfacing Chemical Analysis Specimens
  - (v) Test Specimen Layout for Performance Qualification of Welders and Welding Operators
  - (w) Method of Applying Load on Fillet-Weld Break-Test Specimen
- (7) Welder performance requirements for welding positions

No restrictions are placed on the use of any welding process or procedure provided the weld produced by the process meets the qualification requirements of the specification. No attempt is made to limit or restrict technology progression on the Welding of Rotating Elements, nor should any such limitation be inferred. Similarly no limitation is intended on the use of any base metal, weld joint preparation, or welding consumable capable of being qualified.

Underlined areas in text, tables, or figures indicate changes from the previous edition. A vertical line in the margin next to a figure, equation, or other item also indicates a revision from the previous edition.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS D14 Committee on Machinery and Equipment, American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.



# Table of Contents

	<b>Page No.</b>
<i>Dedication</i> .....	v
<i>Personnel</i> .....	vii
<i>Foreword</i> .....	ix
<i>List of Tables</i> .....	xiii
<i>List of Figures</i> .....	xiii
<b>1. Scope</b> .....	<b>1</b>
<b>2. Normative References</b> .....	<b>1</b>
<b>3. Definitions and General Provisions</b> .....	<b>6</b>
3.1 Definitions .....	6
3.2 Responsibilities .....	7
<b>4. Materials</b> .....	<b>7</b>
4.1 Base Metals .....	7
4.2 Welding Electrodes, Filler Metals, and Consumables .....	8
<b>5. Welding Processes</b> .....	<b>8</b>
<b>6. Welding Procedure and Performance Qualification</b> .....	<b>8</b>
Part A—General Requirements .....	8
6.1 Scope .....	8
6.2 <u>Exceptions to AWS B2.1/B2.1M Welding Procedure and Performance Qualification</u> .....	8
6.3 Responsibility for Welding .....	8
6.4 Notch-Toughness Tests .....	9
Part B—Procedure Qualification .....	9
6.5 General Requirements .....	9
6.6 Preparation of Test Joint .....	12
Part C—Welding Process Variables .....	12
6.7 General .....	12
6.8 Special Processes .....	18
Part D—Performance Qualification .....	19
6.9 Performance Qualification Tests .....	19
6.10 Essential Variables for Qualifying Welders and Welding Operators .....	19
6.11 Qualification Test Joints .....	19
<b>7. Fabrication Requirements</b> .....	<b>21</b>
7.1 General .....	21
7.2 Preparation of Base Metal .....	21
7.3 Assembly .....	21
7.4 Weld Surface Conditions .....	22
7.5 Corrections .....	24
7.6 Peening .....	24
7.7 Postweld Heat Treatment (PWHT) .....	24
<b>8. Inspection and Quality Control</b> .....	<b>27</b>
8.1 General Requirements .....	27

	<b>Page No.</b>
8.2 Examination and Inspection .....	27
8.3 Obligations of the Manufacturer, Fabricator, or Repair Organization .....	28
8.4 Nondestructive Testing (NDT) .....	28
8.5 Preparation and Disposition of Reports .....	29
<b>9. Modification and Repair .....</b>	<b>29</b>
9.1 Scope.....	29
9.2 Qualification .....	29
9.3 Removal of Metal .....	29
9.4 Repair of Type of Defect .....	29
9.5 Peening .....	30
9.6 Postweld Heat Treatment.....	30
9.7 Temper Bead.....	30
9.8 Cleaning.....	30
9.9 Testing and Inspection .....	30
Annex A (Informative)—Guidelines for the Preparation of Technical Inquiries .....	31
Annex B (Informative)—Sample Forms .....	33
Annex C (Informative)—Quality Control System .....	35
Annex D (Informative)—Inspection Methods.....	37
Annex E (Informative)—UT Examination of Welds by Alternative Techniques.....	65
<u>Annex F (Informative)—Stud Welding .....</u>	<u>67</u>
<u>Annex G (Informative)—Roadmap for Welding Procedure Specification (WPS) Development .....</u>	<u>69</u>
List of AWS Documents on Machinery and Equipment .....	71

## List of Tables

Table	Page No.
<u>1</u> Welding Procedure Process Variables.....	3
<u>2</u> Procedure Qualification—Production Welding Positions Qualified by Plate and Pipe Tests.....	16
<u>3</u> <u>A-Number Classification of Weld Metal Analysis for Procedure Qualification</u> .....	18
<u>4</u> Test Specimens for Performance Qualification of Welders and Welding Operators .....	20
D.1 Penetrameter Requirements .....	43
D.2 Wire Image Quality Indicators (IQI) Requirements .....	43
D.3 Examples of Acceptance Indications .....	48
D.4 Ultrasonic Procedure Testing Angle .....	62
D.5 Ultrasonic Acceptance and Rejection Criteria .....	64
<u>G.1</u> <u>Roadmap for Development of Welding Procedure Specifications (WPSs)</u> .....	70

## List of Figures

Figure	Page No.
<u>1</u> Fillet Weld Soundness Test for Procedure Qualification .....	11
<u>2</u> <u>Location of Test Specimen on Welded Test Plate 1 in [25 mm] Thick—Consumables</u> <u>Verification for Fillet Weld WPS Qualification</u> .....	12
<u>3</u> Acceptable and Unacceptable Weld Profiles .....	23
<u>4</u> Pneumatic Hammer Peening.....	25
D.1 Radiographic Identification and Penetrameter or Wire IQI Locations on Approximately Equal-Thickness Joints 10 in [250 mm] and Greater in Length .....	45
D.2 Radiographic Identification and Penetrameter or Wire IQI Locations on Approximately Equal-Thickness Joints Less Than 10 in [250 mm] in Length .....	45
D.3 Radiographic Identification and Penetrameter or Wire IQI Locations on Transition Joints 10 in [250 mm] and Greater in Length .....	46
D.4 Radiographic Identification and Penetrameter or Wire IQI Locations on Transition Joints Less Than 10 in [250 mm] in Length .....	46
D.5 Examples of Aligned Rounded Indications .....	49
D.6 Examples of Groups of Aligned Rounded Indications .....	49
D.7 Charts for Thickness Equal to 1/8 in to 1/4 in [3 mm to 6 mm], Inclusive .....	50
D.8 Charts for Thickness Over 1/4 in to 3/8 in [6 mm to 10 mm], Inclusive .....	50
D.9 Charts for Thickness Over 3/8 in to 3/4 in [10 mm to 20 mm], Inclusive .....	51
D.10 Charts for Thickness Over 3/4 in to 2 in [20 mm to 50 mm], Inclusive .....	51
D.11 Charts for Thickness Over 2 in to 4 in [50 mm to 100 mm], Inclusive .....	52
D.12 Charts for Thickness Over 4 in [100 mm] .....	53
D.13 RC—Resolution Reference Block in Inches and Millimeters .....	56
D.14 Typical Transducer Positions .....	58
D.15 Plan View of UT Scanning Patterns.....	61

# Specification for Welding of Rotating Elements of Equipment

## 1. Scope

This specification establishes minimum acceptable requirements for weld joint detail and fabrication by welding of rotating elements in new equipment. This specification also applies to the modification or repair by welding of rotating elements in existing equipment. Equipment types covered by this specification include, but are not limited to: crushers, fans, impellers, centrifugal impellers, kilns, pulpers, gears, sheaves, drive trains, crankshafts, flywheels, power transmission shafts, air moving devices, blowers, and rotating elements of hydro electric generating equipment. The intent of this specification is not to include steam or combustion turbine rotors, blading, or camshafts. This specification also applies to such products and procedures that are agreed to by the Manufacturer, Fabricator, or Repair Organization and the Owner.

Requirements contained herein are not intended to nullify or void the requirements of any law or governmental agency regulation or other codes applied to components. Additional requirements may be invoked by contract documents. The specification establishes the minimum acceptable practice at the time of its publication. It is not intended to restrict new developments or in any way to inhibit advances in the art and science of welding.

This specification is intended to promote the following:

- (1) High quality construction and repair of welded rotating elements of equipment;
- (2) Adequate initial and sustained performance of welded rotating elements of equipment;
- (3) Personnel safety;
- (4) Clear, concise fabrication practices that will be readily understood by the Manufacturer, Fabricator, or Repair Organization, Fabricator, Owner, and user; and
- (5) Conservation of human and material resources in the fabrication of welded rotating elements of equipment.

This specification makes use of both U.S. Customary Units and the International System of Units (SI). These measurements may not be exact equivalents; therefore each system must be used independently of the other without combining in any way. The specification with the designation D14.6 uses U.S. Customary Units. The specification D14.6M uses SI Units. The latter are shown in appropriate columns in tables or within brackets ([ ]) when used in the text.

Safety and health issues and concerns are beyond the scope of this standard, and therefore are not fully addressed herein. Safety and health information is available from other sources, including, but not limited to ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*, and applicable federal and state regulations.

## 2. Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this AWS standard. For undated references, the latest edition of the referenced standard shall apply. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply.

AISI Steel Specifications<sup>1</sup>

AISI no longer publishes steel specifications.

---

<sup>1</sup> AISI standards can be obtained at [www.steel.org](http://www.steel.org).