



**American Water Works  
Association**

The Authoritative Resource on Safe Water®

ANSI/AWWA B302-10  
(Revision of ANSI/AWWA B302-05)

---

---

*AWWA Standard*

---

---

# Ammonium Sulfate



Effective date: Dec. 1, 2010.

First edition approved by AWWA Board of Directors July 15, 1949.

This edition approved June 20, 2010.

Approved by American National Standards Institute Oct. 25, 2010.

---

6666 West Quincy Avenue  
Denver, CO 80235-3098  
T 800.926.7337  
www.awwa.org

*Advocacy  
Communications  
Conferences  
Education and Training  
Science and Technology  
Sections*

## **AWWA Standard**

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all of the engineering and administrative information normally contained in specifications. The AWWA standards usually contain options that must be evaluated by the user of the standard. Until each optional feature is specified by the user, the product or service is not fully defined. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. This standard does not supersede or take precedence over or displace any applicable law, regulation, or codes of any governmental authority. AWWA standards are intended to represent a consensus of the water supply industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed on the first page of the classified advertising section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

## **American National Standard**

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

CAUTION NOTICE: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; (212) 642-4900, or e-mailing [info@ansi.org](mailto:info@ansi.org).

---

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information or retrieval system, except in the form of brief excerpts or quotations for review purposes, without the written permission of the publisher.

Copyright © 2010 by American Water Works Association  
Printed in USA

## Committee Personnel

The AWWA Standards Committee on Disinfectants, which developed and approved this standard, had the following personnel at the time of approval:

Clifford L. McLain, *Chair*

### *General Interest Members*

M.P. Chaulk, Halifax Regional Municipality, Canada	(AWWA)
D.J. Gates, Citrus Heights, Calif.	(AWWA)
M.C. Graves, HDR Engineering, Austin, Texas	(AWWA)
H. Johnson, Camp Dresser & McKee, Alexandria, Va.	(AWWA)
S.J. Posavec,* Standards Liaison, AWWA, Denver, Colo.	(AWWA)
K.J. Rehg, Baxter & Woodman Inc., Crystal Lake, Ill.	(AWWA)
K.B. Stark, NSF International, Ann Arbor, Mich.	(AWWA)
D.R. Wilkes,* Jordan, Jones and Goulding Inc., Norcross, Ga.	(AWWA)

### *Producer Members*

W.B. Huebner, US Filter/Wallace & Tiernan, Vineland, N.J.	(AWWA)
J. Sloan, American Chemistry Council, Arlington, Va.	(AWWA)

### *User Members*


I. Alvarez,† John Preston Water Plant, Hialeah, Fla.	(AWWA)
R.C. Lorenz, Westerville Water Plant, Westerville, Ohio	(AWWA)
C.L. McLain, Moorhead Public Service, Moorhead, Minn.	(AWWA)
A.T. Segars, Miami-Dade Water & Sewer Department, Hialeah, Fla.	(AWWA)

---

\* Liaison, nonvoting

† Alternate

This page intentionally blank.




## Contents

*All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.*

SEC.	PAGE	SEC.	PAGE
<b><i>Foreword</i></b>		<b>2</b>	<b>References</b> ..... 2
I	vii	<b>3</b>	<b>Definitions</b> ..... 2
I.A	vii	<b>4</b>	<b>Requirements</b>
I.B	vii	4.1	Materials ..... 3
I.C	viii	4.2	Physical Requirements ..... 3
II	ix	4.3	Chemical Requirements ..... 3
III	ix	4.4	Impurities ..... 3
III.A	ix	<b>5</b>	<b>Verification</b>
	ix	5.1	Sampling ..... 4
III.B	ix	5.2	Test Procedures ..... 5
IV	x	5.3	Notice of Nonconformance ..... 10
V	x	<b>6</b>	<b>Delivery</b>
<b><i>Standard</i></b>		6.1	Marking ..... 10
<b>1</b>	<b>General</b>	6.2	Packaging and Shipping ..... 11
1.1	1	6.3	Affidavit of Compliance or Certified Analysis ..... 11
1.2	1		
1.3	1		

This page intentionally blank.



## Foreword

*This foreword is for information only and is not a part of ANSI\*/AWWA B302.*

### **I. Introduction.**

I.A. *Background.* Ammonium sulfate,  $(\text{NH}_4)_2\text{SO}_4$ , is used by some water utilities as a source of ammonia in the formation of chloramines and as an activating agent in the formation of activated silica. It is readily soluble in water and consists of rhombic crystals or fine granules, which, if pure, are colorless or white and odorless. Commercial grades of ammonium sulfate have a pinkish to brown color as a result of traces of iron and organic compounds contained in the source of the material.

Ammonium sulfate used for potable water treatment is usually a by-product in the manufacture of caprolactam, a nylon-base material. It is available at a commercial strength of 99 percent ammonium sulfate. Ammonium sulfate obtained as a by-product in the manufacture of coal gas and coke is no longer used in potable water treatment.

Ammonium sulfate can be prepared free of contaminants by reacting ammonia and sulfuric acid. Food-grade ammonium sulfate, which is used as a dough conditioner and in yeast food, is produced in this manner. The cost of the food-grade material is several times greater than the commercial-grade material; however, some states require food-grade material for use in potable water treatment.

Depending on its source, ammonium sulfate material has a tendency to cake and arc when stored in bulk. This can be prevented by the addition of a small amount of amorphous silica (0.06–0.1 percent), a type of fused silica.

For safety precautions, refer to material safety data sheets (MSDS) available from the supplier or manufacturer.

I.B. *History.* The first edition of this standard was prepared by the AWWA Water Purification Division. It was approved as tentative on July 15, 1949, and made standard on May 15, 1953, with the designation of AWWA B400-53. The second edition was prepared by AWWA Committee 7400P and was approved on Jan. 27, 1964, with the designation of AWWA B302-64. The third and fourth editions were prepared by the AWWA Standards Committee on Taste and Odor Control Chemicals and were approved on Jan. 25, 1981, and June 22, 1986, respectively. The fifth edition was prepared by the AWWA Standards Committee on Disinfectants and approved on June 17, 1995. The

---

\* American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036.

sixth edition, ANSI/AWWA B302-00, was approved by the AWWA Board of Directors on June 11, 2000. ANSI/AWWA B302-05 was approved on Jan. 16, 2005. This edition was approved on June 20, 2010.

I.C. *Acceptance.* In May 1985, the US Environmental Protection Agency (USEPA) entered into a cooperative agreement with a consortium led by NSF International (NSF) to develop voluntary third-party consensus standards and a certification program for direct and indirect drinking water additives. Other members of the original consortium included the American Water Works Association Research Foundation (AwwaRF, now Water Research Foundation\*) and the Conference of State Health and Environmental Managers (COSHEM). The American Water Works Association (AWWA) and the Association of State Drinking Water Administrators (ASDWA) joined later.

In the United States, authority to regulate products for use in, or in contact with, drinking water rests with individual states.† Local agencies may choose to impose requirements more stringent than those required by the state. To evaluate the health effects of products and drinking water additives from such products, state and local agencies may use various references, including two standards developed under the direction of NSF,‡ NSF/ANSI 60, Drinking Water Treatment Chemicals—Health Effects, and NSF/ANSI 61, Drinking Water System Components—Health Effects.

Various certification organizations may be involved in certifying products in accordance with NSF/ANSI 60. Individual states or local agencies have authority to accept or accredit certification organizations within their jurisdiction. Accreditation of certification organizations may vary from jurisdiction to jurisdiction.

Annex A, “Toxicology Review and Evaluation Procedures,” to NSF/ANSI 60 does not stipulate a maximum allowable level (MAL) of a contaminant for substances not regulated by a USEPA final maximum contaminant level (MCL). The MALs of an unspecified list of “unregulated contaminants” are based on toxicity testing guidelines (noncarcinogens) and risk characterization methodology (carcinogens). Use of Annex A procedures may not always be identical, depending on the certifier.

ANSI/AWWA B302 addresses additives requirements in Sec. 4.3.4 of the standard. The transfer of contaminants from chemicals to processed water or to residual solids is becoming a problem of greater concern. The language in Sec. 4.3.4 is a recommendation only for direct additives used in the treatment of potable water to be certified by

---

\* Water Research Foundation, 6666 W. Quincy Avenue, Denver, CO 80235.

† Persons outside the United States should contact the appropriate authority having jurisdiction.

‡ NSF International, 789 N. Dixboro Road, Ann Arbor, MI 48105.



an accredited certification organization in accordance with NSF/ANSI 60, Drinking Water Treatment Chemicals—Health Effects. However, users of the standard may opt to make this certification a requirement for the product. Users of this standard should also consult the appropriate state or local agency having jurisdiction in order to

1. Determine additives requirements, including applicable standards.
2. Determine the status of certifications by parties offering to certify products for contact with, or treatment of, drinking water.

3. Determine current information on product certification.

**II. Special Issues.** This standard has no applicable information for this section.

**III. Use of This Standard.** It is the responsibility of the user of an AWWA standard to determine that the products described in that standard are suitable for use in the particular application being considered.

**III.A. Purchaser Options and Alternatives.** The following information should be provided by the purchaser.

1. Standard used—that is, ANSI/AWWA AWWA B302, Standard for Ammonium Sulfate, of latest revision.
2. Quantity of ammonium sulfate required.
3. Whether compliance with NSF/ANSI 60, Drinking Water Treatment Chemicals—Health Effects, is required.
4. Details of other federal, state or provincial, and local requirements (Sec. 4.1).
5. Whether the ammonium sulfate shall contain an anticaking agent (Sec. 4.2.2).
6. Whether optional markings will be required (Sec. 6.1.2).
7. Method of packaging and shipping required (Sec. 6.2).
8. An affidavit of compliance or certified analysis, or both, if required (Sec. 6.3).
9. Whether the purchaser will reject product from containers or packaging with missing or damaged seals. The purchaser may reject product from bulk containers or packages with missing or damaged seals unless the purchaser's tests of representative samples, conducted in accordance with Sec. 5.2 demonstrate that the product meets the standard. Failure to meet the standard or the absence of, or irregularities in, seals may be sufficient cause to reject a shipment.
10. Whether alternative security measures have been adopted to replace or augment the security measures set out in Sec. 6.2.3 and 6.2.4.

**III.B. Modification to Standard.** Any modification of the provisions, definitions, or terminology in this standard must be provided by the purchaser.

**IV. Major Revisions.** Major changes made to the standard in this revision include the following:

1. Inclusion of a requirement for compliance with the Safe Drinking Water Act and other federal regulations (Sec. 4.1).
2. Inclusion of a requirement for tamper-evident packaging (Sec. 6.2.3 and 6.2.4).

**V. Comments.** If you have any comments or questions about this standard, please call AWWA Engineering and Technical Services at 303.794.7711, FAX at 303.795.7603, write to the group at 6666 West Quincy Avenue, Denver, CO 80235-3098, or e-mail the group at [standards@awwa.org](mailto:standards@awwa.org).



**American Water Works  
Association**

---

---

*AWWA Standard*

---

---

# Ammonium Sulfate

---

## SECTION 1: GENERAL

---

### Sec. 1.1 Scope

This standard describes ammonium sulfate,  $(\text{NH}_4)_2\text{SO}_4$ , for use in the treatment of potable water, wastewater, and reclaimed water.

### Sec. 1.2 Purpose

The purpose of this standard is to provide the minimum requirements for ammonium sulfate, including physical, chemical, sampling, packaging, shipping, and testing requirements.

### Sec. 1.3 Application

This standard can be referenced in documents for purchasing and receiving ammonium sulfate and can be used as a guide for testing the physical and chemical properties of ammonium sulfate samples. The stipulations of this standard apply when this document has been referenced and then only to ammonium sulfate used in the treatment of potable water, wastewater, and reclaimed water.