



**American Water Works
Association**

The Authoritative Resource on Safe Water®

ANSI/AWWA D102-06
(Revision of ANSI /AWWA D102-03)

AWWA Standard

Coating Steel Water-Storage Tanks



Effective date: Feb. 1, 2007.

First edition approved by AWWA Board of Directors Feb. 11, 1964.

This edition approved June 11, 2006.

Approved by American National Standards Institute Nov. 28, 2006.

AWWA Standard

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all of the engineering and administrative information normally contained in specifications. The AWWA standards usually contain options that must be evaluated by the user of the standard. Until each optional feature is specified by the user, the product or service is not fully defined. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. AWWA standards are intended to represent a consensus of the water supply industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed on the first page of the classified advertising section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

CAUTION NOTICE: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; (212) 642-4900.

Science and Technology

AWWA unites the entire water community by developing and distributing authoritative scientific and technological knowledge. Through its members, AWWA develops industry standards for products and processes that advance public health and safety. AWWA also provides quality improvement programs for water and wastewater utilities.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information or retrieval system, except in the form of brief excerpts or quotations for review purposes, without the written permission of the publisher.

Copyright © 2006 by American Water Works Association
Printed in USA

Committee Personnel

The Revision Task Force that developed AWWA D102 for reissue consisted of the following personnel:

Mike Bauer, *Chair*

General Interest Members

W.J. Dixon, Dixon Engineering Inc., Lake Odessa, Mich.	(AWWA)
T.J. McCandless,* Standards Engineer Liaison, AWWA, Denver, Colo.	(AWWA)
R. Reichle, Don S. Reichle & Associates, Beaumont, Texas	(AWWA)

Producer Members

R.E. Barker, CB&I Water, Clive, Iowa	(AWWA)
M. Bauer, Tnemec Company Inc., N. Kansas City, Mo.	(AWWA)
C.W. Beeler, Caldwell Tanks Inc., Louisville, Ky.	(AWWA)
T. Enoch, Carboline, Ottsville, Pa.	(AWWA)
A. Liberatore, Madison Chemical Industries, Milton, Ont., Canada	(AWWA)
D.R. Matthews, Induron Coatings Inc., Birmingham, Ala.	(AWWA)
R.L. Moore, Utility Services Company Inc., Kirkwood, Mo.	(AWWA)
B. Murphy, Sherwin-Williams Company, Westbrook, Maine	(AWWA)
W. Neumann Jr., Neumann Company Contractors Inc., Lockport, Ill.	(AWWA)
S.P. Scarpone, Reilly Industries Inc., Indianapolis, Ind.	(AWWA)
L.D. Scott, CB&I Trusco Tank, San Luis Obispo, Calif.	(AWWA)

User Members

R.L. Bianchetti, East Bay Municipal Utility District, Oakland, Calif.	(AWWA)
M.W. Griffin, Missouri American Water Company, Saint Louis, Mo.	(AWWA)

*Liaison, nonvoting

The AWWA Standards Committee on Steel Elevated Tanks, Standpipes and Reservoirs, which reviewed and approved this standard, had the following personnel at the time of approval:

Stephen W. Meier, *Chair*

General Interest Members

J.R. Buzek, AEC Engineering Inc., Minneapolis, Minn.	(AWWA)
B.R. Conklin, Camp Dresser & McKee Inc., Cambridge, Mass.	(NEWWA)
E. Darrimon, Bay Area Coating Consulting Service Inc., Denair, Calif.	(AWWA)
W.J. Dixon, Dixon Engineering Inc., Lake Odessa, Mich.	(AWWA)
T.J. McCandless,* Standards Engineer Liaison, AWWA, Denver, Colo.	(AWWA)
S.W. Meier, Tank Industry Consultants Inc., Indianapolis, Ind.	(AWWA)
H.J. Miedema, Newport Beach, Calif.	(AWWA)
L.F. Peters, Melrose, Mass.	(AWWA)
J.E. Rudina, Mazda Consultants Inc., Saint Paul, Minn.	(AWWA)
C.C. Sundberg, CH2M Hill, Issaquah, Wash.	(AWWA)
P.T. Tierney,* Standards Council Liaison, Cincinnati, Ohio	(AWWA)
J.H. Wilber, American AVK Company, Littleton, Colo.	(AWWA)
R.S. Wozniak, Bow Tech Ltd., Batavia, Ill.	(AWWA)

Producer Members

M. Bauer, Tnemec Company Inc., N. Kansas City, Mo.	(AWWA)
D.G. Cull, C T Services Inc., Jeffersonville, Ind.	(AWWA)
J.C. Ellrich, Mid Atlantic Storage Systems Inc., Washington Court House, Ohio	(AWWA)
B.E. Kromer, Tank Builders Inc., Euless, Texas	(SPFA)
G.A. Larson, CB&I Constructors Inc., Clive, Iowa	(AWWA)
K. McGuire, Columbian TecTank Inc., Parsons, Kan.	(AWWA)
L.D. Scott,† CB&I Trusco Tank, San Luis Obispo, Calif.	(AWWA)
D.L. Stilger, Caldwell Tanks Inc., Louisville, Ky.	(AWWA)

* Liaison, nonvoting

† Alternate

User Members

S.F. Crumb, Fort Worth Water Department, Fort Worth, Texas	(AWWA)
W.H. Harris, Houston Public Works & Engineering, Houston, Texas	(AWWA)
E.J. King, Connecticut Water Company, Clinton, Conn.	(AWWA)
J.L. Ortiz, East Bay Municipal Utility District, Oakland, Calif.	(AWWA)
G.A. Weeks, Missouri American Water Company, Joplin, Mo.	(AWWA)

This page intentionally blank.

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

SEC.	PAGE	SEC.	PAGE
Foreword			
I	Introduction.....	ix	
I.A	Background.....	ix	
I.B	History.....	ix	
I.C	Acceptance.....	ix	
II	Special Issues.....	x	
III	Use of This Standard.....	xi	
III.A	Purchaser Options and Alternatives.....	xi	
III.B	Modification to Standard.....	xi	
IV	Major Revisions.....	xi	
V	Comments.....	xi	
Standard			
1	General		
1.1	Scope.....	1	
1.2	Purpose.....	1	
1.3	Application.....	1	
2	References.....	2	
3	Definitions.....	3	
4	Requirements		
4.1	Materials.....	4	
4.2	Data to Be Provided.....	4	
4.3	Outside Coating Systems.....	5	
4.4	Inside Coating Systems.....	9	
4.5	Coating Materials.....	12	
4.6	Surface Preparation.....	13	
4.7	Application.....	15	
4.8	Safety Precautions.....	16	
5	Verification		
5.1	Inspection and Testing.....	16	
5.2	First Anniversary Inspection.....	16	
6	Delivery		
6.1	Marking.....	18	
6.2	Shipping.....	18	
6.3	Affidavit of Compliance.....	18	
Appendixes			
A	Selection and Use of Coating Systems		
A.1	General.....	19	
A.2	Outside Coating Systems (OCS).....	20	
A.3	Inside Coating Systems (ICS).....	22	
A.4	Underside of Flat-Bottom Tanks.....	24	
A.5	Inside of Nonwater-Containing Elevated Tank Pedestals.....	24	
A.6	Surface Preparation.....	25	
A.7	Coating Application.....	27	
A.8	Testing and Inspection.....	29	
A.9	First Anniversary Inspection.....	30	
A.10	Placing in Service.....	30	
A.11	Cathodic Protection System Considerations.....	31	
A.12	Bibliography.....	31	
B	Environmental Concerns.....	33	

This page intentionally blank.

Foreword

This foreword is for information only and is not a part of ANSI/AWWA D102.

I. Introduction.

I.A. *Background.* The object of this standard is to provide an outline of methods and coating systems that can be used when coating or recoating steel tanks for water storage. Several months before the final approval of ANSI/AWWA D102-03, the AWWA Standards Committee on Steel Elevated Tanks, Standpipes and Reservoirs asked the Revision Task Force to start work on this edition. The final draft of this edition was submitted for Steel Tank Committee ballot on Dec. 19, 2005.

I.B. *History.* The first edition of this standard was prepared by a joint committee of AWWA and New England Water Works Association (NEWWA) and was approved as tentative on May 9, 1952. Revisions were made on June 2, 1953, May 24, 1954, and Aug. 5, 1955. The second edition was approved as tentative on Jan. 23, 1962, and was approved by the AWWA Board of Directors on Feb. 11, 1964. The third edition of this standard was approved on Jan. 28, 1978, and subsequently withdrawn on June 23, 1991. ANSI/AWWA D102 was reissued as the fourth edition and subsequently approved on Feb. 2, 1997. The fifth edition was approved on Jan. 19, 2003. This sixth edition was approved on June 11, 2006.

I.C. *Acceptance.* In May 1985, the US Environmental Protection Agency (USEPA) entered into a cooperative agreement with a consortium led by NSF International (NSF) to develop voluntary third-party consensus standards and a certification program for all direct and indirect drinking water additives. Other members of the original consortium included the American Water Works Association Research Foundation (AwwaRF) and the Conference of State Health and Environmental Managers (COSHEM). The American Water Works Association (AWWA) and the Association of State Drinking Water Administrators (ASDWA) joined later.

In the United States, authority to regulate products for use in, or in contact with, drinking water rests with individual states.* Local agencies may choose to impose requirements more stringent than those required by the state. To evaluate the health effects of products and drinking water additives from such products, state and local agencies may use various references, including

*Persons outside the United States should contact the appropriate authority having jurisdiction.

1. An advisory program formerly administered by USEPA, Office of Drinking Water, discontinued on Apr. 7, 1990.
2. Specific policies of the state or local agency.
3. Two standards developed under the direction of NSF International, NSF*/ANSI† 60, Drinking Water Treatment Chemicals—Health Effects, and NSF/ANSI 61, Drinking Water System Components—Health Effects.
4. Other references, including AWWA standards, *Food Chemicals Codex*, *Water Chemicals Codex*,‡ and other standards considered appropriate by the state or local agency.

Various certification organizations may be involved in certifying products in accordance with NSF/ANSI 61. Individual states or local agencies have authority to accept or accredit certification organizations within their jurisdiction. Accreditation of certification organizations may vary from jurisdiction to jurisdiction.

Annex A, “Toxicology Review and Evaluation Procedures,” to NSF/ANSI 61 does not stipulate a maximum allowable level (MAL) of a contaminant for substances not regulated by a USEPA final maximum contaminant level (MCL). The MALs of an unspecified list of “unregulated contaminants” are based on toxicity testing guidelines (noncarcinogens) and risk characterization methodology (carcinogens). Use of Annex A procedures may not always be identical, depending on the certifier.

ANSI/AWWA D102 does not address additives requirements. Users of this standard should consult the appropriate state or local agency having jurisdiction in order to

1. Determine additives requirements, including applicable standards.
2. Determine the status of certifications by all parties offering to certify products for contact with, or treatment of, drinking water.
3. Determine current information on product certification.

II. Special Issues.

This standard has no applicable information for this section.

*NSF International, 789 N. Dixboro Road, Ann Arbor, MI 48113.

†American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036.

‡Both publications available from National Academy of Sciences, 500 Fifth Street N.W., Washington, DC 20001.

III. Use of This Standard. It is the responsibility of the user of this AWWA standard to determine that the products described in this standard are suitable for use in the particular application being considered.

III.A. Purchaser Options and Alternatives. The following items should be provided by the purchaser:

1. Standard used—that is, ANSI/AWWA D102, Coating Steel Water-Storage Tanks, of latest revision.
2. Size, shape, height, and location of structure.
3. ANSI/AWWA D102 contains optional requirements that the purchaser may incorporate into the project documents.
4. Details of other federal, state or provincial, and local requirements (Sec. 4.0).
5. Required coating systems (including finish color) to be used for interior and exterior surfaces (Sec. 4.0).
6. SSPC-SP10/NACE requirements (Sec. 4.0).
7. Required documentation of paint test or field service data (Sec. 4.1).
8. Required number of dry-film thickness measurements (Sec. 5.1).
9. Quality control test and recording requirements (Sec. 5.1).
10. First anniversary inspection requirements (Sec. 5.2).
11. Establish the date, method, and responsible party for first anniversary inspection (Sec. 5.2).
12. Requirement for delivery of an Affidavit of Compliance (Sec. 6.3).

III.B. Modification to Standard. Any modification to the provisions, definitions, or terminology in this standard must be provided by the purchaser.

IV. Major Revisions. Major revisions made to the standard in this revision include the following:

1. References made to federal and military paint specifications for various inside and outside coating systems have been replaced with applicable references to SSPC coating standards and specifications.
2. Testing and certification in accordance with NSF/ANSI 61, Drinking Water System Components—Health Effects, for inside coating systems has been made a requirement of this standard (see Sec. 4.3.1).
3. Preconstruction primers may be used when specified.

V. Comments. If you have any comments or questions about this standard, please call the AWWA Volunteer & Technical Support Group at 303.794.7711, FAX at 303.795.7603, write to the group at 6666 West Quincy Avenue, Denver, CO 80235-3098, or e-mail standards@awwa.org.

This page intentionally blank.



American Water Works
Association

ANSI/AWWA D102-06
(Revision of ANSI /AWWA D102-03)

AWWA Standard

Coating Steel Water-Storage Tanks

SECTION 1: GENERAL

Sec. 1.1 Scope

This standard describes coating systems for coating and recoating the inside and outside surfaces of steel tanks used for potable water storage in water supply service. Coating systems for new bolted steel tanks are not described in this standard (see ANSI/AWWA D103).

Sec. 1.2 Purpose

The purpose of this standard is to provide the minimum requirements for coating steel water-storage tanks, including materials, coating systems, surface preparation, application, and inspection and testing.

Sec. 1.3 Application

This standard can be referenced in purchase documents for coating steel water-storage tanks. The stipulations of this standard apply when this document has been referenced and only to coating steel water-storage tanks.