

**BRITISH STANDARD**

# **Respiratory protective devices for use against chemical, biological, radiological and nuclear (CBRN) agents –**

## **Part 2: Negative pressure, air purifying devices with full face mask – Specification**

ICS 13.340.30

**BSi**  
British Standards

This is a preview of "BS 8468-2:2006". [Click here to purchase the full version from the ANSI store.](#)

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2007

ISBN 978 0 580 50941 4

The following BSI references relate to the work on this standard:  
Committee reference PH/4  
Draft for comment 06/30127563

## **Publication history**

### **Amendments issued since publication**

<b>Amd. no.</b>	<b>Date</b>	<b>Text affected</b>
17390	28 September 2007	See foreword

This is a preview of "BS 8468-2:2006". [Click here to purchase the full version from the ANSI store.](#)

Foreword *iii*

<b>1</b>	Scope	<i>1</i>
<b>2</b>	Normative references	<i>1</i>
<b>3</b>	Terms and definitions	<i>1</i>
<b>4</b>	Description	<i>1</i>
<b>5</b>	Designation	<i>2</i>
<b>6</b>	Requirements	<i>2</i>
<b>7</b>	Marking	<i>9</i>
<b>8</b>	Information supplied by the manufacturer	<i>10</i>
<b>9</b>	Testing schedule	<i>12</i>

### **Annexes**

Annex A (normative)	Testing	<i>13</i>
Annex B (normative)	Test method for chemical agent permeation and penetration resistance against distilled sulfur mustard (HD) and sarin (GB)	<i>33</i>
Annex C (normative)	Use of optical systems external to the full face mask	<i>42</i>
Annex D (informative)	Relationship between this British Standard and the Basic Safety Requirements of EU Directive 89/686/EEC Personal Protective Equipment	<i>42</i>

Bibliography *44*

### **List of figures**

Figure 1	– Pictograms	<i>10</i>
Figure A.1	– Typical single burner flammability test	<i>15</i>
Figure A.2	– Typical mechanical strength test equipment	<i>17</i>
Figure A.3	– Schematic diagram of apparatus for sodium chloride test	<i>21</i>
Figure A.4	– Diagram of the atomizer	<i>22</i>
Figure A.5	– Particle size distribution of sodium chloride aerosol	<i>23</i>
Figure A.6	– Schematic diagram of apparatus for paraffin oil test	<i>26</i>
Figure A.7	– Schematic diagram of generator for paraffin oil aerosol	<i>27</i>
Figure A.8	– Particle size distribution of paraffin oil mist	<i>28</i>
Figure A.9	– Atomizer	<i>29</i>
Figure A.10	– Blowers actuated by air power	<i>30</i>
Figure A.11	– Schematic drawing for the aerosolphotometer	<i>31</i>
Figure A.12	– Test arrangement for measurement of resistance to collapse of breathing hose	<i>32</i>
Figure B.1	– Schematic diagram of HD droplet placement on APD (direct-mounted filter)	<i>37</i>
Figure B.2	– Schematic diagram of HD droplet placement on APD with drink tube (direct-mounted filter)	<i>38</i>
Figure B.3	– Schematic diagram of HD droplet placement on APD with communicator (direct-mounted filter)	<i>39</i>
Figure B.4	– Schematic diagram of HD droplet placement on APD (non-direct-mounted filter(s))	<i>40</i>