

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

BS ISO 19078:2013



BSI Standards Publication

Gas cylinders — Inspection of the cylinder installation, and requalification of high pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of ISO 19078:2013. It supersedes BS ISO 19078:2006 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PVE/3/7, Gas containers - Gas cylinder (receptacle) operations.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013.
Published by BSI Standards Limited 2013

ISBN 978 0 580 66707 7

ICS 23.020.30; 43.060.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2013.

Amendments issued since publication

Date	Text affected
------	---------------

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2013-01-15

Gas cylinders — Inspection of the cylinder installation, and requalification of high pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles

Bouteilles à gaz — Inspection de l'installation des bouteilles, et requalification des bouteilles haute pression pour le stockage du gaz naturel, utilisé comme carburant, à bord des véhicules automobiles



Reference number
ISO 19078:2013(E)

© ISO 2013

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "BS ISO 19078:2013". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Background information	4
4.1 General.....	4
4.2 Cylinder types and descriptions.....	4
4.3 Required marking information.....	5
5 Inspection body and inspectors	5
6 Inspection equipment	6
7 Cylinder, valve and pressure relief device inspection	6
7.1 Inspection interval.....	6
7.2 Conditions requiring immediate inspection.....	6
7.3 Preparation for inspection.....	7
7.4 Cylinder inspection.....	8
7.5 Additional inspection of metal cylinders — CNG-1 and metallic areas of CNG-2, CNG-3 and the metal bosses of CNG-4.....	13
7.6 Additional inspection requirements for composite cylinders (CNG-2, CNG-3 and CNG-4).....	15
7.7 Valve and pressure relief device inspection.....	16
7.8 Cylinder marking.....	17
7.9 Cylinder inspection record/checklist.....	18
7.10 Cylinder final acceptance/rejection.....	18
7.11 Component final acceptance/rejection.....	19
8 Installation and mounting inspection	20
8.1 Installation and mounting of Natural Gas Vehicle fuel cylinders.....	20
8.2 Cylinder installation inspection.....	20
9 Condemned cylinders	22
9.1 General.....	22
9.2 Condemned cylinders.....	22
9.3 Destruction process.....	22
Annex A (informative) Depressurization and purging of CNG fuel cylinders	24
Annex B (informative) Conditions and usage that may warrant more frequent inspections	26
Annex C (informative) Inspection checklist example	27
Annex D (informative) Considerations for hydrostatic test and internal inspection	29
Bibliography	31

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19078 was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 4, *Operational requirements for gas cylinders*.

This second edition cancels and replaces the first edition (ISO 19078:2006), with the following main technical revisions:

- a) The scope clarifies the rework of some types of rejected cylinders;
- b) The periodicity of inspection has been removed from this International Standard. The user is referred to the requirements of ISO 11439 for this information;
- c) Damage levels and criteria are more clearly defined and better align with ISO 11439;
- d) [Clause 7.11](#) was renamed to better clarify its intent;
- e) [Table 2](#) includes acceptance and rejection conditions for gas tight housing;
- f) Reference to ISO 25760 for valve removal has been added; and
- g) Annex A, Inspector qualifications (informative), and Annex F, Composite matrix (informative), were removed.

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This International Standard sets out requirements regarding the periodic visual examination and inspection of natural gas fuel cylinders installed in vehicles and the condition of their installation. These cylinders are designed to store natural gas at high pressures.

Where there is any conflict between this International Standard and any applicable regulation, the regulation always takes precedence.

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS ISO 19078:2013". [Click here to purchase the full version from the ANSI store.](#)

Gas cylinders — Inspection of the cylinder installation, and requalification of high pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles

1 Scope

This International Standard specifies the requirements for the inspection, installation and requalification of high pressure cylinders, designed and manufactured in accordance with the requirements of ISO 11439, for the on-board storage of natural gas as a fuel for automotive vehicles.

It provides criteria, in the absence of guidance from the cylinder or vehicle manufacturer, for the acceptance (including any allowed rework) or rejection (including any allowed rework or destruction) of a cylinder and its installation.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11439, *Gas cylinders — High pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles*

ISO 15500-13, *Road vehicles — Compressed natural gas (CNG) fuel system components — Part 13: Pressure relief device (PRD)*

ISO 15500-15, *Road vehicles — Compressed natural gas (CNG) fuel system components — Part 15: Gas-tight housing and ventilation hose*

ISO 15501-1, *Road vehicles — Compressed natural gas (CNG) fuel systems — Part 1: Safety requirements*

ISO 15501-2, *Road vehicles — Compressed natural gas (CNG) fuel systems — Part 2: Test methods*

ISO 25760, *Gas cylinders — Operational procedures for the safe removal of valves from gas cylinders*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

abrasion

damage to an area of the cylinder or its installation equipment caused by scraping, wearing, vibration or rubbing away of the material by friction

Note 1 to entry: Abrasion can be the result of many cycles of something rubbing lightly on the surface of the cylinder or its installation equipment, or due to a few cycles, perhaps only one, of heavy rubbing.

3.2

impact

blow to the surface of the cylinder that can significantly damage and/or indent the surface (e.g. cutting, gouging)

Note 1 to entry: Impact can also induce such damage as delaminations, which are not readily apparent through visual examination.