

This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)

BS ISO 28961:2012



BSI Standards Publication

Acoustics — Statistical distribution of hearing thresholds of otologically normal persons in the age range from 18 years to 25 years under free-field listening conditions

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of ISO 28961:2012.

The UK participation in its preparation was entrusted to Technical Committee EH/1/1, Hearing.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012

ISBN 978 0 580 70080 4

ICS 13.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2012.

Amendments issued since publication

Date	Text affected
------	---------------

This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)

First edition
2012-01-15

Acoustics — Statistical distribution of hearing thresholds of otologically normal persons in the age range from 18 years to 25 years under free-field listening conditions

Acoustique — Répartition statistique des niveaux liminaires d'audition de personnes otologiquement normales âgées de 18 à 25 ans dans des conditions d'écoute en champ libre



Reference number
ISO 28961:2012(E)

© ISO 2012

This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "BS ISO 28961:2012". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Calculation of percentiles of hearing threshold distribution	2
3.1 General	2
3.2 Threshold distribution at frequencies lower than 10 000 Hz	2
3.3 Threshold distribution at 10 000 Hz and higher frequencies	4
Annex A (informative) Numerical examples to illustrate the procedure	5
Annex B (informative) Selected values of the statistical distribution of hearing thresholds of otologically normal persons in the age range 18 years to 25 years inclusive	6
Annex C (informative) Selected values of z_x	9
Annex D (informative) Notes on the derivation of the statistical distribution of normal hearing thresholds	10
Bibliography	11

This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 28961 was prepared by Technical Committee ISO/TC 43, *Acoustics*.

This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The threshold of hearing in a free sound field is specified in ISO 226 and ISO 389-7. Threshold data in these documents were obtained from otologically normal persons in the age range 18 years to 25 years inclusive.

As described in ISO 389-7, the threshold of hearing varies among people; the documents merely present median values of hearing thresholds. However, other values on the threshold distribution of individuals are necessary to evaluate the hearing ability of a person in relation to that of the population. Those values have been used also in noise evaluation for estimating the ratio of young people with normal hearing in the population who might be able to detect a sound of concern, e.g. an unwanted sound emitted from a machine.

This International Standard provides a method for calculating percentiles of the hearing threshold distribution for one-third-octave-band and other audiometric frequencies from 20 Hz to 16 000 Hz. The mean value of distribution is set to be the threshold of hearing specified in ISO 226 and ISO 389-7. Furthermore, the method has been developed using many of the hearing threshold data on which those documents were based.

NOTE Percentiles of the hearing threshold distribution can also be determined for bands of noise. However, only percentiles for pure tones are specified in this International Standard because insufficient data for bands of noise are available. Nevertheless, it is possible that this International Standard is applicable to one-third-octave bands of noise.

This is a preview of "BS ISO 28961:2012". [Click here to purchase the full version from the ANSI store.](#)