

This is a preview of "BS EN 60317-0-8:2012". [Click here to purchase the full version from the ANSI store.](#)

BS EN 60317-0-8:2012



BSI Standards Publication

Specifications for particular types of winding wires

Part 0-8: General requirements —
Polyester glass fibre wound, resin or
varnish impregnated or not impregnated,
bare or enamelled rectangular copper wire
(IEC 60317-0-8:2012)

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



This is a preview of "BS EN 60317-0-8:2012". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of EN 60317-0-8:2012.
It is identical to IEC 60317-0-8:2012.

The UK participation in its preparation was entrusted to Technical Committee GEL/55, Winding wires.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012

Published by BSI Standards Limited 2012

ISBN 978 0 580 70626 4

ICS 29.060.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2012.

Amendments issued since publication

Amd. No.	Date	Text affected
-----------------	-------------	----------------------

This is a preview of "BS EN 60317-0-8:2012". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

September 2012

ICS 29.060.10

English version

**Specifications for particular types of winding wires -
Part 0-8: General requirements -
Polyester glass fibre wound, resin or varnish impregnated
or not impregnated, bare or enamelled rectangular copper wire
(IEC 60317-0-8:2012)**

Spécifications pour types particuliers
de fils de bobinage -
Partie 0-8: Exigences générales -
Fil de section rectangulaire en cuivre
nu ou émaillé, guipé de fibres de verre
avec polyester, imprégnées ou non
de vernis ou de résine
(CEI 60317-0-8:2012)

Technische Lieferbedingungen für
bestimmte Typen von Wickeldrähten -
Teil-0-8: Allgemeine Anforderungen -
Flachdrähte aus Kupfer, blank oder
lackisoliert, mit Polyester Glasgewebe
umspinnen und mit Harz oder Lack
imprägniert oder nicht imprägniert
(IEC 60317-0-8:2012)

This European Standard was approved by CENELEC on 2012-08-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

This is a preview of "BS EN 60317-0-8:2012". [Click here to purchase the full version from the ANSI store.](#)

The text of document 55/1324/FDIS, future edition 1 of IEC 60317-0-8, prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60317-0-8:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-05-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-08-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60317-0-8:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60264 Series	NOTE	Harmonised as EN 60264 Series (not modified).
IEC 60317 Series	NOTE	Harmonised as EN 60317 Series (not modified).
IEC 60851 Series	NOTE	Harmonised as EN 60851 Series (not modified).

This is a preview of "BS EN 60317-0-8:2012". [Click here to purchase the full version from the ANSI store.](#)

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60851	Series	Winding wires - Test methods	EN 60851	Series
ISO 3	1973	Preferred numbers - Series of preferred numbers	-	-

This is a preview of "BS EN 60317-0-8:2012". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and general notes on tests and appearance	7
3.1 Terms and definitions	7
3.2 General notes.....	8
3.2.1 Methods of test.....	8
3.2.2 Winding wire	8
3.3 Appearance	9
4 Dimensions	9
4.1 Conductor dimensions	9
4.2 Tolerance on conductor dimensions	11
4.3 Rounding of corners	11
4.4 Increase in dimensions due to the insulation	11
4.5 Overall dimensions	13
4.5.1 Nominal overall dimensions	13
4.5.2 Minimum overall dimensions	13
4.5.3 Maximum overall dimensions	13
5 Electrical resistance	13
6 Elongation	13
7 Springiness	13
8 Flexibility and adherence	14
8.1 Mandrel winding test	14
8.2 Adherence test	14
8.2.1 Fibre covered bare wires	14
8.2.2 Fibre covered enamelled wires	14
9 Heat shock	14
10 Cut-through	14
11 Resistance to abrasion	14
12 Resistance to solvents.....	14
13 Breakdown voltage	14
14 Continuity of insulation	15
15 Temperature index	15
16 Resistance to refrigerants.....	15
17 Solderability	15
18 Heat or solvent bonding.....	15
19 Dielectric dissipation factor.....	15
20 Resistance to transformer oil	15
21 Loss of mass	16
23 Pin hole test	16
30 Packaging	16