

This is a preview of "BS EN 295-5:2013". Click here to purchase the full version from the ANSI store.

BS EN 295-5:2013



BSI Standards Publication

Vitrified clay pipe systems for drains and sewers

Part 5: Requirements for perforated
pipes and fittings

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



This is a preview of "BS EN 295-5:2013". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of EN 295-5:2013. It supersedes BS EN 295-5:1994 and, together with BS EN 295-1:2013, BS EN 295-2:2013, BS EN 295-4:2013, BS EN 295-6:2013, and BS EN 295-7:2013, it supersedes BS EN 295-10:2005, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee B/505, Wastewater engineering.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013.
Published by BSI Standards Limited 2013.

ISBN 978 0 580 70650 9

ICS 23.040.50; 91.140.80; 93.030

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2013.

Amendments issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 295-5:2013". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

February 2013

ICS 93.030

Supersedes EN 295-10:2005, EN 295-5:1994

English Version

Vitrified clay pipe systems for drains and sewers - Part 5: Requirements for perforated pipes and fittings

Systèmes de tuyaux en grès vitrifié pour les collecteurs
d'assainissement et les branchements - Partie 5:
Exigences applicables aux tuyaux perforés et raccords

Steinzeugrohrsysteme für Abwasserleitungen und -kanäle -
Teil 5: Anforderungen an gelochte Rohre und Formstücke

This European Standard was approved by CEN on 1 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "BS EN 295-5:2013". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
Foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	4
4 Requirements for pipes and fittings.....	4
4.1 Material, manufacture, water absorption and appearance	4
4.2 Internal diameter	4
4.3 Length.....	5
4.4 Deviation from straightness	5
4.5 Angle of curvature and radius of bends.....	5
4.6 Branch angle of junctions.....	6
4.7 Perforations.....	6
4.7.1 General	6
4.7.2 Arrangement of perforations	6
4.7.3 Area of perforations	6
4.8 Crushing strength (F_N).....	6
4.9 Chemical resistance.....	7
4.10 Fatigue strength under cyclic load.....	8
5 Joint assemblies	8
6 Common requirements for pipes and fittings.....	8
6.1 Reaction to fire.....	8
6.2 Durability	8
6.3 Dangerous substances	8
7 Designation	9
8 Marking.....	9
9 Evaluation of conformity.....	10
9.1 General	10
9.2 Initial type testing.....	10
9.3 Factory production control (FPC).....	10
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of the EU Construction Products Directive.....	11
ZA.1 Scope and relevant characteristics	11
ZA.2 Procedures for the attestation of conformity of perforated vitrified clay pipes and fittings	12
ZA.2.1 Systems of attestation of conformity	12
ZA.2.2 EC declaration of conformity.....	13
ZA.3 CE marking.....	14
ZA.3.1 General	14
ZA.3.2 CE marking on the product.....	14
ZA.3.3 CE marking in the accompanying documents.....	15
Bibliography.....	17

This is a preview of "BS EN 295-5:2013". [Click here to purchase the full version from the ANSI store.](#)

Foreword

This document (EN 295-5:2013) has been prepared by Technical Committee CEN/TC 165 "Wastewater engineering", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2013, and conflicting national standards shall be withdrawn at the latest by August 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 295-5:1994 and together with EN 295-1:2013, EN 295-2:2013, EN 295-4:2013, EN 295-6:2013 and EN 295-7:2013 it supersedes EN 295-10:2005.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The main changes with respect to the previous edition are listed below:

- requirements for the resistance to high pressure water jetting added;
- requirements for water absorption added;
- reaction to fire added;
- Annex ZA added;
- editorially revised.

The standard series EN 295 "Vitrified clay pipe systems for drains and sewers" consists of the following parts:

- *Part 1: Requirements for pipes, fittings and joints*
- *Part 2: Evaluation of conformity and sampling*
- *Part 3: Test methods*
- *Part 4: Requirements for adaptors, connectors and flexible couplings*
- *Part 5: Requirements for perforated pipes and fittings (the present document)*
- *Part 6: Requirements for components of manholes and inspection chambers*
- *Part 7: Requirements for pipes and joints for pipe jacking*

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 295-5:2013". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This European Standard specifies requirements for perforated pipes and compatible fittings made from vitrified clay with or without sockets for use in land drains and drainage of waste tips. They are also used for percolation into the ground.

This standard specifies different strength classes and areas of perforations.

NOTE 1 The specifiers/purchasers can select them according to their requirements.

NOTE 2 Corresponding provisions for the evaluation of conformity (ITT and FPC) and sampling and those for the test methods are further specified in EN 295-2 and EN 295-3, respectively.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 295-1:2013, *Vitrified clay pipe systems for drains and sewers — Part 1: Requirements for pipes, fittings and joints*

EN 295-2:2013, *Vitrified clay pipe systems for drains and sewers — Part 2: Evaluation of conformity and sampling*

EN 295-3:2012, *Vitrified clay pipe systems for drains and sewers — Part 3: Test methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 295-1:2013 and the following apply.

3.1 area of perforations

total area of holes or slots per metre length measured on the inside of the pipe

4 Requirements for pipes and fittings

4.1 Material, manufacture, water absorption and appearance

For material, manufacture, water absorption and appearance, perforated pipes and fittings shall comply with EN 295-1:2013, 5.1.

4.2 Internal diameter

The internal diameter shall not be less than the values according to Table 1.