

This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

BS ISO 14229-4:2012



BSI Standards Publication

Road vehicles — Unified diagnostic services (UDS)

Part 4: Unified diagnostic services on FlexRay implementation (UDSonFR)

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of ISO 14229-4:2012.

The UK participation in its preparation was entrusted to Technical Committee AUE/16, Electrical and electronic equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012.
Published by BSI Standards Limited 2012.

ISBN 978 0 580 71339 2

ICS 43.180

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2012.

Amendments issued since publication

Date	Text affected
------	---------------

This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

First edition
2012-12-01

Road vehicles — Unified diagnostic services (UDS) —

Part 4: Unified diagnostic services on FlexRay implementation (UDSonFR)

*Véhicules routiers — Services de diagnostic unifiés (SDU) —
Partie 4: SDU sur l'implémentation FlexRay (SDU sur FR)*



Reference number
ISO 14229-4:2012(E)

© ISO 2012

This is a preview of "BS ISO 14229-4:2012". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Abbreviated terms.....	1
4 Conventions	2
5 Document overview	2
6 Unified diagnostic services implementation on FlexRay	4
6.1 General.....	4
6.2 UDS on FlexRay services overview.....	4
6.3 CommunicationControl (0x28) service.....	5
6.4 ResponseOnEvent (0x86) service.....	5
6.5 LinkControl (0x87) service.....	7
6.6 ReadDataByPeriodicIdentifier (0x2A) service.....	8
7 Application layer requirements	14
7.1 Application layer services.....	14
7.2 Application layer protocol.....	14
7.3 Application layer timing.....	14
8 Presentation layer requirements	14
9 Session layer requirements	14
10 Transport/Network layer interface adaptation	14
10.1 General information.....	14
10.2 DoFR Transport/Network layer interface adaptation.....	14
11 Data Link layer diagnostic implementation requirements	15
Bibliography	16

This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14229-4 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

ISO 14229 consists of the following parts, under the general title *Road vehicles — Unified diagnostic services (UDS)*:

- *Part 1: Specification and requirements*
- *Part 2: Session layer services*
- *Part 3: Unified diagnostic services on CAN implementation (UDSonCAN)*
- *Part 4: Unified diagnostic services on FlexRay implementation (UDSonFR)*
- *Part 5: Unified diagnostic services on Internet Protocol implementation (UDSonIP)*
- *Part 6: Unified diagnostic services on K-Line implementation (UDSonK-Line)*

The following parts are under preparation / are planned:

- *Part 7: Unified diagnostic services on Local Interconnect Network implementation (UDSonLIN)*

This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This part of ISO 14229 has been established in order to enable the implementation of unified diagnostic services, as specified in ISO 14229-4, on FlexRay (UDSonFR).

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model specified in ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by ISO 14229 are divided into:

- Application layer (layer 7):
 - Vehicle manufacturer enhanced diagnostics: ISO 14229-1, ISO 14229-4,
 - Legislated OBD: ISO 15031-5,
 - Legislated WWH-OBD: ISO 14229-1 / ISO 27145-3;
- Presentation layer (layer 6):
 - Vehicle manufacturer enhanced diagnostics: vehicle manufacturer specific,
 - Legislated OBD: SAE J1930-DA, SAE J1979-DA, SAE J2012-DA,
 - Legislated WWH-OBD: ISO 27145-2 with reference to SAE J1930-DA, SAE J1939, Companion Spreadsheet (SPNs), SAE J1939-73:2010, Appendix A (FMIs), SAE J1979-DA and SAE J2012-DA;
- Session layer services (layer 5):
 - Vehicle manufacturer enhanced diagnostics: ISO 14229-2,
 - Legislated OBD: ISO 14229-2,
 - Legislated WWH-OBD: ISO 14229-2;
- Transport layer services (layer 4):
 - Vehicle manufacturer enhanced diagnostics: ISO 10681-2,
 - Legislated OBD: ISO 10681-2, ISO 15765-4
 - Legislated WWH-OBD: ISO 27145-4;
- Network layer services (layer 3):
 - Vehicle manufacturer enhanced diagnostics: ISO 10681-2,
 - Legislated OBD: ISO 15765-2, ISO 15765-4
 - Legislated WWH-OBD: ISO 27145-4;
- Data link layer (layer 2):
 - Vehicle manufacturer enhanced diagnostics: ISO 17458-2,
 - Legislated OBD: ISO 11898-1, ISO 11898-2, ISO 15765-4,
 - Legislated WWH-OBD: ISO 27145-4;
- Physical layer (layer 3):
 - Vehicle manufacturer enhanced diagnostics: ISO 17458-4,
 - Legislated OBD: ISO 11898-1, ISO 11898-2, ISO 15765-4,

This is a preview of "BS ISO 14229-4:2012". Click here to purchase the full version from the ANSI store.

— Legislated WWH-OBD: ISO 27145-4;

in accordance with Table 1.

Table 1 — DoFR enhanced diagnostics, legislated OBD and WWH-OBD specification reference applicable to the OSI layers

Applicability	OSI 7 layers	Vehicle manufacturer enhanced diagnostics	Legislated OBD (On-Board Diagnostics)	Legislated WWH-OBD (On-Board Diagnostics)		
Seven layer according to ISO/IEC 7498-1 and ISO/IEC 10731	Application (layer 7)	ISO 14229-1/ ISO 14229-4	ISO 15031-5	ISO 14229-1/ISO 27145-3		
	Presentation (layer 6)	Vehicle manufacturer specific	SAE J1930-DA, SAE J1979-DA, SAE J2012-DA	ISO 27145-2 SAE J1930-DA, SAE J1939 Companion Spreadsheet (SPNs), SAE J1939-73:2010, Appendix A (FMIs), SAE J1979-DA, SAE J2012-DA		
	Session (layer 5)	ISO 14229-2				
	Transport (layer 4)	ISO 10681-2	ISO 15765-2, ISO 15765-4	ISO 15765-2, ISO 15765-4	ISO 27145-4	ISO 13400-2
	Network (layer 3)					
	Data link (layer 2)	ISO 17458-2	ISO 11898-1, ISO 11898-2, ISO 15765-4	ISO 11898-1, ISO 11898-2, ISO 15765-4		ISO 13400-3, IEEE 802.3
	Physical (layer 1)	ISO 17458-4				

This is a preview of "BS ISO 14229-4:2012". [Click here to purchase the full version from the ANSI store.](#)

Road vehicles — Unified diagnostic services (UDS) —

Part 4:

Unified diagnostic services on FlexRay implementation (UDSonFR)

1 Scope

This part of ISO 14229 specifies the implementation of a common set of unified diagnostic services (UDS) on FlexRay networks (FR) in road vehicles (UDSonFR).

UDSonFR references ISO 14229-1 and ISO 14229-2 and specifies implementation requirements of the diagnostic services to be used for diagnostic communication over FlexRay.

NOTE UDSonFR does not specify any requirements of the in-vehicle FlexRay architecture.

This part of ISO 14229 does not include any redundant information of the documents as listed in the introduction. It focuses on

- additional requirements specific to the implementation of UDS on the FlexRay network, and
- specific restrictions in the implementation of UDS on the FlexRay network.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14229-1, *Road vehicles — Unified diagnostic services (UDS) — Part 1: Specification and requirements*

ISO 14229-2, *Road vehicles — Unified diagnostic services (UDS) — Part 2: Session layer services*

ISO 10681-2, *Road vehicles — Communication on FlexRay — Part 2: Communication layer services*

ISO 17458-2, *Road vehicles — FlexRay Communication Systems — Protocol specification*

ISO 17458-4, *FlexRay Communication Systems — Electrical physical layer specification*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14229-1, ISO 14229-2, and ISO 10681-2 apply.

3.2 Abbreviated terms

CF consecutive frame

DoFR diagnostic communication over FlexRay