This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.



# **BSI Standards Publication**

# Hot rolled products of structural steels

Part 2: Technical delivery conditions for non-alloy structural steels



BS EN 10025-2:2019 BRITISH STANDARD

This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

## **National foreword**

This British Standard is the UK implementation of EN 10025-2:2019. It supersedes BS EN 10025-2:2004, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ISE/103, Structural Steels Other Than Reinforcements.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 73966 8

ICS 77.140.10; 91.100.99; 77.140.50; 77.140.45

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2019.

Amendments/corrigenda issued since publication

Date Text affected

#### EN 10025\_2

This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

# **EUROPÄISCHE NORM**

August 2019

ICS 77.140.10; 77.140.45; 77.140.50

Supersedes EN 10025-2:2004

### **English Version**

# Hot rolled products of structural steels - Part 2: Technical delivery conditions for non-alloy structural steels

Produits laminés à chaud en aciers de construction -Partie 2 : Conditions techniques de livraison pour les aciers de construction non alliés Warmgewalzte Erzeugnisse aus Baustählen - Teil 2: Technische Lieferbedingungen für unlegierte Baustähle

This European Standard was approved by CEN on 16 June 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

Contents		Page	
Europ	uropean foreword4		
1	Scope	6	
2	Normative references	6	
3	Terms and definitions	8	
4	Classification and designation		
4.1	Classification		
4.1.1	Main quality classes		
4.1.2	Grades and qualities		
4.2	Designation	9	
5	Information to be supplied by the purchaser	9	
5.1	Mandatory information		
5.2	Options	10	
6	Manufacturing process	10	
6.1	Steel making process		
6.2	Deoxidation	10	
6.3	Delivery conditions	10	
7	Requirements	11	
7.1	General		
7.2	Chemical composition		
7.3	Mechanical properties		
7.3.1	General	12	
7.3.2	Impact properties		
7.3.3	Improved deformation properties perpendicular to the surface		
7.4	Technological properties		
7.4.1	Weldability		
7.4.2	Formability and flame straightening		
7.4.3	Hot-dip zinc-coating		
7.4.4 7.5	MachinabilitySurface properties		
7.5.1	Strip		
7.5.2	Plates and wide flats		
7.5.3	Sections		
7.5.4	Bars and rods		
7.6	Internal soundness	15	
7.7	Dimensions, tolerances on dimensions and shape, mass	15	
8	Inspection	15	
8.1	Type of inspection and inspection document		
8.2	Content of inspection document		
8.3	Tests to be carried out for specific inspection	16	
9	Frequency of testing and preparation of samples and test pieces	16	
9.1	Frequency of testing	16	
9.1.1	Chemical analysis		
9.1.2	Mechanical tests		
9.2	Preparation of samples and test pieces		
9.2.1	Selection and preparation of samples for chemical analysis		
9.2.2 9.2.3	Location of samples and orientation of test pieces for mechanical tests  Preparation of test pieces for mechanical tests		
7.4.3	r reparation of test pieces for mechanical tests	1 /	

# This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

9.3	tuentification of samples and test pieces	1δ
10	Test methodsChemical analysis	18
10.1	Chemical analysis	18
10.2	Mechanical tests Tensile test	18
10.2.1	Tensile test	18
10.2.2	Impact test	19
10.3	Ultrasonic testing	19
10.4	Impact test	19
11	Marking, labelling, packaging	19
12	Complaints	20
13	Options	20
Annex	A (normative) Location of samples and test pieces	36
Annex B (informative) List of Options of EN 10025-2 to -6		39
Bibliography		

This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

## **European foreword**

This document (EN 10025-2:2019) has been prepared by Technical Committee CEN/TC 459/SC 3 "Structural steels other than reinforcement", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2020 and conflicting national standards shall be withdrawn at the latest by February 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 10025-2:2004.

This document consists of the following parts, under the general title *Hot rolled products of structural steels:* 

- Part 1: General technical delivery conditions
- Part 2: Technical delivery conditions for non-alloy structural steels
- Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels
- Part 4: Technical delivery conditions for thermomechanical rolled weldable fine grain structural steels
- Part 5: Technical delivery conditions for structural steels with improved atmospheric corrosion resistance
- Part 6: Technical delivery conditions for flat products of high yield strength structural steels in the quenched and tempered condition

For a short transition period, there will be a coexistence of EN 10025-1:2004 with EN 10025-2:2019 to EN 10025-6:2019, since the new EN 10025-1 has to fulfil the requirements of the CPR and will therefore be published later. For this short transition period up-to-the publication of the next edition of part 1 the following is to be taken into account for EN 10025-1:2004:

- a) all dated and undated references to EN 10025-1:2004 to EN 10025-6:2004 are unchanged to this version with following exception: In 9.2.2.1 the references are 8.3.1 and 8.3.2 instead of 8.4.1 and 8.4.2;
- b) Clauses 5, 12 and 13 of EN 10025-1:2004 are no longer relevant.

The main changes with respect to the previous edition are listed below:

- a) part 2 is now a stand-alone standard for technical delivery conditions including the preparation of samples and test pieces, the test methods, the marking, labelling and packaging and the drawings;
- b) for applications under the CPR, this document and part 1 are used together;
- c) requirements for elements not definded were added to 7.2.1 and 7.2.2;
- d) Option 33 was added, Options 9 and 21 were deleted;
- e) Si-content in 7.2.5 was changed;
- f) 7.4.3 concerning hot-dip zinc coating was modified;

This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

- g) key to rigure A.1 was upuateu;
- h) steel grade S450 was deleted and steel grades S460 and S500 were added;
- i) Annex B concerning the corresponding EURONORMS was deleted;
- j) references were updated and the document was editorially revised.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Republic of North Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 10025-2:2019". Click here to purchase the full version from the ANSI store.

## 1 Scope

This document specifies the technical delivery conditions for flat and long products as well as semi-finished products which are meant for further processing to flat and long products of hot rolled non-alloy quality steels in the grades and qualities given in Tables 1 to 5 (chemical composition) and Tables 6 to 8 (mechanical properties) in the usual delivery conditions as given in 6.3. Three engineering steels are also specified in this document (see Tables 2 and 4) (chemical composition) and Table 7 (mechanical properties). This document does not apply to structural hollow sections (see EN 10210-1 and EN 10219-1) and tubes.

The technical delivery conditions apply to:

- thicknesses ≥ 3 mm and ≤ 150 mm for long products of steel grade S460JR, J0, J2, K2 and S500J0;
- thicknesses ≤ 400 mm for flat products of qualities JR, J0, J2 and K2;
- thicknesses ≤ 250 mm for flat and long products of all other grades and qualities.

The steels specified in this document are not intended to be heat treated except products delivered in the delivery condition +N. Stress relieving is accepted. Products delivered in +N condition can be hot formed and/or normalized after delivery (see Clause 3).

This document foresees that semi-finished products which are to be converted to rolled finished products conforming to this document are the subject of special agreements at the time of the order. The chemical compositions are also agreed to at the time of the order; the values are within the limits of Tables 1 and 2.

For certain grades and product forms suitability for particular applications are specified at the time of the order (see 7.4.2, 7.4.3 and Table 9).

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1011-2, Welding — Recommendations for welding of metallic materials — Part 2: Arc welding of ferritic steels

EN 10017, Steel rod for drawing and/or cold rolling — Dimensions and tolerances

EN 10020:2000, Definition and classification of grades of steel

EN 10021, General technical delivery conditions for steel products

EN 10024, Hot rolled taper flange I sections — Tolerances on shape and dimensions

EN 10025-1, Hot rolled products of structural steels — Part 1: General technical delivery conditions

EN 10027-1, Designation systems for steels — Part 1: Steel names

EN 10027-2, Designation systems for steels — Part 2: Numerical system

EN 10029, Hot-rolled steel plates 3 mm thick or above — Tolerances on dimensions and shape

EN 10034, Structural steel I and H sections — Tolerances on shape and dimensions

EN 10048, Hot rolled narrow steel strip — Tolerances on dimensions and shape

EN 10051, Continuously hot-rolled strip and plate/sheet cut from wide strip of non-alloy and alloy steels — Tolerances on dimensions and shape