

This is a preview of "PD ISO/IEC TR 20943-...". Click here to purchase the full version from the ANSI store.

**PD ISO/IEC TR 20943-5:2013**



**BSI Standards Publication**

# **Information technology — Procedures for achieving metadata registry content consistency**

Part 5: Metadata mapping procedure

**bsi.**

...making excellence a habit.™

This is a preview of "PD ISO/IEC TR 20943-...". [Click here to purchase the full version from the ANSI store.](#)

This Published Document is the UK implementation of ISO/IEC TR 20943-5:2013.

The UK participation in its preparation was entrusted to Technical Committee IST/40, Data management and interchange.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 74376 4

ICS 35.040

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 November 2013.

**Amendments issued since publication**

Date	Text affected
------	---------------

This is a preview of "PD ISO/IEC TR 20943-...". Click [here](#) to purchase the full version from the ANSI store.

**20943-5**

First edition  
2013-11-01

---

---

## **Information technology — Procedures for achieving metadata registry content consistency —**

### **Part 5: Metadata mapping procedure**

*Technologies de l'information — Procédures pour réaliser la  
consistance du contenu de l'enregistrement des métadonnées —*

*Partie 5: Procédure de mappage des métadonnées*



Reference number  
ISO/IEC TR 20943-5:2013(E)

© ISO/IEC 2013

This is a preview of "PD ISO/IEC TR 20943-...". Click here to purchase the full version from the ANSI store.



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "PD ISO/IEC TR 20943-...". Click [here](#) to purchase the full version from the ANSI store.

## Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Abbreviated terms</b> .....	<b>2</b>
<b>5 Metadata mapping procedure</b> .....	<b>3</b>
5.1 Overview .....	3
5.2 Data element concept mapping .....	3
5.3 Conceptual domain mapping .....	7
<b>Annex A (informative) Relationship between metadata mapping and registry</b> .....	<b>9</b>
<b>Annex B (informative) Factoring and types of heterogeneity</b> .....	<b>10</b>
<b>Bibliography</b> .....	<b>13</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

In exceptional circumstances, when the joint technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide to publish a Technical Report. A Technical Report is entirely informative in nature and shall be subject to review every five years in the same manner as an International Standard.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TR 20943-5 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*.

ISO/IEC TR 20943 consists of the following parts, under the general title *Information technology — Procedures for achieving metadata registry content consistency*:

- *Part 1: Data elements*
- *Part 3: Value domains*
- *Part 5: Metadata mapping procedure*
- *Part 6: Framework for generating ontologies*

This is a preview of "PD ISO/IEC TR 20943-...". Click [here](#) to purchase the full version from the ANSI store.

## Introduction

Metadata differs in many ways, yet for the purposes of data and semantic interoperability, those differences must be bridged or harmonized. For example, synonyms may cause discrepancies. If two data elements mean the same thing but have different names, that difference may cause data under each to be flagged as incompatible when they aren't.

Usually, two systems do not share the same model, and that is because the categories represented in the models were not factored in the same way. This situation inhibits interoperability. There may be two or more metadata element sets applicable to an information object. For example, metadata schemas, such as DC (Dublin Core),<sup>[10]</sup> MARC (MACHine Readable Cataloguing),<sup>[11]</sup> and MODS (Metadata Object Description Schema)<sup>[12]</sup> can be used to describe books. So, the result might be significantly different data elements in different schemas, even though the schemas describe the same objects.

ISO/IEC 11179 provides a framework for achieving interoperability of metadata between systems. A metadata registry based on ISO/IEC 11179 offers a good way to secure interoperability among databases. However, there are many metadata sets which are not following ISO/IEC 11179. In order to mediate among plural data elements already developed or used, other measures are necessary. In general, interoperability may be achieved through conformity to some set of provisions. For example, metadata crosswalk is the most commonly used way to map a data element to another data element. However, the metadata crosswalk is meaningful only for exact matching; it provides a simple one-to-one mapping table between data elements without any explanation about the relationship. Therefore, the metadata crosswalk needs to be elaborated in order to cover cases other than exact matching.

Some other approaches have been tried to provide guidelines or a model for harmonization of metadata and data in especially the transport industry. A Model for Semantic Equivalence Discovery for Harmonizing Master Data,<sup>[9]</sup> presented at OTM 2009 Workshops, suggests a model for semantic mapping of master data. ISO/TR 25100<sup>[8]</sup> reviews four harmonization processes applicable to an ITS/TICS central data registry and ITS/TICS data dictionaries and recommends practical guidelines. Both literatures are examples restricted within the transport industry but including a rationale for the need of metadata mapping in general.

This part of ISO/IEC TR 20943 describes a metadata mapping procedure (MMP), which can maximize the interoperability among metadata.

This is a preview of "PD ISO/IEC TR 20943-...". [Click here to purchase the full version from the ANSI store.](#)



This is a preview of "PD ISO/IEC TR 20943-...". Click [here](#) to purchase the full version from the ANSI store.

# Information technology — Procedures for achieving metadata registry content consistency —

## Part 5: Metadata mapping procedure

### 1 Scope

The purpose of this part of ISO/IEC TR 20943 is to describe a procedure for establishing metadata crosswalks based on the ISO/IEC 11179 series, subsequently improving mapping quality between metadata.

Therefore, this part of ISO/IEC TR 20943 describes a metadata mapping procedure (MMP), which can maximize the interoperability among ISO/IEC 11179-based registries through achieving metadata registry content consistency.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11179-1:2004, *Information technology — Metadata registries (MDR) — Part 1: Framework*

ISO/IEC 11179-3:2013, *Information technology — Metadata registries (MDR) — Part 3: Registry metamodel and basic attributes*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 11179 and the following apply.

#### 3.1

##### **crosswalk**

*mapping* (3.8) of the elements, semantics, and syntax from one metadata scheme to those of another

Note 1 to entry: Definition taken from *Understanding Metadata*, 2004, NISO Press.[15]

#### 3.2

##### **complicated difference**

type of *heterogeneity* (3.4) that cannot be harmonized

#### 3.3

##### **domain difference**

type of *heterogeneity* (3.4) arising from different kinds of contexts or cultures

#### 3.4

##### **heterogeneity**

difference arising from different descriptions of the same concept

#### 3.5

##### **hierarchical difference**

type of *heterogeneity* (3.4) arising from the different levels of details