BS ISO 19973-4:2014



BSI Standards Publication

Pneumatic fluid power — Assessment of component reliability by testing

Part 4: Pressure regulators



...making excellence a habit."

This British Standard is the UK implementation of ISO 19973-4:2014. It supersedes BS ISO 19973-4:2007 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/18, Fluid power systems and components.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 74866 0

ICS 23.100.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2014.

Amendments issued since publication

Date Text affected

INTERNATIONAL

This is a preview of "BS ISO 19973-4:2014". Click here to purchase the full version from the ANSI store.

Second edition 2014-03-01

Pneumatic fluid power — Assessment of component reliability by testing —

Part 4: **Pressure regulators**

Transmissions pneumatiques — Évaluation par essais de la fiabilité des composants —

Partie 4: Régulateurs de pression



Reference number ISO 19973-4:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Con	ntents	Page
Fore	word	iv
Intro	oduction	v
1	Scope	
2	Normative references	
3	Terms and definitions	2
4	Symbols and units	
5	Test equipment	
-	5.1 Basic test equipment	2
	5.2 Directional control valve5.3 Volumes	
(
6	Test conditions 6.1 General test conditions	
	6.2 Inlet and regulated pressures	
7	Test procedure	
	7.1 Timing of checks and measurements	
	7.2 Type and scope of checks and measurements7.3 Endurance test	
8	Failure criteria and threshold levels	
	8.1 General	7
	8.2 Functional failure	
	 8.3 Failure due to leakage 8.4 Failure due to pressure characteristics 	
	8.5 Customised agreements	
9	Data analysis	7
10	Test report	8
11	Identification statement (reference to this part of ISO 19973)	8
Anne	ex A (informative) Flow chart illustrating the test procedure specified in this part ISO 19973	
Anne	ex B (informative) Optional expanded test circuit	
Anne	ex C (informative) Test data sheet	
Bibli	ography	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 131, Fluid power systems.

This second edition cancels and replaces the first edition (ISO 19973-4:2007), which has been technically revised.

ISO 19973 consists of the following parts, under the general title *Pneumatic fluid power* — *Assessment of component reliability by testing*:

- Part 1: General procedures
- Part 2: Directional control valves
- Part 3: Cylinders with piston rod
- Part 4: Pressure regulators

The following part is under preparation:

- Part 5: Non-return valves, shuttle valves, dual pressure valves (AND function), one-way adjustable flow control valves, quick-exhaust valves

Introduction

In pneumatic fluid power systems, power is transmitted and controlled through a gas under pressure within a circuit. Pneumatic fluid power systems are composed of components and are an integral part of various types of machines and equipment. Efficient and economical production requires highly reliable machines and equipment. Within the ISO 19973 series, this part is intended to provide requirements and test conditions that permit the assessment of the inherent reliability of pneumatic pressure regulators.

It is necessary that machine producers know the reliability of the components that make up their machine's pneumatic fluid power system. Knowing the reliability characteristic of the component, the producers can model the system and make decisions on service intervals, spare parts inventory, and areas for future improvements.

There are three primary levels in the determination of component reliability:

- a) preliminary design analysis finite element analysis (FEA), failure mode and effect analysis (FMEA);
- b) laboratory testing and reliability modelling physics of failure, reliability prediction, preproduction evaluation;
- c) collection of field data maintenance reports, warranty analysis.

Each level has its application during the life of a component. A preliminary design analysis is useful to identify possible failure modes and eliminate them or reduce their effect on reliability. When prototypes are available, in-house laboratory reliability tests are run and initial reliability can be determined. Reliability testing is often continued into the initial production run and throughout the production lifetime as a continuing evaluation of the component. Collection of field data is possible when products are operating and data on their failures are available.

ICO 10072_1.2011(F)

This is a preview of "BS ISO 19973-4:2014". Click here to purchase the full version from the ANSI store.

Pneumatic fluid power — Assessment of component reliability by testing —

Part 4: **Pressure regulators**

1 Scope

This part of ISO 19973 provides test procedures for assessing the reliability of pneumatic pressure regulators by testing and the methods of reporting the results of testing. General test conditions and the calculation method are provided in ISO 19973-1. The methods specified in ISO 19973-1 apply to the first failure, as obtained with the three-points moving average (3PMA) method, without repairs, but excluding outliers.

The lifetime of pneumatic pressure regulators is usually given as a number of cycles. Therefore, whenever the term "time" is used in this part of ISO 19973, this variable shall be understood as either cycles or time.

This part of ISO 19973 applies to manually adjustable and remote-piloted pressure regulators, both relieving and non-relieving. This part of ISO 19973 does not apply to pressure regulators that have a permanent bleed.

This part of ISO 19973 also specifies test equipment and failure criteria (threshold levels) for tests to assess the reliability of pneumatic pressure regulators.

The life determined by the method in this part of ISO 19973 and in ISO 19973-1 will be more closely related to applications that have a large variation in flow rate.

NOTE See <u>Annex A</u> for a flow chart illustrating the test procedure specified in this part of ISO 19973.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1219-1, Fluid power systems and components — Graphical symbols and circuit diagrams — Part 1: Graphical symbols for conventional use and data-processing applications

ISO 5598, Fluid power systems and components — Vocabulary

ISO 6953-1, Pneumatic fluid power — Compressed air pressure regulators and filter-regulators — Part 1: Main characteristics to be included in literature from suppliers and product-marking requirements

ISO 6953-3, Pneumatic fluid power — Compressed air pressure regulators and filter-regulators — Part 3: Alternative test methods for measuring the flow-rate characteristics of pressure regulators

ISO 19973-1:—¹⁾, Pneumatic fluid power — Assessment of component reliability by testing — Part 1: General procedures

ISO 80000-1, Quantities and units — Part 1: General

IEC 60050-191, International Electrotechnical Vocabulary. Chapter 191: Dependability and quality of service

1) To be published. (Revision of ISO 19973-1:2007)