

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

BS ISO 15638-5:2013



BSI Standards Publication

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)

Part 5: Generic vehicle information

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of ISO 15638-5:2013.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 75868 3

ICS 03.220.20; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2013.

Amendments issued since publication

Date	Text affected
------	---------------

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

First edition
2013-06-15

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 5: Generic vehicle information

*Systèmes intelligents de transport — Cadre pour applications
télématiques collaboratives pour véhicules de fret commercial
réglementé (TARV) —*

Partie 5: Informations génériques sur le véhicule



Reference number
ISO 15638-5:2013(E)

© ISO 2013

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "BS ISO 15638-5:2013". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	vi
Introduction.....	vi
1 Scope	1
2 Conformance	1
3 Normative references	2
4 Terms and definitions	3
5 Symbols (and abbreviated terms).....	5
6 General overview and framework	6
6.1 General overview	6
6.1.1 Context	6
6.1.2 ROAM.....	11
7 System requirements	18
7.1 Communications requirements	18
7.2 TARV-ROAM Security requirements	18
7.3 TARV-ROAM facilities layer requirements.....	18
7.4 7Host management centre (HMC) requirements.....	19
8 Generic vehicle data requirements.....	19
8.1 Data provision.....	19
8.1.1 Location of on-board data	19
8.1.2 Naming of 'Apps'	19
8.1.3 Local data trees	20
8.1.4 C-ITS LDT	20
8.1.5 TARV LDT	20
8.1.6 Recent data archive.....	21
8.2 Commands for vehicle data	21
8.2.1 GET TARV LDT data	21
8.2.2 GET C-ITS LDT data	22
8.2.3 CREATE core application data.....	22
8.2.4 GET core application data	24
8.2.5 GET Archive	24
8.3 Presentation of the 'basic vehicle data' concept.....	24
8.3.1 Data format version.....	24
8.3.2 Message identifier	25
8.3.3 8.3.3 Prime service provider identifier	25
8.3.4 Application service provider identifier.....	25
8.3.5 Session control data	26
8.3.6 Vehicle unique identifier.....	27
8.3.7 Vehicle class identification	27
8.3.8 VIN number	27
8.3.9 Propulsion storage type	27
8.3.10 Time and timestamp (UTC sec).....	28
8.3.11 Location.....	28
8.3.12 Error estimation (covariance matrix).....	30
8.3.13 Direction of travel	31
8.3.14 Ignition status	32
8.3.15 Other movement sensors	32
8.3.16 IVS identification	32
8.3.17 Manufacturer identification	33

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

8.3.18	Driver(s) identification.....	34
8.3.19	Trailer identification	35
8.3.20	Load data	35
8.4	Organisation of the TARV LDT	35
9	Additional data provision options for 'core application data' and regulated applications.....	37
9.1	General.....	37
9.2	Additional data options for 'core application data'	39
9.2.1	Accelerometer data	39
9.2.2	Gyroscope data.....	40
9.2.3	Camera/video data	40
9.2.4	Vehicle speed data	40
9.2.5	Alarm status data and records	41
9.3	Distributed directory service (DDS) requirements	42
10	Test requirements.....	42
11	Marking, labelling and packaging	43
12	Declaration of patents and intellectual property	44
Annex A	(informative) Registration provisions of ISO 14816	45
A.1	General rules	45
A.1.1	Registration hierarchy.....	45
A.1.2	Definition of actors	46
12.1.1	Issuer:	46
12.1.2	Issuer register:.....	46
A.1.3	Central registration administrator (CRA)	46
12.1.3	General.....	46
12.1.4	Responsibilities	46
A.2	Application and registration procedures FOR CS1: Issuers	47
A.2.1	Issuer	47
A.2.2	National registration administrator (NRA/I).....	48
A.3	Application and registration procedures for CS8: Tax codes	49
A.4	Application and registration procedures for CS2: Manufacturers	49
A.4.1	Application procedure for assignment of a manufacturer Identifier	49
A.4.2	Criteria for approval of an application for an manufacturer identifier	49
A.4.3	Responsibilities of the manufacturer	50
A.4.4	Responsibilities CRA for manufacturer register	50
A.4.5	Register of manufacturers	50
A.5	Costs aspects	51
A.6	Disclaimer.....	51
Annex B	(normative) CVIS 3.4 System Specifications	52
B.1	CVIS Architecture and system specifications Section 3.1.....	52
B.1.1	CVIS 3.1 OSGi™framework & lifecycle management	52
12.1.5	CVIS 3.1.2 Application programming interface.....	54
B.1.2	CVIS 3.2 Distributed directory service.....	56
Annex C	(informative) Independent testing of the protocols defined in this Part of ISO 15638	64
C.1	Objectives	64
C.2	Test script 1 LDT Service : Local Data Tree.....	66
CTP 1.1.1	Instigated LDT using 2G.....	66
CTP 1.1.2	Interrogated LDT using 2G.....	68
CTP 1.1.3	Interrogated LDT using 5.9GHz and responding using 2G or 3G	70
CTP 1.2.1	Instigated LDT using 3G.....	72
CTP 1.2.2	Interrogated at 5.9 GHz and send of LDT using 3G.....	74
CTP 1.3.1	Instigated LDT using 802.11p (WAVE) 5.9 GHz.....	76
CTP 1.3.2	Interrogated LDT using 802.11p (WAVE) 5.9 GHz.....	78
CTP 1.4.1	Instigated LDT using Mesh WiFi.....	80
CTP 1.4.2	Interrogated LDT using Mesh WiFi.....	82
C.3	Test script 2 Service : Core Data.....	84
CTP 2.1.1	Instigated Core Data using 2G.....	85

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

CTP 2.1.2	Interrogated Core Data using 2G	87
CTP 2.1.3	Interrogated Core Data using 5.9GHz and responding using 2G or 3G.....	89
CTP 2.2.1	Instigated Core Data using 3G	91
CTP 2.2.2	Interrogated at 5.9 GHz and send of Core Data using 3G.....	93
CTP 2.3.1	Instigated Core Data using 802.11p (WAVE) 5.9 GHz	95
CTP 2.3.2	Interrogated Core Data using 802.11p (WAVE) 5.9 GHz	97
CTP 2.4.1	Instigated Core Data using Mesh WiFi	99
CTP 2.4.2	Interrogated Core Data using Mesh WiFi	101
Bibliography.....		103

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*

ISO 15638 consists of the following parts, under the general title *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)*:

- *Part 1 Framework and architecture*
- *Part 2: Common platform parameters using CALM*
- *Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*
- *Part 5: Generic vehicle information*
- *Part 6: Regulated applications* [Technical Specification]
- *Part 7: Other applications*
- *Part 8: Vehicle access monitoring (VAM)* [Technical Specification]
- *Part 9: Remote electronic tachograph monitoring (RTM)* [Technical Specification]
- *Part 10: Emergency messaging system/eCall (EMS)* [Technical Specification]
- *Part 11: Driver work records (work and rest hours compliance) (DWR)* [Technical Specification]
- *Part 12: Vehicle mass monitoring (VMM)* [Technical Specification]
- *Part 14: Vehicle access control (VAC)* [Technical Specification]
- *Part 15: Vehicle location monitoring (VLM)* [Technical Specification]
- *Part 16: Vehicle speed monitoring (VSM)* [Technical Specification]

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

- *Part 17: Consignment and location monitoring (CLM)* [Technical Specification]
- *Part 18: ADR (Dangerous Goods) transport monitoring (ADR)* [Technical Specification]
- *Part 19: Vehicle parking facilities (VPF)* [Technical Specification]

The following parts are under preparation:

- *Part 4: System security requirements* [Technical Specification]
- *Part 13: Mass Penalties and Levies (VMC)*

Introduction

Many *ITS* technologies have been embraced by commercial transport operators and freight owners, in the areas of fleet management, safety and security. Telematics applications have also been developed for governmental use. While the regulatory services in use or being considered varies from country to country, these include services such as charging, digital tachograph, hazardous goods tracking and e-call. Additional applications with a regulatory impact being developed include access monitoring, on-board mass monitoring, fatigue management, speed monitoring and heavy vehicle charging based on mass, location, distance and time.

In such an emerging environment of regulatory and commercial applications, it is timely to consider an overall architecture (business and functional) that could support these functions from a single platform within a commercial vehicle that operate within such regulations. Such International Standards will allow for a speedy development and specification of new applications that build upon the functionality of a generic specification platform. This suite of standards deliverables describes and defines the framework and requirements so that the *in-vehicle system* [4.7] can be commercially designed in an open market to meet common requirements.

This suite of standards deliverables will provide the basis for future development of cooperative telematics applications for *regulated commercial freight vehicles* [4.14]. Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the specifications will use existing standards (such as *CALM*) wherever practicable.

This suite of standards deliverables will also allow for a powerful platform for highly cost-effective delivery of a range of telematics applications for *regulated commercial freight vehicles* [4.14].

Finally, a business architecture based on a (multiple) *service provider* [4.15] oriented approach will also require consideration of legal and regulatory aspects for the *approval authority* [4.3] approval and auditing of *service providers* [4.7].

This suite of standards deliverables is timely as many governments (Europe, North America, Asia and Australia/New Zealand) are considering the use of telematics for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This suite of standards deliverables addresses and defines the framework for a range of cooperative telematics applications for *regulated commercial freight vehicles* [4.14] (such as access monitoring, driver fatigue management, speed monitoring, on-board mass monitoring and charging). The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative *ITS* service platform. The framework will be based on a (multiple) *service provider* [4.15] oriented approach provisions for the *approval authority* [4.3] approval and auditing of *service providers*.

This part of the ISO 15638 family of standards deliverables provides specifications for generic *basic vehicle data* [4.4] that it is required for all *IVSs* to support and make available to application *service providers* [4.15] using the *IVS* wireless communications link(s), in order to support the provision of regulated and commercial application services for *TARVs*; and provides *basic vehicle data* for cooperative intelligent transport systems.

NOTE The definition of what comprises a 'regulated' vehicle is regarded as an issue for national decision, and may vary from country to country. This suite of standards deliverables does not impose any requirements on nations in respect of how they define a regulated vehicle.

NOTE The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from country to country. This suite of standards deliverables does not impose any requirements on nations in respect of which services for regulated vehicles countries will require, or support as an option, but will provide standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

NOTE Cooperative *ITS* applications, in this context, are defined as the use of an in-vehicle *ITS* platform to meet both commercial and regulatory needs from a (functionally) single on-board platform.

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS ISO 15638-5:2013". [Click here to purchase the full version from the ANSI store.](#)

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 5: Generic vehicle information

1 Scope

This part of ISO 15638 defines generic basic vehicle and *core application data* [4.5] provision to application *service providers* [4.15] to be supported by *in-vehicle system* [4.7] (*IVS*) for cooperative telematics applications for *regulated commercial freight vehicles* [4.14] (*TARV*), and to provide *basic vehicle data* [4.4] for cooperative intelligent transport systems.

This part of ISO 15638 provides the specifications for generic *basic vehicle data* [4.4] that it is required for all *TARV IVSs* to support and make available to application *service providers* [4.15] via a wireless communications link supported by the *IVS*, in order to support the provision of regulated and commercial application services.

Some further data concepts, while not required in all cases for every *TARV* in every *jurisdiction* [4.9], may be required generically for all equipment within a particular *jurisdiction* [4.9], or class of *TARV* within a *jurisdiction* [4.9], in order for the *jurisdiction* to achieve its regulation of *TARVs*.

Equipped vehicles operating internationally will need to carry all of the additional data concepts required by all of the *jurisdictions* [4.9] within which they operate, in order to determine their *core application data* [4.5]. This part of ISO 15638 provides standard definitions for these commonly expected additional data concepts.

A second set of (largely complementary) 'basic vehicle' data is required to support interoperable cooperative intelligent transport systems and this is also determined and provided within this part of ISO 15638. The framework architecture and many of the protocols are common between both (*TARV* and *C-ITS*) sets of requirements, and also with those being adopted by the wider cooperative *ITS* sector.

2 Conformance

This part of ISO 15638 defines specifications for generic *basic vehicle data* [4.4] that it is required for all *IVSs* to support and make available to application *service providers* [4.15] using the *IVS* wireless communications link(s), in order to support the provision of regulated and commercial application services for *TARVs*; and provides *basic vehicle data* for cooperative intelligent transport systems., and has no specific conformance tests defined herein, however Clause 10 specifies which tests may be required. Some aspects defined within may have conformance tests defined in other parts of ISO 15638.

Conformance to any other International Standard or specification referenced in this part of ISO 15638 shall be ascertained according to the requirements of the referenced deliverable.

Conformance to this part of ISO 15638 is therefore a matter of self-declaration of compliance, or by submission to a test house to ascertain that the provisions of the clauses of this part of ISO 15638 have been adhered to.

The protocols defined in this part of ISO 15638 have been independently tested. Annex C (Informative) provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate the results may be used as part of its process of conformance compliance.