BS EN 60317-36:2014



BSI Standards Publication

Specifications for particular types of winding wires

Part 36: Solderable polyesterimide enamelled round copper wire, class 180, with a bonding layer



BS EN 60317-36:2014 BRITISH STANDARD

This is a preview of "BS EN 60317-36:2014". Click here to purchase the full version from the ANSI store.

This British Standard is the UK implementation of EN 60317-36:2014. It is identical to IEC 60317-36:2013. It supersedes BS EN 60317-36:1995 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/55, Winding wires.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 75932 1 ICS 29.060.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2014.

Amendments/corrigenda issued since publication

Date Text affected

THO THIS ECTION

EUROPÄISCHE NORM

February 2014

ICS 29.060.10

Supersedes EN 60317-36:1994 + A1:1998 + A2:2000

English version

Specifications for particular types of winding wires Part 36: Solderable polyesterimide enamelled round copper wire, class 180, with a bonding layer

(IEC 60317-36:2013)

Spécifications pour types particuliers de fils de bobinage -

Partie 36: Fil brasable de section circulaire en cuivre émaillé avec polyesterimide, classe 180, avec une couche adhérente (CEI 60317-36:2013)

Technische Lieferbedingungen für bestimmte Typen von Wickeldrähten -Teil 36: Runddrähte aus Kupfer, verzinnbar und verbackbar, lackisoliert mit Polyesterimid, Klasse 180 (IEC 60317-36:2013)

This European Standard was approved by CENELEC on 2013-11-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

The text of document 55/1417/FDIS, future edition 2 of IEC 60317-36 prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60317-36:2014.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-08-18
	standard or by endorsement		

 latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-11-18

This document supersedes EN 60317-36:1994.

EN 60317-36:2014 includes the following significant technical changes with respect to EN 60317-36:1994:

- new 3.2.2 containing general notes on winding wire, formerly a part of the scope;
- revision to references to EN 60317-0-1:2014 to clarify that their application is normative;
- consolidation of 17.1 and 17.2 of the solderability requirements;
- new Clause 23, Pin hole test.

The numbering of clauses in this standard is not continuous from Clauses 20 and 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60317-36:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60264 Series NOTE Harmonized as EN 60264 Series (not modified).
IEC 60317 Series NOTE Harmonized as EN 60317 Series (not modified).
IEC 60851 Series NOTE Harmonized as EN 60851 Series (not modified).

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60317-0-1	2013	Specifications for particular types of winding wires - Part 0-1: General requirements - Enamelled round copper wire	EN 60317-0-1	2014

CONTENTS

INT	RODUCTION	5					
1	Scope	6					
2	Normative references	6					
3	Terms, definitions, general notes and appearance	6					
	3.1 Terms and definitions						
	3.2 General notes	6					
	3.2.1 Test methods	6					
	3.2.2 Winding wire	6					
	3.3 Appearance	7					
4	Dimensions						
5	Electrical resistance						
6	Elongation7						
7	Springiness	7					
8	Flexibility and adherence	7					
9	Heat shock	7					
10	Cut-through	7					
11	Resistance to abrasion (nominal conductor diameters from 0,250 mm up to and including 1,600 mm)	7					
12	Resistance to solvents						
13	Breakdown voltage						
14	Continuity of insulation	8					
15	Temperature index	8					
16	Resistance to refrigerants	8					
17	Solderability	9					
	17.1 Nominal conductor diameters up to and including 0,100 mm	9					
	17.2 Nominal conductor diameters over 0,100 mm						
18	Heat or solvent bonding	9					
	18.1 Heat bonding	9					
	18.1.1 Heat bonding strength of a helical coil	9					
	18.1.2 Bond strength on a twisted coil						
	18.2 Solvent bonding						
	Dielectric dissipation factor						
20	Resistance to transformer oil	11					
	Loss of mass						
23	Pin hole test	11					
30	Packaging	11					
Bib	liography	12					
Tak	ole 1 – Resistance to abrasion	8					
	nle 2 – Loads	10					